



ACCESSIBILITY EVALUATION REPORT



GLOSSARY

GUIDELINE SET: set composed of one or more guidelines.

GUIDELINE: it expresses general concepts about the accessibility of Web pages and it is composed of one or more criteria (for example, "Provide text alternatives for any non-text content so that it can be changed into other forms people need, such as large print, braille, speech, symbols or simpler language").

CRITERION: it specializes concepts from a guideline, focusing on a particular aspect of the Web pages and it is composed of one or more checkpoints, (for example, "All non-text content that is presented to the user has a text alternative that serves the equivalent purpose").

CHECKPOINT: consists of one or more checks and expresses concretely the requirements that must be met by one or more components of a Web page (tags, attributes, CSS properties etc.), such as "Accessibility issue, due to omitting the alt attribute on img elements, area elements, and input elements of type image".




EVALUATION OVERVIEW

BASE URL	https://www.comune.tribano.pd.it
CRAWLING PARAMETERS	
Number of pages	47
Depth	1
NUMBER OF EVALUATED WEB PAGES	47
EVALUATION DATE	13 set 2022
EVALUATION TIME	18:31:

MAUVE++ ACCESSIBILITY PERCENTAGE

The MAUVE++ accessibility percentage is a measure which indicates how much the website is accessible in terms of the number of checkpoints successfully evaluated over the total number of evaluated checkpoints for which the tool has been able to make a validation. Such a measure is computed over the total of the evaluated web pages.


94%



MAUVE++ EVALUATION COMPLETENESS

The MAUVE++ evaluation completeness is a measure which indicates the percentage of evaluated checkpoints for which the tool has been able to make a validation. Such a measure is computed over the total of the evaluated web pages.

91%





EVALUATION OVERVIEW

TOTAL ERRORS

We compute the number of erroneous checkpoints for all the evaluated web pages, the total number of occurrences, and the average number of errors' occurrences per page.

18

TOTAL CHECKPOINT TYPES WITH RESULT "ERROR"

11279

TOTAL ERROR OCCURRENCIES FOUND

239

AVERAGE ERROR OCCURENCIES PER PAGE

TOTAL WARNINGS

We compute the number of warning checkpoints for all the evaluated web pages, the total number of occurrences, and the average number of warnings' occurrences per page.

12

TOTAL CHECKPOINT TYPES WITH RESULT "WARNING"

11845

TOTAL WARNINGS OCCURENCIES FOUND

252

AVERAGE WARNING OCCURENCIES PER PAGE



EVALUATION OVERVIEW

MOST ERRONEUS PAGES

We compute a rank of the most erroneous pages of the website, according to the occurrences of errors found in each evaluated page.

- 1. <https://www.comune.tribano.pd.it/uffici-e-servizi/modulistica/ufficio-lavori-pubblici>**
- 2. <https://www.comune.tribano.pd.it/>**
- 3. <https://www.comune.tribano.pd.it/amministrazione/decreti/>**




PAGES EVALUATION

PAGE URL:

<https://www.comune.tribano.pd.it/uffici-e-servizi/modulistica/ufficio->

ERRORS GROUPED BY PRINCIPLES



- PERCEIVABLE: 645
- UNDERSTANDABLE: 4
- OPERABLE: 151
- ROBUST: 33

E/W	Errors	No. of occurrences
PERCEIVABLE		
E	SC 1.3.1 - Tech H63 Using the scope attribute to associate header cells and data cells in data tables	3
E	SC 1.4.13 - Tech 1.4.13-ST2 CSS: Using hover and focus pseudo classes	3
E	SC 1.3.4 - Tech F97 Failure due to locking the orientation to landscape or portrait view	2
E	SC 1.4.11 - Tech F78 Failure due to styling element outlines and borders in a way that removes or renders non-visible the visual focus indicator	8
E	SC 1.3.5 - Tech H98 Identify the purpose of inputs using the autocomplete value	3
E	SC 1.4.11 - Tech G195 Using an author-supplied, highly visible focus indicator	131
E	SC 1.3.1 - 1.4.5 - Tech G140 Separating information and structure from presentation to enable different presentations	1
E	SC 1.3.1 - Tech H42 Using h1-h6 to identify headings	1
E	SC 1.1.1 - 1.3.1 - Tech H44 Using label elements to associate text labels with form controls.	1



PAGES EVALUATION

E/W	Errors	No. of occurrences
E	SC 1.4.4 - 1.4.5 - Tech C12-13-14 Using percent, em units or named font sizes	62
E	SC 1.4.3 - 1.4.11 - Tech G18 Ensuring that a contrast ratio of at least 4.5:1 exists between text (and images of text) and background behind the text	79
E	SC 1.4.4 - 1.4.10 - Tech SCR34 Calculating size and position in a way that scales with text size	18
E	SC 1.3.1 - Tech ARIA16 Using aria-labelledby to provide a name for user interface controls	2
W	SC 1.4.12 - Tech C21 Specifying line spacing in CSS	245
W	SC 1.4.1 - Tech F73 Failure of Success Criterion 1.4.1 due to creating links that are not visually evident without color vision	40
W	SC 1.3.1 - Tech H73 Using the summary attribute of the table element to give an overview of data tables	1
W	SC 1.3.1 - Tech G162 Positioning labels to maximize predictability of relationships	1
W	SC 1.4.4 - 1.4.12 - Tech C28 Specifying the size of text containers using em units	32
W	SC 1.3.1 - Tech ARIA11 Using ARIA landmarks to identify regions of a page	11
W	SC 1.3.1 - Tech F46 Failure of Success Criterion 1.3.1 due to using th elements, caption elements, or non-empty summary attributes in layout tables	1
UNDERSTANDABLE		
E	SC 3.2.2 - Tech H32 Providing submit buttons	2
E	SC 3.3.2 - Tech H44 Using label elements to associate text labels with form controls.	1
W	SC 3.3.2 - Tech G162 Positioning labels to maximize predictability of relationships	1
OPERABLE		
E	SC 2.4.7 - Tech F78 Failure due to styling element outlines and borders in a way that removes or renders non-visible the visual focus indicator	8
E	SC 2.4.7 - Tech G195 Using an author-supplied, highly visible focus indicator	131



PAGES EVALUATION


E/W	Errors	No. of occurrences
W	SC 2.4.2 - Tech G88 Providing descriptive titles for Web pages	1
W	SC 2.4.1 - Tech ARIA11 Using ARIA landmarks to identify regions of a page	11
ROBUST		
E	SC 4.1.1 - Tech H93 Ensuring that id attributes are unique on a webpage	8
E	SC 4.1.1 - Tech F77 Failure of Success Criterion 4.1.1 due to duplicate values of type ID	8
E	SC 4.1.2 - Tech H44 Using label elements to associate text labels with form controls.	1
E	SC 4.1.2 - Tech ARIA16 Using aria-labelledby to provide a name for user interface controls	2
W	SC 4.1.2 - Tech ARIA5 Using WAI-ARIA state and property attributes to expose the state of a user interface component	14



PAGES EVALUATION

PAGE URL: <https://www.comune.tribano.pd.it/uffici-e-servizi/modulistica/ufficio->

ERRORS GROUPED BY CATEGORIES



E/W	Errors	No. of occurrences
ARIA		
E	SC 1.3.1 - 4.1.2 - Tech ARIA16 Using aria-labelledby to provide a name for user interface controls	2
W	SC 4.1.2 - Tech ARIA5 Using WAI-ARIA state and property attributes to expose the state of a user interface component	14
W	SC 1.3.1 - 2.4.1 - Tech ARIA11 Using ARIA landmarks to identify regions of a page	11
COLOR		



PAGES EVALUATION

E/W	Errors	No. of occurrences
E	SC 1.4.3 - 1.4.11 - Tech G18 Ensuring that a contrast ratio of at least 4.5:1 exists between text (and images of text) and background behind the text	79
CONTENT		
E	SC 1.4.4 - 1.4.5 - Tech C12-13-14 Using percent, em units or named font sizes	62
W	SC 1.4.12 - Tech C21 Specifying line spacing in CSS	245
FORM		
E	SC 1.4.13 - Tech 1.4.13-ST2 CSS: Using hover and focus pseudo classes	3
E	SC 3.2.2 - Tech H32 Providing submit buttons	2
E	SC 1.4.11 - 2.4.7 - Tech F78 Failure due to styling element outlines and borders in a way that removes or renders non-visible the visual focus indicator	8
E	SC 1.3.5 - Tech H98 Identify the purpose of inputs using the autocomplete value	3
E	SC 1.4.11 - 2.4.7 - Tech G195 Using an author-supplied, highly visible focus indicator	131
E	SC 1.1.1 - 1.3.1 - 3.3.2 - 4.1.2 - Tech H44 Using label elements to associate text labels with form controls.	1
HTML		
E	SC 4.1.1 - Tech H93 Ensuring that id attributes are unique on a webpage	8
E	SC 4.1.1 - Tech F77 Failure of Success Criterion 4.1.1 due to duplicate values of type ID	8
E	SC 1.3.1 - 1.4.5 - Tech G140 Separating information and structure from presentation to enable different presentations	1
E	SC 1.3.1 - Tech H42 Using h1-h6 to identify headings	1
W	SC 2.4.2 - Tech G88 Providing descriptive titles for Web pages	1
W	SC 1.3.1 - 3.3.2 - Tech G162 Positioning labels to maximize predictability of relationships	1
LINK		



PAGES EVALUATION


E/W	Errors	No. of occurrences
W	SC 1.4.1 - Tech F73 Failure of Success Criterion 1.4.1 due to creating links that are not visually evident without color vision	40
RESPONSIVE		
E	SC 1.4.4 - 1.4.10 - Tech SCR34 Calculating size and position in a way that scales with text size	18
E	SC 1.3.4 - Tech F97 Failure due to locking the orientation to landscape or portrait view	2
W	SC 1.4.4 - 1.4.12 - Tech C28 Specifying the size of text containers using em units	32
TABLE		
E	SC 1.3.1 - Tech H63 Using the scope attribute to associate header cells and data cells in data tables	3
W	SC 1.3.1 - Tech H73 Using the summary attribute of the table element to give an overview of data tables	1
W	SC 1.3.1 - Tech F46 Failure of Success Criterion 1.3.1 due to using th elements, caption elements, or non-empty summary attributes in layout tables	1



PAGES EVALUATION

PAGE URL: <https://www.comune.tribano.pd.it/uffici-e-servizi/modulistica/ufficio->

ERRORS GROUPED BY HTML VS STYLE



E/W	Errors	No. of occurrences
STYLE		
E	SC 1.4.4 - 1.4.10 - Tech SCR34 Calculating size and position in a way that scales with text size	18
E	SC 1.4.13 - Tech 1.4.13-ST2 CSS: Using hover and focus pseudo classes	3
E	SC 1.3.4 - Tech F97 Failure due to locking the orientation to landscape or portrait view	2
E	SC 1.4.11 - 2.4.7 - Tech F78 Failure due to styling element outlines and borders in a way that removes or renders non-visible the visual focus indicator	8
E	SC 1.4.4 - 1.4.5 - Tech C12-13-14 Using percent, em units or named font sizes	62
E	SC 1.4.3 - 1.4.11 - Tech G18 Ensuring that a contrast ratio of at least 4.5:1 exists between text (and images of text) and background behind the text	79
W	SC 1.4.12 - Tech C21 Specifying line spacing in CSS	245
W	SC 1.4.4 - 1.4.12 - Tech C28 Specifying the size of text containers using em units	32
HTML		



PAGES EVALUATION


E/W	Errors	No. of occurrences
E	SC 4.1.1 - Tech H93 Ensuring that id attributes are unique on a webpage	8
E	SC 1.3.1 - Tech H63 Using the scope attribute to associate header cells and data cells in data tables	3
E	SC 3.2.2 - Tech H32 Providing submit buttons	2
E	SC 1.3.5 - Tech H98 Identify the purpose of inputs using the autocomplete value	3
E	SC 1.4.11 - 2.4.7 - Tech G195 Using an author-supplied, highly visible focus indicator	131
E	SC 4.1.1 - Tech F77 Failure of Success Criterion 4.1.1 due to duplicate values of type ID	8
E	SC 1.3.1 - 1.4.5 - Tech G140 Separating information and structure from presentation to enable different presentations	1
E	SC 1.3.1 - Tech H42 Using h1-h6 to identify headings	1
E	SC 1.1.1 - 1.3.1 - 3.3.2 - 4.1.2 - Tech H44 Using label elements to associate text labels with form controls.	1
E	SC 1.3.1 - 4.1.2 - Tech ARIA16 Using aria-labelledby to provide a name for user interface controls	2
W	SC 1.4.1 - Tech F73 Failure of Success Criterion 1.4.1 due to creating links that are not visually evident without color vision	40
W	SC 1.3.1 - Tech H73 Using the summary attribute of the table element to give an overview of data tables	1
W	SC 2.4.2 - Tech G88 Providing descriptive titles for Web pages	1
W	SC 4.1.2 - Tech ARIA5 Using WAI-ARIA state and property attributes to expose the state of a user interface component	14
W	SC 1.3.1 - 3.3.2 - Tech G162 Positioning labels to maximize predictability of relationships	1
W	SC 1.3.1 - 2.4.1 - Tech ARIA11 Using ARIA landmarks to identify regions of a page	11
W	SC 1.3.1 - Tech F46 Failure of Success Criterion 1.3.1 due to using th elements, caption elements, or non-empty summary attributes in layout tables	1



PAGES EVALUATION

PAGE URL: <https://www.comune.tribano.pd.it/>

ERRORS GROUPED BY PRINCIPLES



- PERCEIVABLE: 423
- UNDERSTANDABLE: 3
- OPERABLE: 101
- ROBUST: 3

E/W	Errors	No. of occurrences
PERCEIVABLE		
E	SC 1.4.13 - Tech 1.4.13-ST2 CSS: Using hover and focus pseudo classes	1
E	SC 1.3.4 - Tech F97 Failure due to locking the orientation to landscape or portrait view	1
E	SC 1.4.11 - Tech F78 Failure due to styling element outlines and borders in a way that removes or renders non-visible the visual focus indicator	1
E	SC 1.3.5 - Tech H98 Identify the purpose of inputs using the autocomplete value	1
E	SC 1.4.11 - Tech G195 Using an author-supplied, highly visible focus indicator	95
E	SC 1.1.1 - 1.3.1 - Tech H44 Using label elements to associate text labels with form controls.	1
E	SC 1.3.1 - Tech ARIA16 Using aria-labelledby to provide a name for user interface controls	1
E	SC 1.4.3 - 1.4.11 - Tech G18 Ensuring that a contrast ratio of at least 4.5:1 exists between text (and images of text) and background behind the text	92



PAGES EVALUATION


E/W	Errors	No. of occurrences
W	SC 1.4.12 - Tech C21 Specifying line spacing in CSS	158
W	SC 1.4.1 - Tech F73 Failure of Success Criterion 1.4.1 due to creating links that are not visually evident without color vision	32
W	SC 1.3.1 - Tech G162 Positioning labels to maximize predictability of relationships	1
W	SC 1.4.4 - 1.4.12 - Tech C28 Specifying the size of text containers using em units	35
W	SC 1.3.1 - Tech ARIA11 Using ARIA landmarks to identify regions of a page	4
UNDERSTANDABLE		
E	SC 3.2.2 - Tech H32 Providing submit buttons	1
E	SC 3.3.2 - Tech H44 Using label elements to associate text labels with form controls.	1
W	SC 3.3.2 - Tech G162 Positioning labels to maximize predictability of relationships	1
OPERABLE		
E	SC 2.4.7 - Tech F78 Failure due to styling element outlines and borders in a way that removes or renders non-visible the visual focus indicator	1
E	SC 2.4.7 - Tech G195 Using an author-supplied, highly visible focus indicator	95
W	SC 2.4.2 - Tech G88 Providing descriptive titles for Web pages	1
W	SC 2.4.1 - Tech ARIA11 Using ARIA landmarks to identify regions of a page	4
ROBUST		
E	SC 4.1.2 - Tech H44 Using label elements to associate text labels with form controls.	1
E	SC 4.1.2 - Tech ARIA16 Using aria-labelledby to provide a name for user interface controls	1
W	SC 4.1.2 - Tech ARIA5 Using WAI-ARIA state and property attributes to expose the state of a user interface component	1



PAGES EVALUATION

PAGE URL: <https://www.comune.tribano.pd.it/>

ERRORS GROUPED BY CATEGORIES



E/W	Errors	No. of occurrences
ARIA		
E	SC 1.3.1 - 4.1.2 - Tech ARIA16 Using aria-labelledby to provide a name for user interface controls	1
W	SC 4.1.2 - Tech ARIA5 Using WAI-ARIA state and property attributes to expose the state of a user interface component	1
W	SC 1.3.1 - 2.4.1 - Tech ARIA11 Using ARIA landmarks to identify regions of a page	4
COLOR		



PAGES EVALUATION


E/W	Errors	No. of occurrences
E	SC 1.4.3 - 1.4.11 - Tech G18 Ensuring that a contrast ratio of at least 4.5:1 exists between text (and images of text) and background behind the text	92
CONTENT		
W	SC 1.4.12 - Tech C21 Specifying line spacing in CSS	158
FORM		
E	SC 1.4.13 - Tech 1.4.13-ST2 CSS: Using hover and focus pseudo classes	1
E	SC 3.2.2 - Tech H32 Providing submit buttons	1
E	SC 1.4.11 - 2.4.7 - Tech F78 Failure due to styling element outlines and borders in a way that removes or renders non-visible the visual focus indicator	1
E	SC 1.3.5 - Tech H98 Identify the purpose of inputs using the autocomplete value	1
E	SC 1.4.11 - 2.4.7 - Tech G195 Using an author-supplied, highly visible focus indicator	95
E	SC 1.1.1 - 1.3.1 - 3.3.2 - 4.1.2 - Tech H44 Using label elements to associate text labels with form controls.	1
HTML		
W	SC 2.4.2 - Tech G88 Providing descriptive titles for Web pages	1
W	SC 1.3.1 - 3.3.2 - Tech G162 Positioning labels to maximize predictability of relationships	1
LINK		
W	SC 1.4.1 - Tech F73 Failure of Success Criterion 1.4.1 due to creating links that are not visually evident without color vision	32
RESPONSIVE		
E	SC 1.3.4 - Tech F97 Failure due to locking the orientation to landscape or portrait view	1
W	SC 1.4.4 - 1.4.12 - Tech C28 Specifying the size of text containers using em units	35



PAGES EVALUATION

PAGE URL: <https://www.comune.tribano.pd.it/>

ERRORS GROUPED BY HTML VS STYLE



E/W	Errors	No. of occurrences
STYLE		
E	SC 1.4.13 - Tech 1.4.13-ST2 CSS: Using hover and focus pseudo classes	1
E	SC 1.3.4 - Tech F97 Failure due to locking the orientation to landscape or portrait view	1
E	SC 1.4.11 - 2.4.7 - Tech F78 Failure due to styling element outlines and borders in a way that removes or renders non-visible the visual focus indicator	1
E	SC 1.4.3 - 1.4.11 - Tech G18 Ensuring that a contrast ratio of at least 4.5:1 exists between text (and images of text) and background behind the text	92
W	SC 1.4.12 - Tech C21 Specifying line spacing in CSS	158
W	SC 1.4.4 - 1.4.12 - Tech C28 Specifying the size of text containers using em units	35
HTML		
E	SC 3.2.2 - Tech H32 Providing submit buttons	1
E	SC 1.3.5 - Tech H98 Identify the purpose of inputs using the autocomplete value	1



PAGES EVALUATION


E/W	Errors	No. of occurrences
E	SC 1.4.11 - 2.4.7 - Tech G195 Using an author-supplied, highly visible focus indicator	95
E	SC 1.1.1 - 1.3.1 - 3.3.2 - 4.1.2 - Tech H44 Using label elements to associate text labels with form controls.	1
E	SC 1.3.1 - 4.1.2 - Tech ARIA16 Using aria-labelledby to provide a name for user interface controls	1
W	SC 1.4.1 - Tech F73 Failure of Success Criterion 1.4.1 due to creating links that are not visually evident without color vision	32
W	SC 2.4.2 - Tech G88 Providing descriptive titles for Web pages	1
W	SC 4.1.2 - Tech ARIA5 Using WAI-ARIA state and property attributes to expose the state of a user interface component	1
W	SC 1.3.1 - 3.3.2 - Tech G162 Positioning labels to maximize predictability of relationships	1
W	SC 1.3.1 - 2.4.1 - Tech ARIA11 Using ARIA landmarks to identify regions of a page	4



PAGES EVALUATION

PAGE URL: <https://www.comune.tribano.pd.it/amministrazione/decreti/>

ERRORS GROUPED BY PRINCIPLES



- PERCEIVABLE: 578
- UNDERSTANDABLE: 3
- OPERABLE: 128
- ROBUST: 15

E/W	Errors	No. of occurrences
PERCEIVABLE		
E	SC 1.3.1 - Tech H63 Using the scope attribute to associate header cells and data cells in data tables	3
E	SC 1.4.13 - Tech 1.4.13-ST2 CSS: Using hover and focus pseudo classes	2
E	SC 1.3.4 - Tech F97 Failure due to locking the orientation to landscape or portrait view	1
E	SC 1.4.11 - Tech F78 Failure due to styling element outlines and borders in a way that removes or renders non-visible the visual focus indicator	7
E	SC 1.3.5 - Tech H98 Identify the purpose of inputs using the autocomplete value	2
E	SC 1.4.11 - Tech G195 Using an author-supplied, highly visible focus indicator	110
E	SC 1.3.1 - 1.4.5 - Tech G140 Separating information and structure from presentation to enable different presentations	1
E	SC 1.3.1 - Tech H42 Using h1-h6 to identify headings	1
E	SC 1.1.1 - 1.3.1 - Tech H44 Using label elements to associate text labels with form controls.	1



PAGES EVALUATION

E/W	Errors	No. of occurrences
E	SC 1.4.4 - 1.4.5 - Tech C12-13-14 Using percent, em units or named font sizes	62
E	SC 1.4.3 - 1.4.11 - Tech G18 Ensuring that a contrast ratio of at least 4.5:1 exists between text (and images of text) and background behind the text	78
E	SC 1.4.4 - 1.4.10 - Tech SCR34 Calculating size and position in a way that scales with text size	18
E	SC 1.3.1 - Tech ARIA16 Using aria-labelledby to provide a name for user interface controls	1
W	SC 1.4.12 - Tech C21 Specifying line spacing in CSS	225
W	SC 1.4.1 - Tech F73 Failure of Success Criterion 1.4.1 due to creating links that are not visually evident without color vision	26
W	SC 1.3.1 - Tech H73 Using the summary attribute of the table element to give an overview of data tables	1
W	SC 1.3.1 - Tech G162 Positioning labels to maximize predictability of relationships	1
W	SC 1.4.4 - 1.4.12 - Tech C28 Specifying the size of text containers using em units	27
W	SC 1.3.1 - Tech ARIA11 Using ARIA landmarks to identify regions of a page	10
W	SC 1.3.1 - Tech F46 Failure of Success Criterion 1.3.1 due to using th elements, caption elements, or non-empty summary attributes in layout tables	1
UNDERSTANDABLE		
E	SC 3.2.2 - Tech H32 Providing submit buttons	1
E	SC 3.3.2 - Tech H44 Using label elements to associate text labels with form controls.	1
W	SC 3.3.2 - Tech G162 Positioning labels to maximize predictability of relationships	1
OPERABLE		
E	SC 2.4.7 - Tech F78 Failure due to styling element outlines and borders in a way that removes or renders non-visible the visual focus indicator	7
E	SC 2.4.7 - Tech G195 Using an author-supplied, highly visible focus indicator	110



PAGES EVALUATION


E/W	Errors	No. of occurrences
W	SC 2.4.2 - Tech G88 Providing descriptive titles for Web pages	1
W	SC 2.4.1 - Tech ARIA11 Using ARIA landmarks to identify regions of a page	10
ROBUST		
E	SC 4.1.2 - Tech H44 Using label elements to associate text labels with form controls.	1
E	SC 4.1.2 - Tech ARIA16 Using aria-labelledby to provide a name for user interface controls	1
W	SC 4.1.2 - Tech ARIA5 Using WAI-ARIA state and property attributes to expose the state of a user interface component	13



PAGES EVALUATION

PAGE URL: <https://www.comune.tribano.pd.it/amministrazione/decreti/>

ERRORS GROUPED BY CATEGORIES



E/W	Errors	No. of occurrences
ARIA		
E	SC 1.3.1 - 4.1.2 - Tech ARIA16 Using aria-labelledby to provide a name for user interface controls	1
W	SC 4.1.2 - Tech ARIA5 Using WAI-ARIA state and property attributes to expose the state of a user interface component	13
W	SC 1.3.1 - 2.4.1 - Tech ARIA11 Using ARIA landmarks to identify regions of a page	10
COLOR		



PAGES EVALUATION

E/W	Errors	No. of occurrences
E	SC 1.4.3 - 1.4.11 - Tech G18 Ensuring that a contrast ratio of at least 4.5:1 exists between text (and images of text) and background behind the text	78
CONTENT		
E	SC 1.4.4 - 1.4.5 - Tech C12-13-14 Using percent, em units or named font sizes	62
W	SC 1.4.12 - Tech C21 Specifying line spacing in CSS	225
FORM		
E	SC 1.4.13 - Tech 1.4.13-ST2 CSS: Using hover and focus pseudo classes	2
E	SC 3.2.2 - Tech H32 Providing submit buttons	1
E	SC 1.4.11 - 2.4.7 - Tech F78 Failure due to styling element outlines and borders in a way that removes or renders non-visible the visual focus indicator	7
E	SC 1.3.5 - Tech H98 Identify the purpose of inputs using the autocomplete value	2
E	SC 1.4.11 - 2.4.7 - Tech G195 Using an author-supplied, highly visible focus indicator	110
E	SC 1.1.1 - 1.3.1 - 3.3.2 - 4.1.2 - Tech H44 Using label elements to associate text labels with form controls.	1
HTML		
E	SC 1.3.1 - 1.4.5 - Tech G140 Separating information and structure from presentation to enable different presentations	1
E	SC 1.3.1 - Tech H42 Using h1-h6 to identify headings	1
W	SC 2.4.2 - Tech G88 Providing descriptive titles for Web pages	1
W	SC 1.3.1 - 3.3.2 - Tech G162 Positioning labels to maximize predictability of relationships	1
LINK		
W	SC 1.4.1 - Tech F73 Failure of Success Criterion 1.4.1 due to creating links that are not visually evident without color vision	26
RESPONSIVE		
E	SC 1.4.4 - 1.4.10 - Tech SCR34 Calculating size and position in a way that scales with text size	18



PAGES EVALUATION

E/W	Errors	No. of occurrences
E	SC 1.3.4 - Tech F97 Failure due to locking the orientation to landscape or portrait view	1
W	SC 1.4.4 - 1.4.12 - Tech C28 Specifying the size of text containers using em units	27

TABLE

E	SC 1.3.1 - Tech H63 Using the scope attribute to associate header cells and data cells in data tables	3
W	SC 1.3.1 - Tech H73 Using the summary attribute of the table element to give an overview of data tables	1
W	SC 1.3.1 - Tech F46 Failure of Success Criterion 1.3.1 due to using th elements, caption elements, or non-empty summary attributes in layout tables	1



PAGES EVALUATION

PAGE URL: <https://www.comune.tribano.pd.it/amministrazione/decreti/>

ERRORS GROUPED BY HTML VS STYLE



E/W	Errors	No. of occurrences
STYLE		
E	SC 1.4.4 - 1.4.10 - Tech SCR34 Calculating size and position in a way that scales with text size	18
E	SC 1.4.13 - Tech 1.4.13-ST2 CSS: Using hover and focus pseudo classes	2
E	SC 1.3.4 - Tech F97 Failure due to locking the orientation to landscape or portrait view	1
E	SC 1.4.11 - 2.4.7 - Tech F78 Failure due to styling element outlines and borders in a way that removes or renders non-visible the visual focus indicator	7
E	SC 1.4.4 - 1.4.5 - Tech C12-13-14 Using percent, em units or named font sizes	62
E	SC 1.4.3 - 1.4.11 - Tech G18 Ensuring that a contrast ratio of at least 4.5:1 exists between text (and images of text) and background behind the text	78
W	SC 1.4.12 - Tech C21 Specifying line spacing in CSS	225
W	SC 1.4.4 - 1.4.12 - Tech C28 Specifying the size of text containers using em units	27
HTML		



PAGES EVALUATION


E/W	Errors	No. of occurrences
E	SC 1.3.1 - Tech H63 Using the scope attribute to associate header cells and data cells in data tables	3
E	SC 3.2.2 - Tech H32 Providing submit buttons	1
E	SC 1.3.5 - Tech H98 Identify the purpose of inputs using the autocomplete value	2
E	SC 1.4.11 - 2.4.7 - Tech G195 Using an author-supplied, highly visible focus indicator	110
E	SC 1.3.1 - 1.4.5 - Tech G140 Separating information and structure from presentation to enable different presentations	1
E	SC 1.3.1 - Tech H42 Using h1-h6 to identify headings	1
E	SC 1.1.1 - 1.3.1 - 3.3.2 - 4.1.2 - Tech H44 Using label elements to associate text labels with form controls.	1
E	SC 1.3.1 - 4.1.2 - Tech ARIA16 Using aria-labelledby to provide a name for user interface controls	1
W	SC 1.4.1 - Tech F73 Failure of Success Criterion 1.4.1 due to creating links that are not visually evident without color vision	26
W	SC 1.3.1 - Tech H73 Using the summary attribute of the table element to give an overview of data tables	1
W	SC 2.4.2 - Tech G88 Providing descriptive titles for Web pages	1
W	SC 4.1.2 - Tech ARIA5 Using WAI-ARIA state and property attributes to expose the state of a user interface component	13
W	SC 1.3.1 - 3.3.2 - Tech G162 Positioning labels to maximize predictability of relationships	1
W	SC 1.3.1 - 2.4.1 - Tech ARIA11 Using ARIA landmarks to identify regions of a page	10
W	SC 1.3.1 - Tech F46 Failure of Success Criterion 1.3.1 due to using th elements, caption elements, or non-empty summary attributes in layout tables	1



PAGES EVALUATION

PAGE URL: <https://www.comune.tribano.pd.it/2022/09/07/>

ERRORS GROUPED BY PRINCIPLES



- PERCEIVABLE: 254
- UNDERSTANDABLE: 3
- OPERABLE: 64
- ROBUST: 3

E/W	Errors	No. of occurrences
PERCEIVABLE		
E	SC 1.4.13 - Tech 1.4.13-ST2 CSS: Using hover and focus pseudo classes	1
E	SC 1.3.4 - Tech F97 Failure due to locking the orientation to landscape or portrait view	1
E	SC 1.4.11 - Tech F78 Failure due to styling element outlines and borders in a way that removes or renders non-visible the visual focus indicator	1
E	SC 1.3.5 - Tech H98 Identify the purpose of inputs using the autocomplete value	1
E	SC 1.4.11 - Tech G195 Using an author-supplied, highly visible focus indicator	57
E	SC 1.1.1 - 1.3.1 - Tech H44 Using label elements to associate text labels with form controls.	1
E	SC 1.3.1 - Tech ARIA16 Using aria-labelledby to provide a name for user interface controls	1
E	SC 1.4.3 - 1.4.11 - Tech G18 Ensuring that a contrast ratio of at least 4.5:1 exists between text (and images of text) and background behind the text	74



PAGES EVALUATION


E/W	Errors	No. of occurrences
W	SC 1.4.12 - Tech C21 Specifying line spacing in CSS	95
W	SC 1.4.1 - Tech F73 Failure of Success Criterion 1.4.1 due to creating links that are not visually evident without color vision	6
W	SC 1.3.1 - Tech G162 Positioning labels to maximize predictability of relationships	1
W	SC 1.4.4 - 1.4.12 - Tech C28 Specifying the size of text containers using em units	10
W	SC 1.3.1 - Tech ARIA11 Using ARIA landmarks to identify regions of a page	5
UNDERSTANDABLE		
E	SC 3.2.2 - Tech H32 Providing submit buttons	1
E	SC 3.3.2 - Tech H44 Using label elements to associate text labels with form controls.	1
W	SC 3.3.2 - Tech G162 Positioning labels to maximize predictability of relationships	1
OPERABLE		
E	SC 2.4.7 - Tech F78 Failure due to styling element outlines and borders in a way that removes or renders non-visible the visual focus indicator	1
E	SC 2.4.7 - Tech G195 Using an author-supplied, highly visible focus indicator	57
W	SC 2.4.2 - Tech G88 Providing descriptive titles for Web pages	1
W	SC 2.4.1 - Tech ARIA11 Using ARIA landmarks to identify regions of a page	5
ROBUST		
E	SC 4.1.2 - Tech H44 Using label elements to associate text labels with form controls.	1
E	SC 4.1.2 - Tech ARIA16 Using aria-labelledby to provide a name for user interface controls	1
W	SC 4.1.2 - Tech ARIA5 Using WAI-ARIA state and property attributes to expose the state of a user interface component	1



PAGES EVALUATION

PAGE URL: <https://www.comune.tribano.pd.it/2022/09/07/>

ERRORS GROUPED BY CATEGORIES



E/W	Errors	No. of occurrences
ARIA		
E	SC 1.3.1 - 4.1.2 - Tech ARIA16 Using aria-labelledby to provide a name for user interface controls	1
W	SC 4.1.2 - Tech ARIA5 Using WAI-ARIA state and property attributes to expose the state of a user interface component	1
W	SC 1.3.1 - 2.4.1 - Tech ARIA11 Using ARIA landmarks to identify regions of a page	5
COLOR		



PAGES EVALUATION


E/W	Errors	No. of occurrences
E	SC 1.4.3 - 1.4.11 - Tech G18 Ensuring that a contrast ratio of at least 4.5:1 exists between text (and images of text) and background behind the text	74
CONTENT		
W	SC 1.4.12 - Tech C21 Specifying line spacing in CSS	95
FORM		
E	SC 1.4.13 - Tech 1.4.13-ST2 CSS: Using hover and focus pseudo classes	1
E	SC 3.2.2 - Tech H32 Providing submit buttons	1
E	SC 1.4.11 - 2.4.7 - Tech F78 Failure due to styling element outlines and borders in a way that removes or renders non-visible the visual focus indicator	1
E	SC 1.3.5 - Tech H98 Identify the purpose of inputs using the autocomplete value	1
E	SC 1.4.11 - 2.4.7 - Tech G195 Using an author-supplied, highly visible focus indicator	57
E	SC 1.1.1 - 1.3.1 - 3.3.2 - 4.1.2 - Tech H44 Using label elements to associate text labels with form controls.	1
HTML		
W	SC 2.4.2 - Tech G88 Providing descriptive titles for Web pages	1
W	SC 1.3.1 - 3.3.2 - Tech G162 Positioning labels to maximize predictability of relationships	1
LINK		
W	SC 1.4.1 - Tech F73 Failure of Success Criterion 1.4.1 due to creating links that are not visually evident without color vision	6
RESPONSIVE		
E	SC 1.3.4 - Tech F97 Failure due to locking the orientation to landscape or portrait view	1
W	SC 1.4.4 - 1.4.12 - Tech C28 Specifying the size of text containers using em units	10



PAGES EVALUATION

PAGE URL: <https://www.comune.tribano.pd.it/2022/09/07/>

ERRORS GROUPED BY HTML VS STYLE



E/W	Errors	No. of occurrences
STYLE		
E	SC 1.4.13 - Tech 1.4.13-ST2 CSS: Using hover and focus pseudo classes	1
E	SC 1.3.4 - Tech F97 Failure due to locking the orientation to landscape or portrait view	1
E	SC 1.4.11 - 2.4.7 - Tech F78 Failure due to styling element outlines and borders in a way that removes or renders non-visible the visual focus indicator	1
E	SC 1.4.3 - 1.4.11 - Tech G18 Ensuring that a contrast ratio of at least 4.5:1 exists between text (and images of text) and background behind the text	74
W	SC 1.4.12 - Tech C21 Specifying line spacing in CSS	95
W	SC 1.4.4 - 1.4.12 - Tech C28 Specifying the size of text containers using em units	10
HTML		
E	SC 3.2.2 - Tech H32 Providing submit buttons	1
E	SC 1.3.5 - Tech H98 Identify the purpose of inputs using the autocomplete value	1



PAGES EVALUATION


E/W	Errors	No. of occurrences
E	SC 1.4.11 - 2.4.7 - Tech G195 Using an author-supplied, highly visible focus indicator	57
E	SC 1.1.1 - 1.3.1 - 3.3.2 - 4.1.2 - Tech H44 Using label elements to associate text labels with form controls.	1
E	SC 1.3.1 - 4.1.2 - Tech ARIA16 Using aria-labelledby to provide a name for user interface controls	1
W	SC 1.4.1 - Tech F73 Failure of Success Criterion 1.4.1 due to creating links that are not visually evident without color vision	6
W	SC 2.4.2 - Tech G88 Providing descriptive titles for Web pages	1
W	SC 4.1.2 - Tech ARIA5 Using WAI-ARIA state and property attributes to expose the state of a user interface component	1
W	SC 1.3.1 - 3.3.2 - Tech G162 Positioning labels to maximize predictability of relationships	1
W	SC 1.3.1 - 2.4.1 - Tech ARIA11 Using ARIA landmarks to identify regions of a page	5



PAGES EVALUATION

PAGE URL: <https://www.comune.tribano.pd.it/2022/09/08/>

ERRORS GROUPED BY PRINCIPLES



- PERCEIVABLE: 641
- UNDERSTANDABLE: 3
- OPERABLE: 141
- ROBUST: 15

E/W	Errors	No. of occurrences
PERCEIVABLE		
E	SC 1.3.1 - Tech H63 Using the scope attribute to associate header cells and data cells in data tables	3
E	SC 1.4.13 - Tech 1.4.13-ST2 CSS: Using hover and focus pseudo classes	2
E	SC 1.3.4 - Tech F97 Failure due to locking the orientation to landscape or portrait view	1
E	SC 1.4.11 - Tech F78 Failure due to styling element outlines and borders in a way that removes or renders non-visible the visual focus indicator	7
E	SC 1.3.5 - Tech H98 Identify the purpose of inputs using the autocomplete value	2
E	SC 1.4.11 - Tech G195 Using an author-supplied, highly visible focus indicator	123
E	SC 1.3.1 - 1.4.5 - Tech G140 Separating information and structure from presentation to enable different presentations	1
E	SC 1.3.1 - Tech H42 Using h1-h6 to identify headings	1
E	SC 1.1.1 - 1.3.1 - Tech H44 Using label elements to associate text labels with form controls.	1



PAGES EVALUATION

E/W	Errors	No. of occurrences
E	SC 1.4.4 - 1.4.5 - Tech C12-13-14 Using percent, em units or named font sizes	62
E	SC 1.4.3 - 1.4.11 - Tech G18 Ensuring that a contrast ratio of at least 4.5:1 exists between text (and images of text) and background behind the text	94
E	SC 1.4.4 - 1.4.10 - Tech SCR34 Calculating size and position in a way that scales with text size	18
E	SC 1.3.1 - Tech ARIA16 Using aria-labelledby to provide a name for user interface controls	1
W	SC 1.4.12 - Tech C21 Specifying line spacing in CSS	245
W	SC 1.4.1 - Tech F73 Failure of Success Criterion 1.4.1 due to creating links that are not visually evident without color vision	34
W	SC 1.3.1 - Tech H73 Using the summary attribute of the table element to give an overview of data tables	1
W	SC 1.3.1 - Tech G162 Positioning labels to maximize predictability of relationships	1
W	SC 1.4.4 - 1.4.12 - Tech C28 Specifying the size of text containers using em units	33
W	SC 1.3.1 - Tech ARIA11 Using ARIA landmarks to identify regions of a page	10
W	SC 1.3.1 - Tech F46 Failure of Success Criterion 1.3.1 due to using th elements, caption elements, or non-empty summary attributes in layout tables	1
UNDERSTANDABLE		
E	SC 3.2.2 - Tech H32 Providing submit buttons	1
E	SC 3.3.2 - Tech H44 Using label elements to associate text labels with form controls.	1
W	SC 3.3.2 - Tech G162 Positioning labels to maximize predictability of relationships	1
OPERABLE		
E	SC 2.4.7 - Tech F78 Failure due to styling element outlines and borders in a way that removes or renders non-visible the visual focus indicator	7
E	SC 2.4.7 - Tech G195 Using an author-supplied, highly visible focus indicator	123



PAGES EVALUATION


E/W	Errors	No. of occurrences
W	SC 2.4.2 - Tech G88 Providing descriptive titles for Web pages	1
W	SC 2.4.1 - Tech ARIA11 Using ARIA landmarks to identify regions of a page	10
ROBUST		
E	SC 4.1.2 - Tech H44 Using label elements to associate text labels with form controls.	1
E	SC 4.1.2 - Tech ARIA16 Using aria-labelledby to provide a name for user interface controls	1
W	SC 4.1.2 - Tech ARIA5 Using WAI-ARIA state and property attributes to expose the state of a user interface component	13



PAGES EVALUATION

PAGE URL: <https://www.comune.tribano.pd.it/2022/09/08/>

ERRORS GROUPED BY CATEGORIES



E/W	Errors	No. of occurrences
ARIA		
E	SC 1.3.1 - 4.1.2 - Tech ARIA16 Using aria-labelledby to provide a name for user interface controls	1
W	SC 4.1.2 - Tech ARIA5 Using WAI-ARIA state and property attributes to expose the state of a user interface component	13
W	SC 1.3.1 - 2.4.1 - Tech ARIA11 Using ARIA landmarks to identify regions of a page	10
COLOR		



PAGES EVALUATION

E/W	Errors	No. of occurrences
E	SC 1.4.3 - 1.4.11 - Tech G18 Ensuring that a contrast ratio of at least 4.5:1 exists between text (and images of text) and background behind the text	94
CONTENT		
E	SC 1.4.4 - 1.4.5 - Tech C12-13-14 Using percent, em units or named font sizes	62
W	SC 1.4.12 - Tech C21 Specifying line spacing in CSS	245
FORM		
E	SC 1.4.13 - Tech 1.4.13-ST2 CSS: Using hover and focus pseudo classes	2
E	SC 3.2.2 - Tech H32 Providing submit buttons	1
E	SC 1.4.11 - 2.4.7 - Tech F78 Failure due to styling element outlines and borders in a way that removes or renders non-visible the visual focus indicator	7
E	SC 1.3.5 - Tech H98 Identify the purpose of inputs using the autocomplete value	2
E	SC 1.4.11 - 2.4.7 - Tech G195 Using an author-supplied, highly visible focus indicator	123
E	SC 1.1.1 - 1.3.1 - 3.3.2 - 4.1.2 - Tech H44 Using label elements to associate text labels with form controls.	1
HTML		
E	SC 1.3.1 - 1.4.5 - Tech G140 Separating information and structure from presentation to enable different presentations	1
E	SC 1.3.1 - Tech H42 Using h1-h6 to identify headings	1
W	SC 2.4.2 - Tech G88 Providing descriptive titles for Web pages	1
W	SC 1.3.1 - 3.3.2 - Tech G162 Positioning labels to maximize predictability of relationships	1
LINK		
W	SC 1.4.1 - Tech F73 Failure of Success Criterion 1.4.1 due to creating links that are not visually evident without color vision	34
RESPONSIVE		
E	SC 1.4.4 - 1.4.10 - Tech SCR34 Calculating size and position in a way that scales with text size	18



PAGES EVALUATION

E/W	Errors	No. of occurrences
E	SC 1.3.4 - Tech F97 Failure due to locking the orientation to landscape or portrait view	1
W	SC 1.4.4 - 1.4.12 - Tech C28 Specifying the size of text containers using em units	33

TABLE


E	SC 1.3.1 - Tech H63 Using the scope attribute to associate header cells and data cells in data tables	3
W	SC 1.3.1 - Tech H73 Using the summary attribute of the table element to give an overview of data tables	1
W	SC 1.3.1 - Tech F46 Failure of Success Criterion 1.3.1 due to using th elements, caption elements, or non-empty summary attributes in layout tables	1



PAGES EVALUATION

PAGE URL: <https://www.comune.tribano.pd.it/2022/09/08/>

ERRORS GROUPED BY HTML VS STYLE



E/W	Errors	No. of occurrences
STYLE		
E	SC 1.4.4 - 1.4.10 - Tech SCR34 Calculating size and position in a way that scales with text size	18
E	SC 1.4.13 - Tech 1.4.13-ST2 CSS: Using hover and focus pseudo classes	2
E	SC 1.3.4 - Tech F97 Failure due to locking the orientation to landscape or portrait view	1
E	SC 1.4.11 - 2.4.7 - Tech F78 Failure due to styling element outlines and borders in a way that removes or renders non-visible the visual focus indicator	7
E	SC 1.4.4 - 1.4.5 - Tech C12-13-14 Using percent, em units or named font sizes	62
E	SC 1.4.3 - 1.4.11 - Tech G18 Ensuring that a contrast ratio of at least 4.5:1 exists between text (and images of text) and background behind the text	94
W	SC 1.4.12 - Tech C21 Specifying line spacing in CSS	245
W	SC 1.4.4 - 1.4.12 - Tech C28 Specifying the size of text containers using em units	33
HTML		



PAGES EVALUATION

E/W	Errors	No. of occurrences
E	SC 1.3.1 - Tech H63 Using the scope attribute to associate header cells and data cells in data tables	3
E	SC 3.2.2 - Tech H32 Providing submit buttons	1
E	SC 1.3.5 - Tech H98 Identify the purpose of inputs using the autocomplete value	2
E	SC 1.4.11 - 2.4.7 - Tech G195 Using an author-supplied, highly visible focus indicator	123
E	SC 1.3.1 - 1.4.5 - Tech G140 Separating information and structure from presentation to enable different presentations	1
E	SC 1.3.1 - Tech H42 Using h1-h6 to identify headings	1
E	SC 1.1.1 - 1.3.1 - 3.3.2 - 4.1.2 - Tech H44 Using label elements to associate text labels with form controls.	1
E	SC 1.3.1 - 4.1.2 - Tech ARIA16 Using aria-labelledby to provide a name for user interface controls	1
W	SC 1.4.1 - Tech F73 Failure of Success Criterion 1.4.1 due to creating links that are not visually evident without color vision	34
W	SC 1.3.1 - Tech H73 Using the summary attribute of the table element to give an overview of data tables	1
W	SC 2.4.2 - Tech G88 Providing descriptive titles for Web pages	1
W	SC 4.1.2 - Tech ARIA5 Using WAI-ARIA state and property attributes to expose the state of a user interface component	13
W	SC 1.3.1 - 3.3.2 - Tech G162 Positioning labels to maximize predictability of relationships	1
W	SC 1.3.1 - 2.4.1 - Tech ARIA11 Using ARIA landmarks to identify regions of a page	10
W	SC 1.3.1 - Tech F46 Failure of Success Criterion 1.3.1 due to using th elements, caption elements, or non-empty summary attributes in layout tables	1




PAGES EVALUATION

PAGE URL:

<https://www.comune.tribano.pd.it/amministrazione/giunta-comunale>

ERRORS GROUPED BY PRINCIPLES



- PERCEIVABLE: 584
- UNDERSTANDABLE: 3
- OPERABLE: 133
- ROBUST: 15

E/W	Errors	No. of occurrences
PERCEIVABLE		
E	SC 1.3.1 - Tech H63 Using the scope attribute to associate header cells and data cells in data tables	3
E	SC 1.4.13 - Tech 1.4.13-ST2 CSS: Using hover and focus pseudo classes	2
E	SC 1.3.4 - Tech F97 Failure due to locking the orientation to landscape or portrait view	1
E	SC 1.4.11 - Tech F78 Failure due to styling element outlines and borders in a way that removes or renders non-visible the visual focus indicator	7
E	SC 1.3.5 - Tech H98 Identify the purpose of inputs using the autocomplete value	2
E	SC 1.4.11 - Tech G195 Using an author-supplied, highly visible focus indicator	115
E	SC 1.3.1 - 1.4.5 - Tech G140 Separating information and structure from presentation to enable different presentations	2
E	SC 1.3.1 - Tech H42 Using h1-h6 to identify headings	1
E	SC 1.1.1 - 1.3.1 - Tech H44 Using label elements to associate text labels with form controls.	1



PAGES EVALUATION

E/W	Errors	No. of occurrences
E	SC 1.4.4 - 1.4.5 - Tech C12-13-14 Using percent, em units or named font sizes	62
E	SC 1.4.3 - 1.4.11 - Tech G18 Ensuring that a contrast ratio of at least 4.5:1 exists between text (and images of text) and background behind the text	78
E	SC 1.4.4 - 1.4.10 - Tech SCR34 Calculating size and position in a way that scales with text size	18
E	SC 1.3.1 - Tech ARIA16 Using aria-labelledby to provide a name for user interface controls	1
W	SC 1.4.12 - Tech C21 Specifying line spacing in CSS	225
W	SC 1.4.1 - Tech F73 Failure of Success Criterion 1.4.1 due to creating links that are not visually evident without color vision	26
W	SC 1.3.1 - Tech H73 Using the summary attribute of the table element to give an overview of data tables	1
W	SC 1.3.1 - Tech G162 Positioning labels to maximize predictability of relationships	1
W	SC 1.4.4 - 1.4.12 - Tech C28 Specifying the size of text containers using em units	27
W	SC 1.3.1 - Tech ARIA11 Using ARIA landmarks to identify regions of a page	10
W	SC 1.3.1 - Tech F46 Failure of Success Criterion 1.3.1 due to using th elements, caption elements, or non-empty summary attributes in layout tables	1
UNDERSTANDABLE		
E	SC 3.2.2 - Tech H32 Providing submit buttons	1
E	SC 3.3.2 - Tech H44 Using label elements to associate text labels with form controls.	1
W	SC 3.3.2 - Tech G162 Positioning labels to maximize predictability of relationships	1
OPERABLE		
E	SC 2.4.7 - Tech F78 Failure due to styling element outlines and borders in a way that removes or renders non-visible the visual focus indicator	7
E	SC 2.4.7 - Tech G195 Using an author-supplied, highly visible focus indicator	115



PAGES EVALUATION


E/W	Errors	No. of occurrences
W	SC 2.4.2 - Tech G88 Providing descriptive titles for Web pages	1
W	SC 2.4.1 - Tech ARIA11 Using ARIA landmarks to identify regions of a page	10
ROBUST		
E	SC 4.1.2 - Tech H44 Using label elements to associate text labels with form controls.	1
E	SC 4.1.2 - Tech ARIA16 Using aria-labelledby to provide a name for user interface controls	1
W	SC 4.1.2 - Tech ARIA5 Using WAI-ARIA state and property attributes to expose the state of a user interface component	13



PAGES EVALUATION

PAGE URL: <https://www.comune.tribano.pd.it/amministrazione/giunta-comunale>

ERRORS GROUPED BY CATEGORIES



E/W	Errors	No. of occurrences
ARIA		
E	SC 1.3.1 - 4.1.2 - Tech ARIA16 Using aria-labelledby to provide a name for user interface controls	1
W	SC 4.1.2 - Tech ARIA5 Using WAI-ARIA state and property attributes to expose the state of a user interface component	13
W	SC 1.3.1 - 2.4.1 - Tech ARIA11 Using ARIA landmarks to identify regions of a page	10
COLOR		



PAGES EVALUATION

E/W	Errors	No. of occurrences
E	SC 1.4.3 - 1.4.11 - Tech G18 Ensuring that a contrast ratio of at least 4.5:1 exists between text (and images of text) and background behind the text	78
CONTENT		
E	SC 1.4.4 - 1.4.5 - Tech C12-13-14 Using percent, em units or named font sizes	62
W	SC 1.4.12 - Tech C21 Specifying line spacing in CSS	225
FORM		
E	SC 1.4.13 - Tech 1.4.13-ST2 CSS: Using hover and focus pseudo classes	2
E	SC 3.2.2 - Tech H32 Providing submit buttons	1
E	SC 1.4.11 - 2.4.7 - Tech F78 Failure due to styling element outlines and borders in a way that removes or renders non-visible the visual focus indicator	7
E	SC 1.3.5 - Tech H98 Identify the purpose of inputs using the autocomplete value	2
E	SC 1.4.11 - 2.4.7 - Tech G195 Using an author-supplied, highly visible focus indicator	115
E	SC 1.1.1 - 1.3.1 - 3.3.2 - 4.1.2 - Tech H44 Using label elements to associate text labels with form controls.	1
HTML		
E	SC 1.3.1 - 1.4.5 - Tech G140 Separating information and structure from presentation to enable different presentations	2
E	SC 1.3.1 - Tech H42 Using h1-h6 to identify headings	1
W	SC 2.4.2 - Tech G88 Providing descriptive titles for Web pages	1
W	SC 1.3.1 - 3.3.2 - Tech G162 Positioning labels to maximize predictability of relationships	1
LINK		
W	SC 1.4.1 - Tech F73 Failure of Success Criterion 1.4.1 due to creating links that are not visually evident without color vision	26
RESPONSIVE		
E	SC 1.4.4 - 1.4.10 - Tech SCR34 Calculating size and position in a way that scales with text size	18



PAGES EVALUATION

E/W	Errors	No. of occurrences
E	SC 1.3.4 - Tech F97 Failure due to locking the orientation to landscape or portrait view	1
W	SC 1.4.4 - 1.4.12 - Tech C28 Specifying the size of text containers using em units	27

TABLE


E	SC 1.3.1 - Tech H63 Using the scope attribute to associate header cells and data cells in data tables	3
W	SC 1.3.1 - Tech H73 Using the summary attribute of the table element to give an overview of data tables	1
W	SC 1.3.1 - Tech F46 Failure of Success Criterion 1.3.1 due to using th elements, caption elements, or non-empty summary attributes in layout tables	1



PAGES EVALUATION

PAGE URL: <https://www.comune.tribano.pd.it/amministrazione/giunta-comunale>

ERRORS GROUPED BY HTML VS STYLE



E/W	Errors	No. of occurrences
STYLE		
E	SC 1.4.4 - 1.4.10 - Tech SCR34 Calculating size and position in a way that scales with text size	18
E	SC 1.4.13 - Tech 1.4.13-ST2 CSS: Using hover and focus pseudo classes	2
E	SC 1.3.4 - Tech F97 Failure due to locking the orientation to landscape or portrait view	1
E	SC 1.4.11 - 2.4.7 - Tech F78 Failure due to styling element outlines and borders in a way that removes or renders non-visible the visual focus indicator	7
E	SC 1.4.4 - 1.4.5 - Tech C12-13-14 Using percent, em units or named font sizes	62
E	SC 1.4.3 - 1.4.11 - Tech G18 Ensuring that a contrast ratio of at least 4.5:1 exists between text (and images of text) and background behind the text	78
W	SC 1.4.12 - Tech C21 Specifying line spacing in CSS	225
W	SC 1.4.4 - 1.4.12 - Tech C28 Specifying the size of text containers using em units	27
HTML		



PAGES EVALUATION


E/W	Errors	No. of occurrences
E	SC 1.3.1 - Tech H63 Using the scope attribute to associate header cells and data cells in data tables	3
E	SC 3.2.2 - Tech H32 Providing submit buttons	1
E	SC 1.3.5 - Tech H98 Identify the purpose of inputs using the autocomplete value	2
E	SC 1.4.11 - 2.4.7 - Tech G195 Using an author-supplied, highly visible focus indicator	115
E	SC 1.3.1 - 1.4.5 - Tech G140 Separating information and structure from presentation to enable different presentations	2
E	SC 1.3.1 - Tech H42 Using h1-h6 to identify headings	1
E	SC 1.1.1 - 1.3.1 - 3.3.2 - 4.1.2 - Tech H44 Using label elements to associate text labels with form controls.	1
E	SC 1.3.1 - 4.1.2 - Tech ARIA16 Using aria-labelledby to provide a name for user interface controls	1
W	SC 1.4.1 - Tech F73 Failure of Success Criterion 1.4.1 due to creating links that are not visually evident without color vision	26
W	SC 1.3.1 - Tech H73 Using the summary attribute of the table element to give an overview of data tables	1
W	SC 2.4.2 - Tech G88 Providing descriptive titles for Web pages	1
W	SC 4.1.2 - Tech ARIA5 Using WAI-ARIA state and property attributes to expose the state of a user interface component	13
W	SC 1.3.1 - 3.3.2 - Tech G162 Positioning labels to maximize predictability of relationships	1
W	SC 1.3.1 - 2.4.1 - Tech ARIA11 Using ARIA landmarks to identify regions of a page	10
W	SC 1.3.1 - Tech F46 Failure of Success Criterion 1.3.1 due to using th elements, caption elements, or non-empty summary attributes in layout tables	1



PAGES EVALUATION

PAGE URL: <https://www.comune.tribano.pd.it/uffici-e-servizi/>

ERRORS GROUPED BY PRINCIPLES



- PERCEIVABLE: 618
- UNDERSTANDABLE: 4
- OPERABLE: 137
- ROBUST: 33

E/W	Errors	No. of occurrences
PERCEIVABLE		
E	SC 1.3.1 - Tech H63 Using the scope attribute to associate header cells and data cells in data tables	3
E	SC 1.4.13 - Tech 1.4.13-ST2 CSS: Using hover and focus pseudo classes	3
E	SC 1.3.4 - Tech F97 Failure due to locking the orientation to landscape or portrait view	2
E	SC 1.4.11 - Tech F78 Failure due to styling element outlines and borders in a way that removes or renders non-visible the visual focus indicator	8
E	SC 1.3.5 - Tech H98 Identify the purpose of inputs using the autocomplete value	3
E	SC 1.4.11 - Tech G195 Using an author-supplied, highly visible focus indicator	117
E	SC 1.3.1 - 1.4.5 - Tech G140 Separating information and structure from presentation to enable different presentations	1
E	SC 1.3.1 - Tech H42 Using h1-h6 to identify headings	1
E	SC 1.1.1 - 1.3.1 - Tech H44 Using label elements to associate text labels with form controls.	1



PAGES EVALUATION

E/W	Errors	No. of occurrences
E	SC 1.4.4 - 1.4.5 - Tech C12-13-14 Using percent, em units or named font sizes	62
E	SC 1.4.3 - 1.4.11 - Tech G18 Ensuring that a contrast ratio of at least 4.5:1 exists between text (and images of text) and background behind the text	79
E	SC 1.4.4 - 1.4.10 - Tech SCR34 Calculating size and position in a way that scales with text size	18
E	SC 1.3.1 - Tech ARIA16 Using aria-labelledby to provide a name for user interface controls	2
W	SC 1.4.12 - Tech C21 Specifying line spacing in CSS	239
W	SC 1.4.1 - Tech F73 Failure of Success Criterion 1.4.1 due to creating links that are not visually evident without color vision	33
W	SC 1.3.1 - Tech H73 Using the summary attribute of the table element to give an overview of data tables	1
W	SC 1.3.1 - Tech G162 Positioning labels to maximize predictability of relationships	1
W	SC 1.4.4 - 1.4.12 - Tech C28 Specifying the size of text containers using em units	32
W	SC 1.3.1 - Tech ARIA11 Using ARIA landmarks to identify regions of a page	11
W	SC 1.3.1 - Tech F46 Failure of Success Criterion 1.3.1 due to using th elements, caption elements, or non-empty summary attributes in layout tables	1
UNDERSTANDABLE		
E	SC 3.2.2 - Tech H32 Providing submit buttons	2
E	SC 3.3.2 - Tech H44 Using label elements to associate text labels with form controls.	1
W	SC 3.3.2 - Tech G162 Positioning labels to maximize predictability of relationships	1
OPERABLE		
E	SC 2.4.7 - Tech F78 Failure due to styling element outlines and borders in a way that removes or renders non-visible the visual focus indicator	8
E	SC 2.4.7 - Tech G195 Using an author-supplied, highly visible focus indicator	117



PAGES EVALUATION


E/W	Errors	No. of occurrences
W	SC 2.4.2 - Tech G88 Providing descriptive titles for Web pages	1
W	SC 2.4.1 - Tech ARIA11 Using ARIA landmarks to identify regions of a page	11
ROBUST		
E	SC 4.1.1 - Tech H93 Ensuring that id attributes are unique on a webpage	8
E	SC 4.1.1 - Tech F77 Failure of Success Criterion 4.1.1 due to duplicate values of type ID	8
E	SC 4.1.2 - Tech H44 Using label elements to associate text labels with form controls.	1
E	SC 4.1.2 - Tech ARIA16 Using aria-labelledby to provide a name for user interface controls	2
W	SC 4.1.2 - Tech ARIA5 Using WAI-ARIA state and property attributes to expose the state of a user interface component	14



PAGES EVALUATION

PAGE URL: <https://www.comune.tribano.pd.it/uffici-e-servizi/>

ERRORS GROUPED BY CATEGORIES



E/W	Errors	No. of occurrences
ARIA		
E	SC 1.3.1 - 4.1.2 - Tech ARIA16 Using aria-labelledby to provide a name for user interface controls	2
W	SC 4.1.2 - Tech ARIA5 Using WAI-ARIA state and property attributes to expose the state of a user interface component	14
W	SC 1.3.1 - 2.4.1 - Tech ARIA11 Using ARIA landmarks to identify regions of a page	11
COLOR		



PAGES EVALUATION

E/W	Errors	No. of occurrences
E	SC 1.4.3 - 1.4.11 - Tech G18 Ensuring that a contrast ratio of at least 4.5:1 exists between text (and images of text) and background behind the text	79
CONTENT		
E	SC 1.4.4 - 1.4.5 - Tech C12-13-14 Using percent, em units or named font sizes	62
W	SC 1.4.12 - Tech C21 Specifying line spacing in CSS	239
FORM		
E	SC 1.4.13 - Tech 1.4.13-ST2 CSS: Using hover and focus pseudo classes	3
E	SC 3.2.2 - Tech H32 Providing submit buttons	2
E	SC 1.4.11 - 2.4.7 - Tech F78 Failure due to styling element outlines and borders in a way that removes or renders non-visible the visual focus indicator	8
E	SC 1.3.5 - Tech H98 Identify the purpose of inputs using the autocomplete value	3
E	SC 1.4.11 - 2.4.7 - Tech G195 Using an author-supplied, highly visible focus indicator	117
E	SC 1.1.1 - 1.3.1 - 3.3.2 - 4.1.2 - Tech H44 Using label elements to associate text labels with form controls.	1
HTML		
E	SC 4.1.1 - Tech H93 Ensuring that id attributes are unique on a webpage	8
E	SC 4.1.1 - Tech F77 Failure of Success Criterion 4.1.1 due to duplicate values of type ID	8
E	SC 1.3.1 - 1.4.5 - Tech G140 Separating information and structure from presentation to enable different presentations	1
E	SC 1.3.1 - Tech H42 Using h1-h6 to identify headings	1
W	SC 2.4.2 - Tech G88 Providing descriptive titles for Web pages	1
W	SC 1.3.1 - 3.3.2 - Tech G162 Positioning labels to maximize predictability of relationships	1
LINK		



PAGES EVALUATION


E/W	Errors	No. of occurrences
W	SC 1.4.1 - Tech F73 Failure of Success Criterion 1.4.1 due to creating links that are not visually evident without color vision	33
RESPONSIVE		
E	SC 1.4.4 - 1.4.10 - Tech SCR34 Calculating size and position in a way that scales with text size	18
E	SC 1.3.4 - Tech F97 Failure due to locking the orientation to landscape or portrait view	2
W	SC 1.4.4 - 1.4.12 - Tech C28 Specifying the size of text containers using em units	32
TABLE		
E	SC 1.3.1 - Tech H63 Using the scope attribute to associate header cells and data cells in data tables	3
W	SC 1.3.1 - Tech H73 Using the summary attribute of the table element to give an overview of data tables	1
W	SC 1.3.1 - Tech F46 Failure of Success Criterion 1.3.1 due to using th elements, caption elements, or non-empty summary attributes in layout tables	1



PAGES EVALUATION

PAGE URL: <https://www.comune.tribano.pd.it/uffici-e-servizi/>

ERRORS GROUPED BY HTML VS STYLE



E/W	Errors	No. of occurrences
STYLE		
E	SC 1.4.4 - 1.4.10 - Tech SCR34 Calculating size and position in a way that scales with text size	18
E	SC 1.4.13 - Tech 1.4.13-ST2 CSS: Using hover and focus pseudo classes	3
E	SC 1.3.4 - Tech F97 Failure due to locking the orientation to landscape or portrait view	2
E	SC 1.4.11 - 2.4.7 - Tech F78 Failure due to styling element outlines and borders in a way that removes or renders non-visible the visual focus indicator	8
E	SC 1.4.4 - 1.4.5 - Tech C12-13-14 Using percent, em units or named font sizes	62
E	SC 1.4.3 - 1.4.11 - Tech G18 Ensuring that a contrast ratio of at least 4.5:1 exists between text (and images of text) and background behind the text	79
W	SC 1.4.12 - Tech C21 Specifying line spacing in CSS	239
W	SC 1.4.4 - 1.4.12 - Tech C28 Specifying the size of text containers using em units	32
HTML		



PAGES EVALUATION


E/W	Errors	No. of occurrences
E	SC 4.1.1 - Tech H93 Ensuring that id attributes are unique on a webpage	8
E	SC 1.3.1 - Tech H63 Using the scope attribute to associate header cells and data cells in data tables	3
E	SC 3.2.2 - Tech H32 Providing submit buttons	2
E	SC 1.3.5 - Tech H98 Identify the purpose of inputs using the autocomplete value	3
E	SC 1.4.11 - 2.4.7 - Tech G195 Using an author-supplied, highly visible focus indicator	117
E	SC 4.1.1 - Tech F77 Failure of Success Criterion 4.1.1 due to duplicate values of type ID	8
E	SC 1.3.1 - 1.4.5 - Tech G140 Separating information and structure from presentation to enable different presentations	1
E	SC 1.3.1 - Tech H42 Using h1-h6 to identify headings	1
E	SC 1.1.1 - 1.3.1 - 3.3.2 - 4.1.2 - Tech H44 Using label elements to associate text labels with form controls.	1
E	SC 1.3.1 - 4.1.2 - Tech ARIA16 Using aria-labelledby to provide a name for user interface controls	2
W	SC 1.4.1 - Tech F73 Failure of Success Criterion 1.4.1 due to creating links that are not visually evident without color vision	33
W	SC 1.3.1 - Tech H73 Using the summary attribute of the table element to give an overview of data tables	1
W	SC 2.4.2 - Tech G88 Providing descriptive titles for Web pages	1
W	SC 4.1.2 - Tech ARIA5 Using WAI-ARIA state and property attributes to expose the state of a user interface component	14
W	SC 1.3.1 - 3.3.2 - Tech G162 Positioning labels to maximize predictability of relationships	1
W	SC 1.3.1 - 2.4.1 - Tech ARIA11 Using ARIA landmarks to identify regions of a page	11
W	SC 1.3.1 - Tech F46 Failure of Success Criterion 1.3.1 due to using th elements, caption elements, or non-empty summary attributes in layout tables	1



PAGES EVALUATION

PAGE URL: <https://www.comune.tribano.pd.it/uffici-e-servizi/modulistica/>

ERRORS GROUPED BY PRINCIPLES



- PERCEIVABLE: 578
- UNDERSTANDABLE: 3
- OPERABLE: 128
- ROBUST: 15

E/W	Errors	No. of occurrences
PERCEIVABLE		
E	SC 1.3.1 - Tech H63 Using the scope attribute to associate header cells and data cells in data tables	3
E	SC 1.4.13 - Tech 1.4.13-ST2 CSS: Using hover and focus pseudo classes	2
E	SC 1.3.4 - Tech F97 Failure due to locking the orientation to landscape or portrait view	1
E	SC 1.4.11 - Tech F78 Failure due to styling element outlines and borders in a way that removes or renders non-visible the visual focus indicator	7
E	SC 1.3.5 - Tech H98 Identify the purpose of inputs using the autocomplete value	2
E	SC 1.4.11 - Tech G195 Using an author-supplied, highly visible focus indicator	110
E	SC 1.3.1 - 1.4.5 - Tech G140 Separating information and structure from presentation to enable different presentations	1
E	SC 1.3.1 - Tech H42 Using h1-h6 to identify headings	1
E	SC 1.1.1 - 1.3.1 - Tech H44 Using label elements to associate text labels with form controls.	1



PAGES EVALUATION

E/W	Errors	No. of occurrences
E	SC 1.4.4 - 1.4.5 - Tech C12-13-14 Using percent, em units or named font sizes	62
E	SC 1.4.3 - 1.4.11 - Tech G18 Ensuring that a contrast ratio of at least 4.5:1 exists between text (and images of text) and background behind the text	78
E	SC 1.4.4 - 1.4.10 - Tech SCR34 Calculating size and position in a way that scales with text size	18
E	SC 1.3.1 - Tech ARIA16 Using aria-labelledby to provide a name for user interface controls	1
W	SC 1.4.12 - Tech C21 Specifying line spacing in CSS	225
W	SC 1.4.1 - Tech F73 Failure of Success Criterion 1.4.1 due to creating links that are not visually evident without color vision	26
W	SC 1.3.1 - Tech H73 Using the summary attribute of the table element to give an overview of data tables	1
W	SC 1.3.1 - Tech G162 Positioning labels to maximize predictability of relationships	1
W	SC 1.4.4 - 1.4.12 - Tech C28 Specifying the size of text containers using em units	27
W	SC 1.3.1 - Tech ARIA11 Using ARIA landmarks to identify regions of a page	10
W	SC 1.3.1 - Tech F46 Failure of Success Criterion 1.3.1 due to using th elements, caption elements, or non-empty summary attributes in layout tables	1
UNDERSTANDABLE		
E	SC 3.2.2 - Tech H32 Providing submit buttons	1
E	SC 3.3.2 - Tech H44 Using label elements to associate text labels with form controls.	1
W	SC 3.3.2 - Tech G162 Positioning labels to maximize predictability of relationships	1
OPERABLE		
E	SC 2.4.7 - Tech F78 Failure due to styling element outlines and borders in a way that removes or renders non-visible the visual focus indicator	7
E	SC 2.4.7 - Tech G195 Using an author-supplied, highly visible focus indicator	110



PAGES EVALUATION


E/W	Errors	No. of occurrences
W	SC 2.4.2 - Tech G88 Providing descriptive titles for Web pages	1
W	SC 2.4.1 - Tech ARIA11 Using ARIA landmarks to identify regions of a page	10
ROBUST		
E	SC 4.1.2 - Tech H44 Using label elements to associate text labels with form controls.	1
E	SC 4.1.2 - Tech ARIA16 Using aria-labelledby to provide a name for user interface controls	1
W	SC 4.1.2 - Tech ARIA5 Using WAI-ARIA state and property attributes to expose the state of a user interface component	13



PAGES EVALUATION

PAGE URL: <https://www.comune.tribano.pd.it/uffici-e-servizi/modulistica/>

ERRORS GROUPED BY CATEGORIES



E/W	Errors	No. of occurrences
ARIA		
E	SC 1.3.1 - 4.1.2 - Tech ARIA16 Using aria-labelledby to provide a name for user interface controls	1
W	SC 4.1.2 - Tech ARIA5 Using WAI-ARIA state and property attributes to expose the state of a user interface component	13
W	SC 1.3.1 - 2.4.1 - Tech ARIA11 Using ARIA landmarks to identify regions of a page	10
COLOR		



PAGES EVALUATION

E/W	Errors	No. of occurrences
E	SC 1.4.3 - 1.4.11 - Tech G18 Ensuring that a contrast ratio of at least 4.5:1 exists between text (and images of text) and background behind the text	78
CONTENT		
E	SC 1.4.4 - 1.4.5 - Tech C12-13-14 Using percent, em units or named font sizes	62
W	SC 1.4.12 - Tech C21 Specifying line spacing in CSS	225
FORM		
E	SC 1.4.13 - Tech 1.4.13-ST2 CSS: Using hover and focus pseudo classes	2
E	SC 3.2.2 - Tech H32 Providing submit buttons	1
E	SC 1.4.11 - 2.4.7 - Tech F78 Failure due to styling element outlines and borders in a way that removes or renders non-visible the visual focus indicator	7
E	SC 1.3.5 - Tech H98 Identify the purpose of inputs using the autocomplete value	2
E	SC 1.4.11 - 2.4.7 - Tech G195 Using an author-supplied, highly visible focus indicator	110
E	SC 1.1.1 - 1.3.1 - 3.3.2 - 4.1.2 - Tech H44 Using label elements to associate text labels with form controls.	1
HTML		
E	SC 1.3.1 - 1.4.5 - Tech G140 Separating information and structure from presentation to enable different presentations	1
E	SC 1.3.1 - Tech H42 Using h1-h6 to identify headings	1
W	SC 2.4.2 - Tech G88 Providing descriptive titles for Web pages	1
W	SC 1.3.1 - 3.3.2 - Tech G162 Positioning labels to maximize predictability of relationships	1
LINK		
W	SC 1.4.1 - Tech F73 Failure of Success Criterion 1.4.1 due to creating links that are not visually evident without color vision	26
RESPONSIVE		
E	SC 1.4.4 - 1.4.10 - Tech SCR34 Calculating size and position in a way that scales with text size	18



PAGES EVALUATION

E/W	Errors	No. of occurrences
E	SC 1.3.4 - Tech F97 Failure due to locking the orientation to landscape or portrait view	1
W	SC 1.4.4 - 1.4.12 - Tech C28 Specifying the size of text containers using em units	27

TABLE

E	SC 1.3.1 - Tech H63 Using the scope attribute to associate header cells and data cells in data tables	3
W	SC 1.3.1 - Tech H73 Using the summary attribute of the table element to give an overview of data tables	1
W	SC 1.3.1 - Tech F46 Failure of Success Criterion 1.3.1 due to using th elements, caption elements, or non-empty summary attributes in layout tables	1



PAGES EVALUATION

PAGE URL: <https://www.comune.tribano.pd.it/uffici-e-servizi/modulistica/>

ERRORS GROUPED BY HTML VS STYLE



E/W	Errors	No. of occurrences
STYLE		
E	SC 1.4.4 - 1.4.10 - Tech SCR34 Calculating size and position in a way that scales with text size	18
E	SC 1.4.13 - Tech 1.4.13-ST2 CSS: Using hover and focus pseudo classes	2
E	SC 1.3.4 - Tech F97 Failure due to locking the orientation to landscape or portrait view	1
E	SC 1.4.11 - 2.4.7 - Tech F78 Failure due to styling element outlines and borders in a way that removes or renders non-visible the visual focus indicator	7
E	SC 1.4.4 - 1.4.5 - Tech C12-13-14 Using percent, em units or named font sizes	62
E	SC 1.4.3 - 1.4.11 - Tech G18 Ensuring that a contrast ratio of at least 4.5:1 exists between text (and images of text) and background behind the text	78
W	SC 1.4.12 - Tech C21 Specifying line spacing in CSS	225
W	SC 1.4.4 - 1.4.12 - Tech C28 Specifying the size of text containers using em units	27
HTML		



PAGES EVALUATION


E/W	Errors	No. of occurrences
E	SC 1.3.1 - Tech H63 Using the scope attribute to associate header cells and data cells in data tables	3
E	SC 3.2.2 - Tech H32 Providing submit buttons	1
E	SC 1.3.5 - Tech H98 Identify the purpose of inputs using the autocomplete value	2
E	SC 1.4.11 - 2.4.7 - Tech G195 Using an author-supplied, highly visible focus indicator	110
E	SC 1.3.1 - 1.4.5 - Tech G140 Separating information and structure from presentation to enable different presentations	1
E	SC 1.3.1 - Tech H42 Using h1-h6 to identify headings	1
E	SC 1.1.1 - 1.3.1 - 3.3.2 - 4.1.2 - Tech H44 Using label elements to associate text labels with form controls.	1
E	SC 1.3.1 - 4.1.2 - Tech ARIA16 Using aria-labelledby to provide a name for user interface controls	1
W	SC 1.4.1 - Tech F73 Failure of Success Criterion 1.4.1 due to creating links that are not visually evident without color vision	26
W	SC 1.3.1 - Tech H73 Using the summary attribute of the table element to give an overview of data tables	1
W	SC 2.4.2 - Tech G88 Providing descriptive titles for Web pages	1
W	SC 4.1.2 - Tech ARIA5 Using WAI-ARIA state and property attributes to expose the state of a user interface component	13
W	SC 1.3.1 - 3.3.2 - Tech G162 Positioning labels to maximize predictability of relationships	1
W	SC 1.3.1 - 2.4.1 - Tech ARIA11 Using ARIA landmarks to identify regions of a page	10
W	SC 1.3.1 - Tech F46 Failure of Success Criterion 1.3.1 due to using th elements, caption elements, or non-empty summary attributes in layout tables	1



PAGES EVALUATION

PAGE URL: <https://www.comune.tribano.pd.it/2022/07/>

ERRORS GROUPED BY PRINCIPLES



- PERCEIVABLE: 609
- UNDERSTANDABLE: 3
- OPERABLE: 134
- ROBUST: 15

E/W	Errors	No. of occurrences
PERCEIVABLE		
E	SC 1.3.1 - Tech H63 Using the scope attribute to associate header cells and data cells in data tables	3
E	SC 1.4.13 - Tech 1.4.13-ST2 CSS: Using hover and focus pseudo classes	2
E	SC 1.3.4 - Tech F97 Failure due to locking the orientation to landscape or portrait view	1
E	SC 1.4.11 - Tech F78 Failure due to styling element outlines and borders in a way that removes or renders non-visible the visual focus indicator	7
E	SC 1.3.5 - Tech H98 Identify the purpose of inputs using the autocomplete value	2
E	SC 1.4.11 - Tech G195 Using an author-supplied, highly visible focus indicator	116
E	SC 1.3.1 - 1.4.5 - Tech G140 Separating information and structure from presentation to enable different presentations	1
E	SC 1.3.1 - Tech H42 Using h1-h6 to identify headings	1
E	SC 1.1.1 - 1.3.1 - Tech H44 Using label elements to associate text labels with form controls.	1



PAGES EVALUATION

E/W	Errors	No. of occurrences
E	SC 1.4.4 - 1.4.5 - Tech C12-13-14 Using percent, em units or named font sizes	62
E	SC 1.4.3 - 1.4.11 - Tech G18 Ensuring that a contrast ratio of at least 4.5:1 exists between text (and images of text) and background behind the text	86
E	SC 1.4.4 - 1.4.10 - Tech SCR34 Calculating size and position in a way that scales with text size	18
E	SC 1.3.1 - Tech ARIA16 Using aria-labelledby to provide a name for user interface controls	1
W	SC 1.4.12 - Tech C21 Specifying line spacing in CSS	236
W	SC 1.4.1 - Tech F73 Failure of Success Criterion 1.4.1 due to creating links that are not visually evident without color vision	30
W	SC 1.3.1 - Tech H73 Using the summary attribute of the table element to give an overview of data tables	1
W	SC 1.3.1 - Tech G162 Positioning labels to maximize predictability of relationships	1
W	SC 1.4.4 - 1.4.12 - Tech C28 Specifying the size of text containers using em units	29
W	SC 1.3.1 - Tech ARIA11 Using ARIA landmarks to identify regions of a page	10
W	SC 1.3.1 - Tech F46 Failure of Success Criterion 1.3.1 due to using th elements, caption elements, or non-empty summary attributes in layout tables	1
UNDERSTANDABLE		
E	SC 3.2.2 - Tech H32 Providing submit buttons	1
E	SC 3.3.2 - Tech H44 Using label elements to associate text labels with form controls.	1
W	SC 3.3.2 - Tech G162 Positioning labels to maximize predictability of relationships	1
OPERABLE		
E	SC 2.4.7 - Tech F78 Failure due to styling element outlines and borders in a way that removes or renders non-visible the visual focus indicator	7
E	SC 2.4.7 - Tech G195 Using an author-supplied, highly visible focus indicator	116



PAGES EVALUATION


E/W	Errors	No. of occurrences
W	SC 2.4.2 - Tech G88 Providing descriptive titles for Web pages	1
W	SC 2.4.1 - Tech ARIA11 Using ARIA landmarks to identify regions of a page	10
ROBUST		
E	SC 4.1.2 - Tech H44 Using label elements to associate text labels with form controls.	1
E	SC 4.1.2 - Tech ARIA16 Using aria-labelledby to provide a name for user interface controls	1
W	SC 4.1.2 - Tech ARIA5 Using WAI-ARIA state and property attributes to expose the state of a user interface component	13



PAGES EVALUATION

PAGE URL: <https://www.comune.tribano.pd.it/2022/07/>

ERRORS GROUPED BY CATEGORIES



E/W	Errors	No. of occurrences
ARIA		
E	SC 1.3.1 - 4.1.2 - Tech ARIA16 Using aria-labelledby to provide a name for user interface controls	1
W	SC 4.1.2 - Tech ARIA5 Using WAI-ARIA state and property attributes to expose the state of a user interface component	13
W	SC 1.3.1 - 2.4.1 - Tech ARIA11 Using ARIA landmarks to identify regions of a page	10
COLOR		



PAGES EVALUATION

E/W	Errors	No. of occurrences
E	SC 1.4.3 - 1.4.11 - Tech G18 Ensuring that a contrast ratio of at least 4.5:1 exists between text (and images of text) and background behind the text	86
CONTENT		
E	SC 1.4.4 - 1.4.5 - Tech C12-13-14 Using percent, em units or named font sizes	62
W	SC 1.4.12 - Tech C21 Specifying line spacing in CSS	236
FORM		
E	SC 1.4.13 - Tech 1.4.13-ST2 CSS: Using hover and focus pseudo classes	2
E	SC 3.2.2 - Tech H32 Providing submit buttons	1
E	SC 1.4.11 - 2.4.7 - Tech F78 Failure due to styling element outlines and borders in a way that removes or renders non-visible the visual focus indicator	7
E	SC 1.3.5 - Tech H98 Identify the purpose of inputs using the autocomplete value	2
E	SC 1.4.11 - 2.4.7 - Tech G195 Using an author-supplied, highly visible focus indicator	116
E	SC 1.1.1 - 1.3.1 - 3.3.2 - 4.1.2 - Tech H44 Using label elements to associate text labels with form controls.	1
HTML		
E	SC 1.3.1 - 1.4.5 - Tech G140 Separating information and structure from presentation to enable different presentations	1
E	SC 1.3.1 - Tech H42 Using h1-h6 to identify headings	1
W	SC 2.4.2 - Tech G88 Providing descriptive titles for Web pages	1
W	SC 1.3.1 - 3.3.2 - Tech G162 Positioning labels to maximize predictability of relationships	1
LINK		
W	SC 1.4.1 - Tech F73 Failure of Success Criterion 1.4.1 due to creating links that are not visually evident without color vision	30
RESPONSIVE		
E	SC 1.4.4 - 1.4.10 - Tech SCR34 Calculating size and position in a way that scales with text size	18



PAGES EVALUATION

E/W	Errors	No. of occurrences
E	SC 1.3.4 - Tech F97 Failure due to locking the orientation to landscape or portrait view	1
W	SC 1.4.4 - 1.4.12 - Tech C28 Specifying the size of text containers using em units	29

TABLE


E	SC 1.3.1 - Tech H63 Using the scope attribute to associate header cells and data cells in data tables	3
W	SC 1.3.1 - Tech H73 Using the summary attribute of the table element to give an overview of data tables	1
W	SC 1.3.1 - Tech F46 Failure of Success Criterion 1.3.1 due to using th elements, caption elements, or non-empty summary attributes in layout tables	1



PAGES EVALUATION

PAGE URL: <https://www.comune.tribano.pd.it/2022/07/>

ERRORS GROUPED BY HTML VS STYLE



E/W	Errors	No. of occurrences
STYLE		
E	SC 1.4.4 - 1.4.10 - Tech SCR34 Calculating size and position in a way that scales with text size	18
E	SC 1.4.13 - Tech 1.4.13-ST2 CSS: Using hover and focus pseudo classes	2
E	SC 1.3.4 - Tech F97 Failure due to locking the orientation to landscape or portrait view	1
E	SC 1.4.11 - 2.4.7 - Tech F78 Failure due to styling element outlines and borders in a way that removes or renders non-visible the visual focus indicator	7
E	SC 1.4.4 - 1.4.5 - Tech C12-13-14 Using percent, em units or named font sizes	62
E	SC 1.4.3 - 1.4.11 - Tech G18 Ensuring that a contrast ratio of at least 4.5:1 exists between text (and images of text) and background behind the text	86
W	SC 1.4.12 - Tech C21 Specifying line spacing in CSS	236
W	SC 1.4.4 - 1.4.12 - Tech C28 Specifying the size of text containers using em units	29
HTML		



PAGES EVALUATION


E/W	Errors	No. of occurrences
E	SC 1.3.1 - Tech H63 Using the scope attribute to associate header cells and data cells in data tables	3
E	SC 3.2.2 - Tech H32 Providing submit buttons	1
E	SC 1.3.5 - Tech H98 Identify the purpose of inputs using the autocomplete value	2
E	SC 1.4.11 - 2.4.7 - Tech G195 Using an author-supplied, highly visible focus indicator	116
E	SC 1.3.1 - 1.4.5 - Tech G140 Separating information and structure from presentation to enable different presentations	1
E	SC 1.3.1 - Tech H42 Using h1-h6 to identify headings	1
E	SC 1.1.1 - 1.3.1 - 3.3.2 - 4.1.2 - Tech H44 Using label elements to associate text labels with form controls.	1
E	SC 1.3.1 - 4.1.2 - Tech ARIA16 Using aria-labelledby to provide a name for user interface controls	1
W	SC 1.4.1 - Tech F73 Failure of Success Criterion 1.4.1 due to creating links that are not visually evident without color vision	30
W	SC 1.3.1 - Tech H73 Using the summary attribute of the table element to give an overview of data tables	1
W	SC 2.4.2 - Tech G88 Providing descriptive titles for Web pages	1
W	SC 4.1.2 - Tech ARIA5 Using WAI-ARIA state and property attributes to expose the state of a user interface component	13
W	SC 1.3.1 - 3.3.2 - Tech G162 Positioning labels to maximize predictability of relationships	1
W	SC 1.3.1 - 2.4.1 - Tech ARIA11 Using ARIA landmarks to identify regions of a page	10
W	SC 1.3.1 - Tech F46 Failure of Success Criterion 1.3.1 due to using th elements, caption elements, or non-empty summary attributes in layout tables	1



PAGES EVALUATION

PAGE URL: <https://www.comune.tribano.pd.it/uffici-e-servizi/telefono-e-posta-e-mail>

ERRORS GROUPED BY PRINCIPLES



- PERCEIVABLE: 581
- UNDERSTANDABLE: 3
- OPERABLE: 130
- ROBUST: 15

E/W	Errors	No. of occurrences
PERCEIVABLE		
E	SC 1.3.1 - Tech H63 Using the scope attribute to associate header cells and data cells in data tables	3
E	SC 1.4.13 - Tech 1.4.13-ST2 CSS: Using hover and focus pseudo classes	2
E	SC 1.3.4 - Tech F97 Failure due to locking the orientation to landscape or portrait view	1
E	SC 1.4.11 - Tech F78 Failure due to styling element outlines and borders in a way that removes or renders non-visible the visual focus indicator	7
E	SC 1.3.5 - Tech H98 Identify the purpose of inputs using the autocomplete value	2
E	SC 1.4.11 - Tech G195 Using an author-supplied, highly visible focus indicator	112
E	SC 1.3.1 - 1.4.5 - Tech G140 Separating information and structure from presentation to enable different presentations	1
E	SC 1.3.1 - Tech H42 Using h1-h6 to identify headings	1
E	SC 1.1.1 - 1.3.1 - Tech H44 Using label elements to associate text labels with form controls.	1



PAGES EVALUATION

E/W	Errors	No. of occurrences
E	SC 1.4.4 - 1.4.5 - Tech C12-13-14 Using percent, em units or named font sizes	62
E	SC 1.4.3 - 1.4.11 - Tech G18 Ensuring that a contrast ratio of at least 4.5:1 exists between text (and images of text) and background behind the text	78
E	SC 1.4.4 - 1.4.10 - Tech SCR34 Calculating size and position in a way that scales with text size	18
E	SC 1.3.1 - Tech ARIA16 Using aria-labelledby to provide a name for user interface controls	1
W	SC 1.4.12 - Tech C21 Specifying line spacing in CSS	225
W	SC 1.4.1 - Tech F73 Failure of Success Criterion 1.4.1 due to creating links that are not visually evident without color vision	26
W	SC 1.3.1 - Tech H73 Using the summary attribute of the table element to give an overview of data tables	1
W	SC 1.3.1 - Tech G162 Positioning labels to maximize predictability of relationships	1
W	SC 1.4.4 - 1.4.12 - Tech C28 Specifying the size of text containers using em units	28
W	SC 1.3.1 - Tech ARIA11 Using ARIA landmarks to identify regions of a page	10
W	SC 1.3.1 - Tech F46 Failure of Success Criterion 1.3.1 due to using th elements, caption elements, or non-empty summary attributes in layout tables	1
UNDERSTANDABLE		
E	SC 3.2.2 - Tech H32 Providing submit buttons	1
E	SC 3.3.2 - Tech H44 Using label elements to associate text labels with form controls.	1
W	SC 3.3.2 - Tech G162 Positioning labels to maximize predictability of relationships	1
OPERABLE		
E	SC 2.4.7 - Tech F78 Failure due to styling element outlines and borders in a way that removes or renders non-visible the visual focus indicator	7
E	SC 2.4.7 - Tech G195 Using an author-supplied, highly visible focus indicator	112



PAGES EVALUATION


E/W	Errors	No. of occurrences
W	SC 2.4.2 - Tech G88 Providing descriptive titles for Web pages	1
W	SC 2.4.1 - Tech ARIA11 Using ARIA landmarks to identify regions of a page	10
ROBUST		
E	SC 4.1.2 - Tech H44 Using label elements to associate text labels with form controls.	1
E	SC 4.1.2 - Tech ARIA16 Using aria-labelledby to provide a name for user interface controls	1
W	SC 4.1.2 - Tech ARIA5 Using WAI-ARIA state and property attributes to expose the state of a user interface component	13



PAGES EVALUATION

PAGE URL: <https://www.comune.tribano.pd.it/uffici-e-servizi/telefono-e-posta-e-mail>

ERRORS GROUPED BY CATEGORIES



E/W	Errors	No. of occurrences
ARIA		
E	SC 1.3.1 - 4.1.2 - Tech ARIA16 Using aria-labelledby to provide a name for user interface controls	1
W	SC 4.1.2 - Tech ARIA5 Using WAI-ARIA state and property attributes to expose the state of a user interface component	13
W	SC 1.3.1 - 2.4.1 - Tech ARIA11 Using ARIA landmarks to identify regions of a page	10
COLOR		



PAGES EVALUATION

E/W	Errors	No. of occurrences
E	SC 1.4.3 - 1.4.11 - Tech G18 Ensuring that a contrast ratio of at least 4.5:1 exists between text (and images of text) and background behind the text	78
CONTENT		
E	SC 1.4.4 - 1.4.5 - Tech C12-13-14 Using percent, em units or named font sizes	62
W	SC 1.4.12 - Tech C21 Specifying line spacing in CSS	225
FORM		
E	SC 1.4.13 - Tech 1.4.13-ST2 CSS: Using hover and focus pseudo classes	2
E	SC 3.2.2 - Tech H32 Providing submit buttons	1
E	SC 1.4.11 - 2.4.7 - Tech F78 Failure due to styling element outlines and borders in a way that removes or renders non-visible the visual focus indicator	7
E	SC 1.3.5 - Tech H98 Identify the purpose of inputs using the autocomplete value	2
E	SC 1.4.11 - 2.4.7 - Tech G195 Using an author-supplied, highly visible focus indicator	112
E	SC 1.1.1 - 1.3.1 - 3.3.2 - 4.1.2 - Tech H44 Using label elements to associate text labels with form controls.	1
HTML		
E	SC 1.3.1 - 1.4.5 - Tech G140 Separating information and structure from presentation to enable different presentations	1
E	SC 1.3.1 - Tech H42 Using h1-h6 to identify headings	1
W	SC 2.4.2 - Tech G88 Providing descriptive titles for Web pages	1
W	SC 1.3.1 - 3.3.2 - Tech G162 Positioning labels to maximize predictability of relationships	1
LINK		
W	SC 1.4.1 - Tech F73 Failure of Success Criterion 1.4.1 due to creating links that are not visually evident without color vision	26
RESPONSIVE		
E	SC 1.4.4 - 1.4.10 - Tech SCR34 Calculating size and position in a way that scales with text size	18



PAGES EVALUATION

E/W	Errors	No. of occurrences
E	SC 1.3.4 - Tech F97 Failure due to locking the orientation to landscape or portrait view	1
W	SC 1.4.4 - 1.4.12 - Tech C28 Specifying the size of text containers using em units	28

TABLE


E	SC 1.3.1 - Tech H63 Using the scope attribute to associate header cells and data cells in data tables	3
W	SC 1.3.1 - Tech H73 Using the summary attribute of the table element to give an overview of data tables	1
W	SC 1.3.1 - Tech F46 Failure of Success Criterion 1.3.1 due to using th elements, caption elements, or non-empty summary attributes in layout tables	1



PAGES EVALUATION

PAGE URL: <https://www.comune.tribano.pd.it/uffici-e-servizi/telefono-e-posta-e-mail>

ERRORS GROUPED BY HTML VS STYLE



E/W	Errors	No. of occurrences
STYLE		
E	SC 1.4.4 - 1.4.10 - Tech SCR34 Calculating size and position in a way that scales with text size	18
E	SC 1.4.13 - Tech 1.4.13-ST2 CSS: Using hover and focus pseudo classes	2
E	SC 1.3.4 - Tech F97 Failure due to locking the orientation to landscape or portrait view	1
E	SC 1.4.11 - 2.4.7 - Tech F78 Failure due to styling element outlines and borders in a way that removes or renders non-visible the visual focus indicator	7
E	SC 1.4.4 - 1.4.5 - Tech C12-13-14 Using percent, em units or named font sizes	62
E	SC 1.4.3 - 1.4.11 - Tech G18 Ensuring that a contrast ratio of at least 4.5:1 exists between text (and images of text) and background behind the text	78
W	SC 1.4.12 - Tech C21 Specifying line spacing in CSS	225
W	SC 1.4.4 - 1.4.12 - Tech C28 Specifying the size of text containers using em units	28
HTML		



PAGES EVALUATION


E/W	Errors	No. of occurrences
E	SC 1.3.1 - Tech H63 Using the scope attribute to associate header cells and data cells in data tables	3
E	SC 3.2.2 - Tech H32 Providing submit buttons	1
E	SC 1.3.5 - Tech H98 Identify the purpose of inputs using the autocomplete value	2
E	SC 1.4.11 - 2.4.7 - Tech G195 Using an author-supplied, highly visible focus indicator	112
E	SC 1.3.1 - 1.4.5 - Tech G140 Separating information and structure from presentation to enable different presentations	1
E	SC 1.3.1 - Tech H42 Using h1-h6 to identify headings	1
E	SC 1.1.1 - 1.3.1 - 3.3.2 - 4.1.2 - Tech H44 Using label elements to associate text labels with form controls.	1
E	SC 1.3.1 - 4.1.2 - Tech ARIA16 Using aria-labelledby to provide a name for user interface controls	1
W	SC 1.4.1 - Tech F73 Failure of Success Criterion 1.4.1 due to creating links that are not visually evident without color vision	26
W	SC 1.3.1 - Tech H73 Using the summary attribute of the table element to give an overview of data tables	1
W	SC 2.4.2 - Tech G88 Providing descriptive titles for Web pages	1
W	SC 4.1.2 - Tech ARIA5 Using WAI-ARIA state and property attributes to expose the state of a user interface component	13
W	SC 1.3.1 - 3.3.2 - Tech G162 Positioning labels to maximize predictability of relationships	1
W	SC 1.3.1 - 2.4.1 - Tech ARIA11 Using ARIA landmarks to identify regions of a page	10
W	SC 1.3.1 - Tech F46 Failure of Success Criterion 1.3.1 due to using th elements, caption elements, or non-empty summary attributes in layout tables	1



PAGES EVALUATION

PAGE URL: <https://www.comune.tribano.pd.it/biblioteca/>

ERRORS GROUPED BY PRINCIPLES



- PERCEIVABLE: 576
- UNDERSTANDABLE: 3
- OPERABLE: 127
- ROBUST: 15

E/W	Errors	No. of occurrences
PERCEIVABLE		
E	SC 1.3.1 - Tech H63 Using the scope attribute to associate header cells and data cells in data tables	3
E	SC 1.4.13 - Tech 1.4.13-ST2 CSS: Using hover and focus pseudo classes	2
E	SC 1.3.4 - Tech F97 Failure due to locking the orientation to landscape or portrait view	1
E	SC 1.4.11 - Tech F78 Failure due to styling element outlines and borders in a way that removes or renders non-visible the visual focus indicator	7
E	SC 1.3.5 - Tech H98 Identify the purpose of inputs using the autocomplete value	2
E	SC 1.4.11 - Tech G195 Using an author-supplied, highly visible focus indicator	109
E	SC 1.3.1 - 1.4.5 - Tech G140 Separating information and structure from presentation to enable different presentations	1
E	SC 1.3.1 - Tech H42 Using h1-h6 to identify headings	1
E	SC 1.1.1 - 1.3.1 - Tech H44 Using label elements to associate text labels with form controls.	1



PAGES EVALUATION

E/W	Errors	No. of occurrences
E	SC 1.4.4 - 1.4.5 - Tech C12-13-14 Using percent, em units or named font sizes	62
E	SC 1.4.3 - 1.4.11 - Tech G18 Ensuring that a contrast ratio of at least 4.5:1 exists between text (and images of text) and background behind the text	78
E	SC 1.4.4 - 1.4.10 - Tech SCR34 Calculating size and position in a way that scales with text size	18
E	SC 1.3.1 - Tech ARIA16 Using aria-labelledby to provide a name for user interface controls	1
W	SC 1.4.12 - Tech C21 Specifying line spacing in CSS	224
W	SC 1.4.1 - Tech F73 Failure of Success Criterion 1.4.1 due to creating links that are not visually evident without color vision	26
W	SC 1.3.1 - Tech H73 Using the summary attribute of the table element to give an overview of data tables	1
W	SC 1.3.1 - Tech G162 Positioning labels to maximize predictability of relationships	1
W	SC 1.4.4 - 1.4.12 - Tech C28 Specifying the size of text containers using em units	27
W	SC 1.3.1 - Tech ARIA11 Using ARIA landmarks to identify regions of a page	10
W	SC 1.3.1 - Tech F46 Failure of Success Criterion 1.3.1 due to using th elements, caption elements, or non-empty summary attributes in layout tables	1
UNDERSTANDABLE		
E	SC 3.2.2 - Tech H32 Providing submit buttons	1
E	SC 3.3.2 - Tech H44 Using label elements to associate text labels with form controls.	1
W	SC 3.3.2 - Tech G162 Positioning labels to maximize predictability of relationships	1
OPERABLE		
E	SC 2.4.7 - Tech F78 Failure due to styling element outlines and borders in a way that removes or renders non-visible the visual focus indicator	7
E	SC 2.4.7 - Tech G195 Using an author-supplied, highly visible focus indicator	109



PAGES EVALUATION


E/W	Errors	No. of occurrences
W	SC 2.4.2 - Tech G88 Providing descriptive titles for Web pages	1
W	SC 2.4.1 - Tech ARIA11 Using ARIA landmarks to identify regions of a page	10
ROBUST		
E	SC 4.1.2 - Tech H44 Using label elements to associate text labels with form controls.	1
E	SC 4.1.2 - Tech ARIA16 Using aria-labelledby to provide a name for user interface controls	1
W	SC 4.1.2 - Tech ARIA5 Using WAI-ARIA state and property attributes to expose the state of a user interface component	13



PAGES EVALUATION

PAGE URL: <https://www.comune.tribano.pd.it/biblioteca/>

ERRORS GROUPED BY CATEGORIES



E/W	Errors	No. of occurrences
ARIA		
E	SC 1.3.1 - 4.1.2 - Tech ARIA16 Using aria-labelledby to provide a name for user interface controls	1
W	SC 4.1.2 - Tech ARIA5 Using WAI-ARIA state and property attributes to expose the state of a user interface component	13
W	SC 1.3.1 - 2.4.1 - Tech ARIA11 Using ARIA landmarks to identify regions of a page	10
COLOR		



PAGES EVALUATION

E/W	Errors	No. of occurrences
E	SC 1.4.3 - 1.4.11 - Tech G18 Ensuring that a contrast ratio of at least 4.5:1 exists between text (and images of text) and background behind the text	78
CONTENT		
E	SC 1.4.4 - 1.4.5 - Tech C12-13-14 Using percent, em units or named font sizes	62
W	SC 1.4.12 - Tech C21 Specifying line spacing in CSS	224
FORM		
E	SC 1.4.13 - Tech 1.4.13-ST2 CSS: Using hover and focus pseudo classes	2
E	SC 3.2.2 - Tech H32 Providing submit buttons	1
E	SC 1.4.11 - 2.4.7 - Tech F78 Failure due to styling element outlines and borders in a way that removes or renders non-visible the visual focus indicator	7
E	SC 1.3.5 - Tech H98 Identify the purpose of inputs using the autocomplete value	2
E	SC 1.4.11 - 2.4.7 - Tech G195 Using an author-supplied, highly visible focus indicator	109
E	SC 1.1.1 - 1.3.1 - 3.3.2 - 4.1.2 - Tech H44 Using label elements to associate text labels with form controls.	1
HTML		
E	SC 1.3.1 - 1.4.5 - Tech G140 Separating information and structure from presentation to enable different presentations	1
E	SC 1.3.1 - Tech H42 Using h1-h6 to identify headings	1
W	SC 2.4.2 - Tech G88 Providing descriptive titles for Web pages	1
W	SC 1.3.1 - 3.3.2 - Tech G162 Positioning labels to maximize predictability of relationships	1
LINK		
W	SC 1.4.1 - Tech F73 Failure of Success Criterion 1.4.1 due to creating links that are not visually evident without color vision	26
RESPONSIVE		
E	SC 1.4.4 - 1.4.10 - Tech SCR34 Calculating size and position in a way that scales with text size	18



PAGES EVALUATION

E/W	Errors	No. of occurrences
E	SC 1.3.4 - Tech F97 Failure due to locking the orientation to landscape or portrait view	1
W	SC 1.4.4 - 1.4.12 - Tech C28 Specifying the size of text containers using em units	27

TABLE


E	SC 1.3.1 - Tech H63 Using the scope attribute to associate header cells and data cells in data tables	3
W	SC 1.3.1 - Tech H73 Using the summary attribute of the table element to give an overview of data tables	1
W	SC 1.3.1 - Tech F46 Failure of Success Criterion 1.3.1 due to using th elements, caption elements, or non-empty summary attributes in layout tables	1



PAGES EVALUATION

PAGE URL: <https://www.comune.tribano.pd.it/biblioteca/>

ERRORS GROUPED BY HTML VS STYLE



E/W	Errors	No. of occurrences
STYLE		
E	SC 1.4.4 - 1.4.10 - Tech SCR34 Calculating size and position in a way that scales with text size	18
E	SC 1.4.13 - Tech 1.4.13-ST2 CSS: Using hover and focus pseudo classes	2
E	SC 1.3.4 - Tech F97 Failure due to locking the orientation to landscape or portrait view	1
E	SC 1.4.11 - 2.4.7 - Tech F78 Failure due to styling element outlines and borders in a way that removes or renders non-visible the visual focus indicator	7
E	SC 1.4.4 - 1.4.5 - Tech C12-13-14 Using percent, em units or named font sizes	62
E	SC 1.4.3 - 1.4.11 - Tech G18 Ensuring that a contrast ratio of at least 4.5:1 exists between text (and images of text) and background behind the text	78
W	SC 1.4.12 - Tech C21 Specifying line spacing in CSS	224
W	SC 1.4.4 - 1.4.12 - Tech C28 Specifying the size of text containers using em units	27
HTML		



PAGES EVALUATION


E/W	Errors	No. of occurrences
E	SC 1.3.1 - Tech H63 Using the scope attribute to associate header cells and data cells in data tables	3
E	SC 3.2.2 - Tech H32 Providing submit buttons	1
E	SC 1.3.5 - Tech H98 Identify the purpose of inputs using the autocomplete value	2
E	SC 1.4.11 - 2.4.7 - Tech G195 Using an author-supplied, highly visible focus indicator	109
E	SC 1.3.1 - 1.4.5 - Tech G140 Separating information and structure from presentation to enable different presentations	1
E	SC 1.3.1 - Tech H42 Using h1-h6 to identify headings	1
E	SC 1.1.1 - 1.3.1 - 3.3.2 - 4.1.2 - Tech H44 Using label elements to associate text labels with form controls.	1
E	SC 1.3.1 - 4.1.2 - Tech ARIA16 Using aria-labelledby to provide a name for user interface controls	1
W	SC 1.4.1 - Tech F73 Failure of Success Criterion 1.4.1 due to creating links that are not visually evident without color vision	26
W	SC 1.3.1 - Tech H73 Using the summary attribute of the table element to give an overview of data tables	1
W	SC 2.4.2 - Tech G88 Providing descriptive titles for Web pages	1
W	SC 4.1.2 - Tech ARIA5 Using WAI-ARIA state and property attributes to expose the state of a user interface component	13
W	SC 1.3.1 - 3.3.2 - Tech G162 Positioning labels to maximize predictability of relationships	1
W	SC 1.3.1 - 2.4.1 - Tech ARIA11 Using ARIA landmarks to identify regions of a page	10
W	SC 1.3.1 - Tech F46 Failure of Success Criterion 1.3.1 due to using th elements, caption elements, or non-empty summary attributes in layout tables	1



PAGES EVALUATION

PAGE URL: <https://www.comune.tribano.pd.it/commissioni-e-gruppi/>

ERRORS GROUPED BY PRINCIPLES



- PERCEIVABLE: 606
- UNDERSTANDABLE: 4
- OPERABLE: 133
- ROBUST: 33

E/W	Errors	No. of occurrences
PERCEIVABLE		
E	SC 1.3.1 - Tech H63 Using the scope attribute to associate header cells and data cells in data tables	3
E	SC 1.4.13 - Tech 1.4.13-ST2 CSS: Using hover and focus pseudo classes	3
E	SC 1.3.4 - Tech F97 Failure due to locking the orientation to landscape or portrait view	2
E	SC 1.4.11 - Tech F78 Failure due to styling element outlines and borders in a way that removes or renders non-visible the visual focus indicator	8
E	SC 1.3.5 - Tech H98 Identify the purpose of inputs using the autocomplete value	3
E	SC 1.4.11 - Tech G195 Using an author-supplied, highly visible focus indicator	113
E	SC 1.3.1 - 1.4.5 - Tech G140 Separating information and structure from presentation to enable different presentations	1
E	SC 1.3.1 - Tech H42 Using h1-h6 to identify headings	1
E	SC 1.1.1 - 1.3.1 - Tech H44 Using label elements to associate text labels with form controls.	1



PAGES EVALUATION

E/W	Errors	No. of occurrences
E	SC 1.4.4 - 1.4.5 - Tech C12-13-14 Using percent, em units or named font sizes	62
E	SC 1.4.3 - 1.4.11 - Tech G18 Ensuring that a contrast ratio of at least 4.5:1 exists between text (and images of text) and background behind the text	79
E	SC 1.4.4 - 1.4.10 - Tech SCR34 Calculating size and position in a way that scales with text size	18
E	SC 1.3.1 - Tech ARIA16 Using aria-labelledby to provide a name for user interface controls	2
W	SC 1.4.12 - Tech C21 Specifying line spacing in CSS	235
W	SC 1.4.1 - Tech F73 Failure of Success Criterion 1.4.1 due to creating links that are not visually evident without color vision	29
W	SC 1.3.1 - Tech H73 Using the summary attribute of the table element to give an overview of data tables	1
W	SC 1.3.1 - Tech G162 Positioning labels to maximize predictability of relationships	1
W	SC 1.4.4 - 1.4.12 - Tech C28 Specifying the size of text containers using em units	32
W	SC 1.3.1 - Tech ARIA11 Using ARIA landmarks to identify regions of a page	11
W	SC 1.3.1 - Tech F46 Failure of Success Criterion 1.3.1 due to using th elements, caption elements, or non-empty summary attributes in layout tables	1
UNDERSTANDABLE		
E	SC 3.2.2 - Tech H32 Providing submit buttons	2
E	SC 3.3.2 - Tech H44 Using label elements to associate text labels with form controls.	1
W	SC 3.3.2 - Tech G162 Positioning labels to maximize predictability of relationships	1
OPERABLE		
E	SC 2.4.7 - Tech F78 Failure due to styling element outlines and borders in a way that removes or renders non-visible the visual focus indicator	8
E	SC 2.4.7 - Tech G195 Using an author-supplied, highly visible focus indicator	113



PAGES EVALUATION


E/W	Errors	No. of occurrences
W	SC 2.4.2 - Tech G88 Providing descriptive titles for Web pages	1
W	SC 2.4.1 - Tech ARIA11 Using ARIA landmarks to identify regions of a page	11
ROBUST		
E	SC 4.1.1 - Tech H93 Ensuring that id attributes are unique on a webpage	8
E	SC 4.1.1 - Tech F77 Failure of Success Criterion 4.1.1 due to duplicate values of type ID	8
E	SC 4.1.2 - Tech H44 Using label elements to associate text labels with form controls.	1
E	SC 4.1.2 - Tech ARIA16 Using aria-labelledby to provide a name for user interface controls	2
W	SC 4.1.2 - Tech ARIA5 Using WAI-ARIA state and property attributes to expose the state of a user interface component	14



PAGES EVALUATION

PAGE URL: <https://www.comune.tribano.pd.it/commissioni-e-gruppi/>

ERRORS GROUPED BY CATEGORIES



E/W	Errors	No. of occurrences
ARIA		
E	SC 1.3.1 - 4.1.2 - Tech ARIA16 Using aria-labelledby to provide a name for user interface controls	2
W	SC 4.1.2 - Tech ARIA5 Using WAI-ARIA state and property attributes to expose the state of a user interface component	14
W	SC 1.3.1 - 2.4.1 - Tech ARIA11 Using ARIA landmarks to identify regions of a page	11
COLOR		



PAGES EVALUATION

E/W	Errors	No. of occurrences
E	SC 1.4.3 - 1.4.11 - Tech G18 Ensuring that a contrast ratio of at least 4.5:1 exists between text (and images of text) and background behind the text	79
CONTENT		
E	SC 1.4.4 - 1.4.5 - Tech C12-13-14 Using percent, em units or named font sizes	62
W	SC 1.4.12 - Tech C21 Specifying line spacing in CSS	235
FORM		
E	SC 1.4.13 - Tech 1.4.13-ST2 CSS: Using hover and focus pseudo classes	3
E	SC 3.2.2 - Tech H32 Providing submit buttons	2
E	SC 1.4.11 - 2.4.7 - Tech F78 Failure due to styling element outlines and borders in a way that removes or renders non-visible the visual focus indicator	8
E	SC 1.3.5 - Tech H98 Identify the purpose of inputs using the autocomplete value	3
E	SC 1.4.11 - 2.4.7 - Tech G195 Using an author-supplied, highly visible focus indicator	113
E	SC 1.1.1 - 1.3.1 - 3.3.2 - 4.1.2 - Tech H44 Using label elements to associate text labels with form controls.	1
HTML		
E	SC 4.1.1 - Tech H93 Ensuring that id attributes are unique on a webpage	8
E	SC 4.1.1 - Tech F77 Failure of Success Criterion 4.1.1 due to duplicate values of type ID	8
E	SC 1.3.1 - 1.4.5 - Tech G140 Separating information and structure from presentation to enable different presentations	1
E	SC 1.3.1 - Tech H42 Using h1-h6 to identify headings	1
W	SC 2.4.2 - Tech G88 Providing descriptive titles for Web pages	1
W	SC 1.3.1 - 3.3.2 - Tech G162 Positioning labels to maximize predictability of relationships	1
LINK		



PAGES EVALUATION


E/W	Errors	No. of occurrences
W	SC 1.4.1 - Tech F73 Failure of Success Criterion 1.4.1 due to creating links that are not visually evident without color vision	29
RESPONSIVE		
E	SC 1.4.4 - 1.4.10 - Tech SCR34 Calculating size and position in a way that scales with text size	18
E	SC 1.3.4 - Tech F97 Failure due to locking the orientation to landscape or portrait view	2
W	SC 1.4.4 - 1.4.12 - Tech C28 Specifying the size of text containers using em units	32
TABLE		
E	SC 1.3.1 - Tech H63 Using the scope attribute to associate header cells and data cells in data tables	3
W	SC 1.3.1 - Tech H73 Using the summary attribute of the table element to give an overview of data tables	1
W	SC 1.3.1 - Tech F46 Failure of Success Criterion 1.3.1 due to using th elements, caption elements, or non-empty summary attributes in layout tables	1



PAGES EVALUATION

PAGE URL: <https://www.comune.tribano.pd.it/commissioni-e-gruppi/>

ERRORS GROUPED BY HTML VS STYLE



E/W	Errors	No. of occurrences
STYLE		
E	SC 1.4.4 - 1.4.10 - Tech SCR34 Calculating size and position in a way that scales with text size	18
E	SC 1.4.13 - Tech 1.4.13-ST2 CSS: Using hover and focus pseudo classes	3
E	SC 1.3.4 - Tech F97 Failure due to locking the orientation to landscape or portrait view	2
E	SC 1.4.11 - 2.4.7 - Tech F78 Failure due to styling element outlines and borders in a way that removes or renders non-visible the visual focus indicator	8
E	SC 1.4.4 - 1.4.5 - Tech C12-13-14 Using percent, em units or named font sizes	62
E	SC 1.4.3 - 1.4.11 - Tech G18 Ensuring that a contrast ratio of at least 4.5:1 exists between text (and images of text) and background behind the text	79
W	SC 1.4.12 - Tech C21 Specifying line spacing in CSS	235
W	SC 1.4.4 - 1.4.12 - Tech C28 Specifying the size of text containers using em units	32
HTML		



PAGES EVALUATION

E/W	Errors	No. of occurrences
E	SC 4.1.1 - Tech H93 Ensuring that id attributes are unique on a webpage	8
E	SC 1.3.1 - Tech H63 Using the scope attribute to associate header cells and data cells in data tables	3
E	SC 3.2.2 - Tech H32 Providing submit buttons	2
E	SC 1.3.5 - Tech H98 Identify the purpose of inputs using the autocomplete value	3
E	SC 1.4.11 - 2.4.7 - Tech G195 Using an author-supplied, highly visible focus indicator	113
E	SC 4.1.1 - Tech F77 Failure of Success Criterion 4.1.1 due to duplicate values of type ID	8
E	SC 1.3.1 - 1.4.5 - Tech G140 Separating information and structure from presentation to enable different presentations	1
E	SC 1.3.1 - Tech H42 Using h1-h6 to identify headings	1
E	SC 1.1.1 - 1.3.1 - 3.3.2 - 4.1.2 - Tech H44 Using label elements to associate text labels with form controls.	1
E	SC 1.3.1 - 4.1.2 - Tech ARIA16 Using aria-labelledby to provide a name for user interface controls	2
W	SC 1.4.1 - Tech F73 Failure of Success Criterion 1.4.1 due to creating links that are not visually evident without color vision	29
W	SC 1.3.1 - Tech H73 Using the summary attribute of the table element to give an overview of data tables	1
W	SC 2.4.2 - Tech G88 Providing descriptive titles for Web pages	1
W	SC 4.1.2 - Tech ARIA5 Using WAI-ARIA state and property attributes to expose the state of a user interface component	14
W	SC 1.3.1 - 3.3.2 - Tech G162 Positioning labels to maximize predictability of relationships	1
W	SC 1.3.1 - 2.4.1 - Tech ARIA11 Using ARIA landmarks to identify regions of a page	11
W	SC 1.3.1 - Tech F46 Failure of Success Criterion 1.3.1 due to using th elements, caption elements, or non-empty summary attributes in layout tables	1




PAGES EVALUATION

PAGE URL:

<https://www.comune.tribano.pd.it/2022/09/08/iniziativa-erogazione-0>

ERRORS GROUPED BY PRINCIPLES



- PERCEIVABLE: 317
- UNDERSTANDABLE: 3
- OPERABLE: 78
- ROBUST: 4

E/W	Errors	No. of occurrences
PERCEIVABLE		
E	SC 1.4.4 - 1.4.10 - Tech SCR34 Calculating size and position in a way that scales with text size	2
E	SC 1.4.13 - Tech 1.4.13-ST2 CSS: Using hover and focus pseudo classes	1
E	SC 1.3.4 - Tech F97 Failure due to locking the orientation to landscape or portrait view	1
E	SC 1.4.11 - Tech F78 Failure due to styling element outlines and borders in a way that removes or renders non-visible the visual focus indicator	1
E	SC 1.3.5 - Tech H98 Identify the purpose of inputs using the autocomplete value	1
E	SC 1.4.11 - Tech G195 Using an author-supplied, highly visible focus indicator	70
E	SC 1.1.1 - 1.3.1 - Tech H44 Using label elements to associate text labels with form controls.	1
E	SC 1.3.1 - Tech ARIA16 Using aria-labelledby to provide a name for user interface controls	1



PAGES EVALUATION

E/W	Errors	No. of occurrences
E	SC 1.4.3 - 1.4.11 - Tech G18 Ensuring that a contrast ratio of at least 4.5:1 exists between text (and images of text) and background behind the text	77
W	SC 1.4.12 - Tech C21 Specifying line spacing in CSS	123
W	SC 1.4.1 - Tech F73 Failure of Success Criterion 1.4.1 due to creating links that are not visually evident without color vision	15
W	SC 1.3.1 - Tech G162 Positioning labels to maximize predictability of relationships	1
W	SC 1.4.4 - 1.4.12 - Tech C28 Specifying the size of text containers using em units	17
W	SC 1.3.1 - Tech ARIA11 Using ARIA landmarks to identify regions of a page	6
UNDERSTANDABLE		
E	SC 3.2.2 - Tech H32 Providing submit buttons	1
E	SC 3.3.2 - Tech H44 Using label elements to associate text labels with form controls.	1
W	SC 3.3.2 - Tech G162 Positioning labels to maximize predictability of relationships	1
OPERABLE		
E	SC 2.4.7 - Tech F78 Failure due to styling element outlines and borders in a way that removes or renders non-visible the visual focus indicator	1
E	SC 2.4.7 - Tech G195 Using an author-supplied, highly visible focus indicator	70
W	SC 2.4.2 - Tech G88 Providing descriptive titles for Web pages	1
W	SC 2.4.1 - Tech ARIA11 Using ARIA landmarks to identify regions of a page	6
ROBUST		
E	SC 4.1.2 - Tech H44 Using label elements to associate text labels with form controls.	1
E	SC 4.1.2 - Tech ARIA16 Using aria-labelledby to provide a name for user interface controls	1
W	SC 4.1.2 - Tech ARIA5 Using WAI-ARIA state and property attributes to expose the state of a user interface component	2




PAGES EVALUATION

PAGE URL:

<https://www.comune.tribano.pd.it/2022/09/08/iniziativa-erogazione-0>

ERRORS GROUPED BY CATEGORIES



E/W	Errors	No. of occurrences
ARIA		
E	SC 1.3.1 - 4.1.2 - Tech ARIA16 Using aria-labelledby to provide a name for user interface controls	1
W	SC 4.1.2 - Tech ARIA5 Using WAI-ARIA state and property attributes to expose the state of a user interface component	2
W	SC 1.3.1 - 2.4.1 - Tech ARIA11 Using ARIA landmarks to identify regions of a page	6
COLOR		



PAGES EVALUATION


E/W	Errors	No. of occurrences
E	SC 1.4.3 - 1.4.11 - Tech G18 Ensuring that a contrast ratio of at least 4.5:1 exists between text (and images of text) and background behind the text	77
CONTENT		
W	SC 1.4.12 - Tech C21 Specifying line spacing in CSS	123
FORM		
E	SC 1.4.13 - Tech 1.4.13-ST2 CSS: Using hover and focus pseudo classes	1
E	SC 3.2.2 - Tech H32 Providing submit buttons	1
E	SC 1.4.11 - 2.4.7 - Tech F78 Failure due to styling element outlines and borders in a way that removes or renders non-visible the visual focus indicator	1
E	SC 1.3.5 - Tech H98 Identify the purpose of inputs using the autocomplete value	1
E	SC 1.4.11 - 2.4.7 - Tech G195 Using an author-supplied, highly visible focus indicator	70
E	SC 1.1.1 - 1.3.1 - 3.3.2 - 4.1.2 - Tech H44 Using label elements to associate text labels with form controls.	1
HTML		
W	SC 2.4.2 - Tech G88 Providing descriptive titles for Web pages	1
W	SC 1.3.1 - 3.3.2 - Tech G162 Positioning labels to maximize predictability of relationships	1
LINK		
W	SC 1.4.1 - Tech F73 Failure of Success Criterion 1.4.1 due to creating links that are not visually evident without color vision	15
RESPONSIVE		
E	SC 1.4.4 - 1.4.10 - Tech SCR34 Calculating size and position in a way that scales with text size	2
E	SC 1.3.4 - Tech F97 Failure due to locking the orientation to landscape or portrait view	1
W	SC 1.4.4 - 1.4.12 - Tech C28 Specifying the size of text containers using em units	17



PAGES EVALUATION

PAGE URL: <https://www.comune.tribano.pd.it/2022/09/08/iniziativa-erogazione-0>

ERRORS GROUPED BY HTML VS STYLE



E/W	Errors	No. of occurrences
STYLE		
E	SC 1.4.4 - 1.4.10 - Tech SCR34 Calculating size and position in a way that scales with text size	2
E	SC 1.4.13 - Tech 1.4.13-ST2 CSS: Using hover and focus pseudo classes	1
E	SC 1.3.4 - Tech F97 Failure due to locking the orientation to landscape or portrait view	1
E	SC 1.4.11 - 2.4.7 - Tech F78 Failure due to styling element outlines and borders in a way that removes or renders non-visible the visual focus indicator	1
E	SC 1.4.3 - 1.4.11 - Tech G18 Ensuring that a contrast ratio of at least 4.5:1 exists between text (and images of text) and background behind the text	77
W	SC 1.4.12 - Tech C21 Specifying line spacing in CSS	123
W	SC 1.4.4 - 1.4.12 - Tech C28 Specifying the size of text containers using em units	17
HTML		
E	SC 3.2.2 - Tech H32 Providing submit buttons	1



PAGES EVALUATION


E/W	Errors	No. of occurrences
E	SC 1.3.5 - Tech H98 Identify the purpose of inputs using the autocomplete value	1
E	SC 1.4.11 - 2.4.7 - Tech G195 Using an author-supplied, highly visible focus indicator	70
E	SC 1.1.1 - 1.3.1 - 3.3.2 - 4.1.2 - Tech H44 Using label elements to associate text labels with form controls.	1
E	SC 1.3.1 - 4.1.2 - Tech ARIA16 Using aria-labelledby to provide a name for user interface controls	1
W	SC 1.4.1 - Tech F73 Failure of Success Criterion 1.4.1 due to creating links that are not visually evident without color vision	15
W	SC 2.4.2 - Tech G88 Providing descriptive titles for Web pages	1
W	SC 4.1.2 - Tech ARIA5 Using WAI-ARIA state and property attributes to expose the state of a user interface component	2
W	SC 1.3.1 - 3.3.2 - Tech G162 Positioning labels to maximize predictability of relationships	1
W	SC 1.3.1 - 2.4.1 - Tech ARIA11 Using ARIA landmarks to identify regions of a page	6



PAGES EVALUATION

PAGE URL: <https://www.comune.tribano.pd.it/feedback/>

ERRORS GROUPED BY PRINCIPLES



- PERCEIVABLE: 611
- UNDERSTANDABLE: 4
- OPERABLE: 133
- ROBUST: 17

E/W	Errors	No. of occurrences
PERCEIVABLE		
E	SC 1.3.1 - Tech H63 Using the scope attribute to associate header cells and data cells in data tables	3
E	SC 1.4.13 - Tech 1.4.13-ST2 CSS: Using hover and focus pseudo classes	2
E	SC 1.3.4 - Tech F97 Failure due to locking the orientation to landscape or portrait view	1
E	SC 1.4.11 - Tech F78 Failure due to styling element outlines and borders in a way that removes or renders non-visible the visual focus indicator	11
E	SC 1.3.5 - Tech H98 Identify the purpose of inputs using the autocomplete value	5
E	SC 1.4.11 - Tech G195 Using an author-supplied, highly visible focus indicator	109
E	SC 1.3.1 - 1.4.5 - Tech G140 Separating information and structure from presentation to enable different presentations	1
E	SC 1.3.1 - Tech H42 Using h1-h6 to identify headings	1
E	SC 1.1.1 - 1.3.1 - Tech H44 Using label elements to associate text labels with form controls.	2



PAGES EVALUATION

E/W	Errors	No. of occurrences
E	SC 1.4.10 - Tech C38 Using CSS width, max-width and flexbox to fit labels and inputs	1
E	SC 1.4.4 - 1.4.5 - Tech C12-13-14 Using percent, em units or named font sizes	74
E	SC 1.4.3 - 1.4.11 - Tech G18 Ensuring that a contrast ratio of at least 4.5:1 exists between text (and images of text) and background behind the text	79
E	SC 1.4.4 - 1.4.10 - Tech SCR34 Calculating size and position in a way that scales with text size	23
E	SC 1.3.1 - Tech ARIA16 Using aria-labelledby to provide a name for user interface controls	1
W	SC 1.4.12 - Tech C21 Specifying line spacing in CSS	224
W	SC 1.4.1 - Tech F73 Failure of Success Criterion 1.4.1 due to creating links that are not visually evident without color vision	26
W	SC 1.3.1 - Tech H73 Using the summary attribute of the table element to give an overview of data tables	1
W	SC 1.3.1 - Tech G162 Positioning labels to maximize predictability of relationships	1
W	SC 1.4.4 - 1.4.12 - Tech C28 Specifying the size of text containers using em units	33
W	SC 1.3.1 - Tech ARIA11 Using ARIA landmarks to identify regions of a page	12
W	SC 1.3.1 - Tech F46 Failure of Success Criterion 1.3.1 due to using th elements, caption elements, or non-empty summary attributes in layout tables	1
UNDERSTANDABLE		
E	SC 3.2.2 - Tech H32 Providing submit buttons	1
E	SC 3.3.2 - Tech H44 Using label elements to associate text labels with form controls.	2
W	SC 3.3.2 - Tech G162 Positioning labels to maximize predictability of relationships	1
OPERABLE		
E	SC 2.4.7 - Tech F78 Failure due to styling element outlines and borders in a way that removes or renders non-visible the visual focus indicator	11



PAGES EVALUATION


E/W	Errors	No. of occurrences
E	SC 2.4.7 - Tech G195 Using an author-supplied, highly visible focus indicator	109
W	SC 2.4.2 - Tech G88 Providing descriptive titles for Web pages	1
W	SC 2.4.1 - Tech ARIA11 Using ARIA landmarks to identify regions of a page	12
ROBUST		
E	SC 4.1.2 - Tech H44 Using label elements to associate text labels with form controls.	2
E	SC 4.1.2 - Tech ARIA16 Using aria-labelledby to provide a name for user interface controls	1
W	SC 4.1.2 - Tech ARIA5 Using WAI-ARIA state and property attributes to expose the state of a user interface component	13
W	SC 4.1.3 - Tech G199 Use role=status attribute in order to notify the Assistive Technologies that the submission was successful	1



PAGES EVALUATION

PAGE URL: <https://www.comune.tribano.pd.it/feedback/>

ERRORS GROUPED BY CATEGORIES



E/W	Errors	No. of occurrences
ARIA		
E	SC 1.3.1 - 4.1.2 - Tech ARIA16 Using aria-labelledby to provide a name for user interface controls	1
W	SC 4.1.2 - Tech ARIA5 Using WAI-ARIA state and property attributes to expose the state of a user interface component	13
W	SC 1.3.1 - 2.4.1 - Tech ARIA11 Using ARIA landmarks to identify regions of a page	12
W	SC 4.1.3 - Tech G199 Use role=status attribute in order to notify the Assistive Technologies that the submission was successful	1



PAGES EVALUATION

E/W	Errors	No. of occurrences
COLOR		
E	SC 1.4.3 - 1.4.11 - Tech G18 Ensuring that a contrast ratio of at least 4.5:1 exists between text (and images of text) and background behind the text	79
CONTENT		
E	SC 1.4.4 - 1.4.5 - Tech C12-13-14 Using percent, em units or named font sizes	74
W	SC 1.4.12 - Tech C21 Specifying line spacing in CSS	224
FORM		
E	SC 1.4.13 - Tech 1.4.13-ST2 CSS: Using hover and focus pseudo classes	2
E	SC 3.2.2 - Tech H32 Providing submit buttons	1
E	SC 1.4.11 - 2.4.7 - Tech F78 Failure due to styling element outlines and borders in a way that removes or renders non-visible the visual focus indicator	11
E	SC 1.3.5 - Tech H98 Identify the purpose of inputs using the autocomplete value	5
E	SC 1.4.11 - 2.4.7 - Tech G195 Using an author-supplied, highly visible focus indicator	109
E	SC 1.1.1 - 1.3.1 - 3.3.2 - 4.1.2 - Tech H44 Using label elements to associate text labels with form controls.	2
HTML		
E	SC 1.3.1 - 1.4.5 - Tech G140 Separating information and structure from presentation to enable different presentations	1
E	SC 1.3.1 - Tech H42 Using h1-h6 to identify headings	1
W	SC 2.4.2 - Tech G88 Providing descriptive titles for Web pages	1
W	SC 1.3.1 - 3.3.2 - Tech G162 Positioning labels to maximize predictability of relationships	1
LINK		
W	SC 1.4.1 - Tech F73 Failure of Success Criterion 1.4.1 due to creating links that are not visually evident without color vision	26
RESPONSIVE		



PAGES EVALUATION

E/W	Errors	No. of occurrences
E	SC 1.4.4 - 1.4.10 - Tech SCR34 Calculating size and position in a way that scales with text size	23
E	SC 1.3.4 - Tech F97 Failure due to locking the orientation to landscape or portrait view	1
E	SC 1.4.10 - Tech C38 Using CSS width, max-width and flexbox to fit labels and inputs	1
W	SC 1.4.4 - 1.4.12 - Tech C28 Specifying the size of text containers using em units	33

TABLE


E	SC 1.3.1 - Tech H63 Using the scope attribute to associate header cells and data cells in data tables	3
W	SC 1.3.1 - Tech H73 Using the summary attribute of the table element to give an overview of data tables	1
W	SC 1.3.1 - Tech F46 Failure of Success Criterion 1.3.1 due to using th elements, caption elements, or non-empty summary attributes in layout tables	1



PAGES EVALUATION

PAGE URL: <https://www.comune.tribano.pd.it/feedback/>

ERRORS GROUPED BY HTML VS STYLE



E/W	Errors	No. of occurrences
STYLE		
E	SC 1.4.4 - 1.4.10 - Tech SCR34 Calculating size and position in a way that scales with text size	23
E	SC 1.4.13 - Tech 1.4.13-ST2 CSS: Using hover and focus pseudo classes	2
E	SC 1.3.4 - Tech F97 Failure due to locking the orientation to landscape or portrait view	1
E	SC 1.4.11 - 2.4.7 - Tech F78 Failure due to styling element outlines and borders in a way that removes or renders non-visible the visual focus indicator	11
E	SC 1.4.10 - Tech C38 Using CSS width, max-width and flexbox to fit labels and inputs	1
E	SC 1.4.4 - 1.4.5 - Tech C12-13-14 Using percent, em units or named font sizes	74
E	SC 1.4.3 - 1.4.11 - Tech G18 Ensuring that a contrast ratio of at least 4.5:1 exists between text (and images of text) and background behind the text	79
W	SC 1.4.12 - Tech C21 Specifying line spacing in CSS	224



PAGES EVALUATION

E/W	Errors	No. of occurrences
W	SC 1.4.4 - 1.4.12 - Tech C28 Specifying the size of text containers using em units	33
HTML		
E	SC 1.3.1 - Tech H63 Using the scope attribute to associate header cells and data cells in data tables	3
E	SC 3.2.2 - Tech H32 Providing submit buttons	1
E	SC 1.3.5 - Tech H98 Identify the purpose of inputs using the autocomplete value	5
E	SC 1.4.11 - 2.4.7 - Tech G195 Using an author-supplied, highly visible focus indicator	109
E	SC 1.3.1 - 1.4.5 - Tech G140 Separating information and structure from presentation to enable different presentations	1
E	SC 1.3.1 - Tech H42 Using h1-h6 to identify headings	1
E	SC 1.1.1 - 1.3.1 - 3.3.2 - 4.1.2 - Tech H44 Using label elements to associate text labels with form controls.	2
E	SC 1.3.1 - 4.1.2 - Tech ARIA16 Using aria-labelledby to provide a name for user interface controls	1
W	SC 1.4.1 - Tech F73 Failure of Success Criterion 1.4.1 due to creating links that are not visually evident without color vision	26
W	SC 1.3.1 - Tech H73 Using the summary attribute of the table element to give an overview of data tables	1
W	SC 2.4.2 - Tech G88 Providing descriptive titles for Web pages	1
W	SC 4.1.2 - Tech ARIA5 Using WAI-ARIA state and property attributes to expose the state of a user interface component	13
W	SC 1.3.1 - 3.3.2 - Tech G162 Positioning labels to maximize predictability of relationships	1
W	SC 1.3.1 - 2.4.1 - Tech ARIA11 Using ARIA landmarks to identify regions of a page	12
W	SC 1.3.1 - Tech F46 Failure of Success Criterion 1.3.1 due to using th elements, caption elements, or non-empty summary attributes in layout tables	1
W	SC 4.1.3 - Tech G199 Use role=status attribute in order to notify the Assistive Technologies that the submission was successful	1




PAGES EVALUATION

PAGE URL:

<https://www.comune.tribano.pd.it/2022/09/08/elezioni-politiche-2022>

ERRORS GROUPED BY PRINCIPLES



- PERCEIVABLE: 323
- UNDERSTANDABLE: 3
- OPERABLE: 77
- ROBUST: 3

E/W	Errors	No. of occurrences
PERCEIVABLE		
E	SC 1.4.4 - 1.4.10 - Tech SCR34 Calculating size and position in a way that scales with text size	2
E	SC 1.4.13 - Tech 1.4.13-ST2 CSS: Using hover and focus pseudo classes	1
E	SC 1.3.4 - Tech F97 Failure due to locking the orientation to landscape or portrait view	1
E	SC 1.4.11 - Tech F78 Failure due to styling element outlines and borders in a way that removes or renders non-visible the visual focus indicator	1
E	SC 1.3.5 - Tech H98 Identify the purpose of inputs using the autocomplete value	1
E	SC 1.4.11 - Tech G195 Using an author-supplied, highly visible focus indicator	69
E	SC 1.1.1 - 1.3.1 - Tech H44 Using label elements to associate text labels with form controls.	1
E	SC 1.3.1 - Tech ARIA16 Using aria-labelledby to provide a name for user interface controls	1



PAGES EVALUATION


E/W	Errors	No. of occurrences
E	SC 1.4.3 - 1.4.11 - Tech G18 Ensuring that a contrast ratio of at least 4.5:1 exists between text (and images of text) and background behind the text	79
W	SC 1.4.12 - Tech C21 Specifying line spacing in CSS	128
W	SC 1.4.1 - Tech F73 Failure of Success Criterion 1.4.1 due to creating links that are not visually evident without color vision	14
W	SC 1.3.1 - Tech G162 Positioning labels to maximize predictability of relationships	1
W	SC 1.4.4 - 1.4.12 - Tech C28 Specifying the size of text containers using em units	18
W	SC 1.3.1 - Tech ARIA11 Using ARIA landmarks to identify regions of a page	6
UNDERSTANDABLE		
E	SC 3.2.2 - Tech H32 Providing submit buttons	1
E	SC 3.3.2 - Tech H44 Using label elements to associate text labels with form controls.	1
W	SC 3.3.2 - Tech G162 Positioning labels to maximize predictability of relationships	1
OPERABLE		
E	SC 2.4.7 - Tech F78 Failure due to styling element outlines and borders in a way that removes or renders non-visible the visual focus indicator	1
E	SC 2.4.7 - Tech G195 Using an author-supplied, highly visible focus indicator	69
W	SC 2.4.2 - Tech G88 Providing descriptive titles for Web pages	1
W	SC 2.4.1 - Tech ARIA11 Using ARIA landmarks to identify regions of a page	6
ROBUST		
E	SC 4.1.2 - Tech H44 Using label elements to associate text labels with form controls.	1
E	SC 4.1.2 - Tech ARIA16 Using aria-labelledby to provide a name for user interface controls	1
W	SC 4.1.2 - Tech ARIA5 Using WAI-ARIA state and property attributes to expose the state of a user interface component	1



PAGES EVALUATION

PAGE URL: <https://www.comune.tribano.pd.it/2022/09/08/elezioni-politiche-2022>

ERRORS GROUPED BY CATEGORIES



E/W	Errors	No. of occurrences
ARIA		
E	SC 1.3.1 - 4.1.2 - Tech ARIA16 Using aria-labelledby to provide a name for user interface controls	1
W	SC 4.1.2 - Tech ARIA5 Using WAI-ARIA state and property attributes to expose the state of a user interface component	1
W	SC 1.3.1 - 2.4.1 - Tech ARIA11 Using ARIA landmarks to identify regions of a page	6
COLOR		



PAGES EVALUATION

E/W	Errors	No. of occurrences
E	SC 1.4.3 - 1.4.11 - Tech G18 Ensuring that a contrast ratio of at least 4.5:1 exists between text (and images of text) and background behind the text	79
CONTENT		
W	SC 1.4.12 - Tech C21 Specifying line spacing in CSS	128
FORM		
E	SC 1.4.13 - Tech 1.4.13-ST2 CSS: Using hover and focus pseudo classes	1
E	SC 3.2.2 - Tech H32 Providing submit buttons	1
E	SC 1.4.11 - 2.4.7 - Tech F78 Failure due to styling element outlines and borders in a way that removes or renders non-visible the visual focus indicator	1
E	SC 1.3.5 - Tech H98 Identify the purpose of inputs using the autocomplete value	1
E	SC 1.4.11 - 2.4.7 - Tech G195 Using an author-supplied, highly visible focus indicator	69
E	SC 1.1.1 - 1.3.1 - 3.3.2 - 4.1.2 - Tech H44 Using label elements to associate text labels with form controls.	1
HTML		
W	SC 2.4.2 - Tech G88 Providing descriptive titles for Web pages	1
W	SC 1.3.1 - 3.3.2 - Tech G162 Positioning labels to maximize predictability of relationships	1
LINK		
W	SC 1.4.1 - Tech F73 Failure of Success Criterion 1.4.1 due to creating links that are not visually evident without color vision	14
RESPONSIVE		
E	SC 1.4.4 - 1.4.10 - Tech SCR34 Calculating size and position in a way that scales with text size	2
E	SC 1.3.4 - Tech F97 Failure due to locking the orientation to landscape or portrait view	1
W	SC 1.4.4 - 1.4.12 - Tech C28 Specifying the size of text containers using em units	18




PAGES EVALUATION

PAGE URL:

<https://www.comune.tribano.pd.it/2022/09/08/elezioni-politiche-2022>

ERRORS GROUPED BY HTML VS STYLE



E/W	Errors	No. of occurrences
STYLE		
E	SC 1.4.4 - 1.4.10 - Tech SCR34 Calculating size and position in a way that scales with text size	2
E	SC 1.4.13 - Tech 1.4.13-ST2 CSS: Using hover and focus pseudo classes	1
E	SC 1.3.4 - Tech F97 Failure due to locking the orientation to landscape or portrait view	1
E	SC 1.4.11 - 2.4.7 - Tech F78 Failure due to styling element outlines and borders in a way that removes or renders non-visible the visual focus indicator	1
E	SC 1.4.3 - 1.4.11 - Tech G18 Ensuring that a contrast ratio of at least 4.5:1 exists between text (and images of text) and background behind the text	79
W	SC 1.4.12 - Tech C21 Specifying line spacing in CSS	128
W	SC 1.4.4 - 1.4.12 - Tech C28 Specifying the size of text containers using em units	18
HTML		
E	SC 3.2.2 - Tech H32 Providing submit buttons	1



PAGES EVALUATION


E/W	Errors	No. of occurrences
E	SC 1.3.5 - Tech H98 Identify the purpose of inputs using the autocomplete value	1
E	SC 1.4.11 - 2.4.7 - Tech G195 Using an author-supplied, highly visible focus indicator	69
E	SC 1.1.1 - 1.3.1 - 3.3.2 - 4.1.2 - Tech H44 Using label elements to associate text labels with form controls.	1
E	SC 1.3.1 - 4.1.2 - Tech ARIA16 Using aria-labelledby to provide a name for user interface controls	1
W	SC 1.4.1 - Tech F73 Failure of Success Criterion 1.4.1 due to creating links that are not visually evident without color vision	14
W	SC 2.4.2 - Tech G88 Providing descriptive titles for Web pages	1
W	SC 4.1.2 - Tech ARIA5 Using WAI-ARIA state and property attributes to expose the state of a user interface component	1
W	SC 1.3.1 - 3.3.2 - Tech G162 Positioning labels to maximize predictability of relationships	1
W	SC 1.3.1 - 2.4.1 - Tech ARIA11 Using ARIA landmarks to identify regions of a page	6



PAGES EVALUATION

PAGE URL: <https://www.comune.tribano.pd.it/2022/09/>

ERRORS GROUPED BY PRINCIPLES



- PERCEIVABLE: 333
- UNDERSTANDABLE: 3
- OPERABLE: 78
- ROBUST: 3

E/W	Errors	No. of occurrences
PERCEIVABLE		
E	SC 1.4.13 - Tech 1.4.13-ST2 CSS: Using hover and focus pseudo classes	1
E	SC 1.3.4 - Tech F97 Failure due to locking the orientation to landscape or portrait view	1
E	SC 1.4.11 - Tech F78 Failure due to styling element outlines and borders in a way that removes or renders non-visible the visual focus indicator	1
E	SC 1.3.5 - Tech H98 Identify the purpose of inputs using the autocomplete value	1
E	SC 1.4.11 - Tech G195 Using an author-supplied, highly visible focus indicator	71
E	SC 1.1.1 - 1.3.1 - Tech H44 Using label elements to associate text labels with form controls.	1
E	SC 1.3.1 - Tech ARIA16 Using aria-labelledby to provide a name for user interface controls	1
E	SC 1.4.3 - 1.4.11 - Tech G18 Ensuring that a contrast ratio of at least 4.5:1 exists between text (and images of text) and background behind the text	93



PAGES EVALUATION


E/W	Errors	No. of occurrences
W	SC 1.4.12 - Tech C21 Specifying line spacing in CSS	122
W	SC 1.4.1 - Tech F73 Failure of Success Criterion 1.4.1 due to creating links that are not visually evident without color vision	15
W	SC 1.3.1 - Tech G162 Positioning labels to maximize predictability of relationships	1
W	SC 1.4.4 - 1.4.12 - Tech C28 Specifying the size of text containers using em units	20
W	SC 1.3.1 - Tech ARIA11 Using ARIA landmarks to identify regions of a page	5
UNDERSTANDABLE		
E	SC 3.2.2 - Tech H32 Providing submit buttons	1
E	SC 3.3.2 - Tech H44 Using label elements to associate text labels with form controls.	1
W	SC 3.3.2 - Tech G162 Positioning labels to maximize predictability of relationships	1
OPERABLE		
E	SC 2.4.7 - Tech F78 Failure due to styling element outlines and borders in a way that removes or renders non-visible the visual focus indicator	1
E	SC 2.4.7 - Tech G195 Using an author-supplied, highly visible focus indicator	71
W	SC 2.4.2 - Tech G88 Providing descriptive titles for Web pages	1
W	SC 2.4.1 - Tech ARIA11 Using ARIA landmarks to identify regions of a page	5
ROBUST		
E	SC 4.1.2 - Tech H44 Using label elements to associate text labels with form controls.	1
E	SC 4.1.2 - Tech ARIA16 Using aria-labelledby to provide a name for user interface controls	1
W	SC 4.1.2 - Tech ARIA5 Using WAI-ARIA state and property attributes to expose the state of a user interface component	1



PAGES EVALUATION

PAGE URL: <https://www.comune.tribano.pd.it/2022/09/>

ERRORS GROUPED BY CATEGORIES



E/W	Errors	No. of occurrences
ARIA		
E	SC 1.3.1 - 4.1.2 - Tech ARIA16 Using aria-labelledby to provide a name for user interface controls	1
W	SC 4.1.2 - Tech ARIA5 Using WAI-ARIA state and property attributes to expose the state of a user interface component	1
W	SC 1.3.1 - 2.4.1 - Tech ARIA11 Using ARIA landmarks to identify regions of a page	5
COLOR		



PAGES EVALUATION

E/W	Errors	No. of occurrences
E	SC 1.4.3 - 1.4.11 - Tech G18 Ensuring that a contrast ratio of at least 4.5:1 exists between text (and images of text) and background behind the text	93
CONTENT		
W	SC 1.4.12 - Tech C21 Specifying line spacing in CSS	122
FORM		
E	SC 1.4.13 - Tech 1.4.13-ST2 CSS: Using hover and focus pseudo classes	1
E	SC 3.2.2 - Tech H32 Providing submit buttons	1
E	SC 1.4.11 - 2.4.7 - Tech F78 Failure due to styling element outlines and borders in a way that removes or renders non-visible the visual focus indicator	1
E	SC 1.3.5 - Tech H98 Identify the purpose of inputs using the autocomplete value	1
E	SC 1.4.11 - 2.4.7 - Tech G195 Using an author-supplied, highly visible focus indicator	71
E	SC 1.1.1 - 1.3.1 - 3.3.2 - 4.1.2 - Tech H44 Using label elements to associate text labels with form controls.	1
HTML		
W	SC 2.4.2 - Tech G88 Providing descriptive titles for Web pages	1
W	SC 1.3.1 - 3.3.2 - Tech G162 Positioning labels to maximize predictability of relationships	1
LINK		
W	SC 1.4.1 - Tech F73 Failure of Success Criterion 1.4.1 due to creating links that are not visually evident without color vision	15
RESPONSIVE		
E	SC 1.3.4 - Tech F97 Failure due to locking the orientation to landscape or portrait view	1
W	SC 1.4.4 - 1.4.12 - Tech C28 Specifying the size of text containers using em units	20



PAGES EVALUATION

PAGE URL: <https://www.comune.tribano.pd.it/2022/09/>

ERRORS GROUPED BY HTML VS STYLE



E/W	Errors	No. of occurrences
STYLE		
E	SC 1.4.13 - Tech 1.4.13-ST2 CSS: Using hover and focus pseudo classes	1
E	SC 1.3.4 - Tech F97 Failure due to locking the orientation to landscape or portrait view	1
E	SC 1.4.11 - 2.4.7 - Tech F78 Failure due to styling element outlines and borders in a way that removes or renders non-visible the visual focus indicator	1
E	SC 1.4.3 - 1.4.11 - Tech G18 Ensuring that a contrast ratio of at least 4.5:1 exists between text (and images of text) and background behind the text	93
W	SC 1.4.12 - Tech C21 Specifying line spacing in CSS	122
W	SC 1.4.4 - 1.4.12 - Tech C28 Specifying the size of text containers using em units	20
HTML		
E	SC 3.2.2 - Tech H32 Providing submit buttons	1
E	SC 1.3.5 - Tech H98 Identify the purpose of inputs using the autocomplete value	1



PAGES EVALUATION


E/W	Errors	No. of occurrences
E	SC 1.4.11 - 2.4.7 - Tech G195 Using an author-supplied, highly visible focus indicator	71
E	SC 1.1.1 - 1.3.1 - 3.3.2 - 4.1.2 - Tech H44 Using label elements to associate text labels with form controls.	1
E	SC 1.3.1 - 4.1.2 - Tech ARIA16 Using aria-labelledby to provide a name for user interface controls	1
W	SC 1.4.1 - Tech F73 Failure of Success Criterion 1.4.1 due to creating links that are not visually evident without color vision	15
W	SC 2.4.2 - Tech G88 Providing descriptive titles for Web pages	1
W	SC 4.1.2 - Tech ARIA5 Using WAI-ARIA state and property attributes to expose the state of a user interface component	1
W	SC 1.3.1 - 3.3.2 - Tech G162 Positioning labels to maximize predictability of relationships	1
W	SC 1.3.1 - 2.4.1 - Tech ARIA11 Using ARIA landmarks to identify regions of a page	5



PAGES EVALUATION

PAGE URL: <https://www.comune.tribano.pd.it/amministrazione/statuto-comunale>

ERRORS GROUPED BY PRINCIPLES



- PERCEIVABLE: 580
- UNDERSTANDABLE: 3
- OPERABLE: 129
- ROBUST: 15

E/W	Errors	No. of occurrences
PERCEIVABLE		
E	SC 1.3.1 - Tech H63 Using the scope attribute to associate header cells and data cells in data tables	3
E	SC 1.4.13 - Tech 1.4.13-ST2 CSS: Using hover and focus pseudo classes	2
E	SC 1.3.4 - Tech F97 Failure due to locking the orientation to landscape or portrait view	1
E	SC 1.4.11 - Tech F78 Failure due to styling element outlines and borders in a way that removes or renders non-visible the visual focus indicator	7
E	SC 1.3.5 - Tech H98 Identify the purpose of inputs using the autocomplete value	2
E	SC 1.4.11 - Tech G195 Using an author-supplied, highly visible focus indicator	111
E	SC 1.3.1 - 1.4.5 - Tech G140 Separating information and structure from presentation to enable different presentations	1
E	SC 1.3.1 - Tech H42 Using h1-h6 to identify headings	1
E	SC 1.1.1 - 1.3.1 - Tech H44 Using label elements to associate text labels with form controls.	1



PAGES EVALUATION

E/W	Errors	No. of occurrences
E	SC 1.4.4 - 1.4.5 - Tech C12-13-14 Using percent, em units or named font sizes	62
E	SC 1.4.3 - 1.4.11 - Tech G18 Ensuring that a contrast ratio of at least 4.5:1 exists between text (and images of text) and background behind the text	78
E	SC 1.4.4 - 1.4.10 - Tech SCR34 Calculating size and position in a way that scales with text size	18
E	SC 1.3.1 - Tech ARIA16 Using aria-labelledby to provide a name for user interface controls	1
W	SC 1.4.12 - Tech C21 Specifying line spacing in CSS	225
W	SC 1.4.1 - Tech F73 Failure of Success Criterion 1.4.1 due to creating links that are not visually evident without color vision	27
W	SC 1.3.1 - Tech H73 Using the summary attribute of the table element to give an overview of data tables	1
W	SC 1.3.1 - Tech G162 Positioning labels to maximize predictability of relationships	1
W	SC 1.4.4 - 1.4.12 - Tech C28 Specifying the size of text containers using em units	27
W	SC 1.3.1 - Tech ARIA11 Using ARIA landmarks to identify regions of a page	10
W	SC 1.3.1 - Tech F46 Failure of Success Criterion 1.3.1 due to using th elements, caption elements, or non-empty summary attributes in layout tables	1
UNDERSTANDABLE		
E	SC 3.2.2 - Tech H32 Providing submit buttons	1
E	SC 3.3.2 - Tech H44 Using label elements to associate text labels with form controls.	1
W	SC 3.3.2 - Tech G162 Positioning labels to maximize predictability of relationships	1
OPERABLE		
E	SC 2.4.7 - Tech F78 Failure due to styling element outlines and borders in a way that removes or renders non-visible the visual focus indicator	7
E	SC 2.4.7 - Tech G195 Using an author-supplied, highly visible focus indicator	111



PAGES EVALUATION

E/W	Errors	No. of occurrences
W	SC 2.4.2 - Tech G88 Providing descriptive titles for Web pages	1
W	SC 2.4.1 - Tech ARIA11 Using ARIA landmarks to identify regions of a page	10
ROBUST		
E	SC 4.1.2 - Tech H44 Using label elements to associate text labels with form controls.	1
E	SC 4.1.2 - Tech ARIA16 Using aria-labelledby to provide a name for user interface controls	1
W	SC 4.1.2 - Tech ARIA5 Using WAI-ARIA state and property attributes to expose the state of a user interface component	13




PAGES EVALUATION

PAGE URL:

<https://www.comune.tribano.pd.it/amministrazione/statuto-comunale>

ERRORS GROUPED BY CATEGORIES



E/W	Errors	No. of occurrences
ARIA		
E	SC 1.3.1 - 4.1.2 - Tech ARIA16 Using aria-labelledby to provide a name for user interface controls	1
W	SC 4.1.2 - Tech ARIA5 Using WAI-ARIA state and property attributes to expose the state of a user interface component	13
W	SC 1.3.1 - 2.4.1 - Tech ARIA11 Using ARIA landmarks to identify regions of a page	10
COLOR		



PAGES EVALUATION

E/W	Errors	No. of occurrences
E	SC 1.4.3 - 1.4.11 - Tech G18 Ensuring that a contrast ratio of at least 4.5:1 exists between text (and images of text) and background behind the text	78
CONTENT		
E	SC 1.4.4 - 1.4.5 - Tech C12-13-14 Using percent, em units or named font sizes	62
W	SC 1.4.12 - Tech C21 Specifying line spacing in CSS	225
FORM		
E	SC 1.4.13 - Tech 1.4.13-ST2 CSS: Using hover and focus pseudo classes	2
E	SC 3.2.2 - Tech H32 Providing submit buttons	1
E	SC 1.4.11 - 2.4.7 - Tech F78 Failure due to styling element outlines and borders in a way that removes or renders non-visible the visual focus indicator	7
E	SC 1.3.5 - Tech H98 Identify the purpose of inputs using the autocomplete value	2
E	SC 1.4.11 - 2.4.7 - Tech G195 Using an author-supplied, highly visible focus indicator	111
E	SC 1.1.1 - 1.3.1 - 3.3.2 - 4.1.2 - Tech H44 Using label elements to associate text labels with form controls.	1
HTML		
E	SC 1.3.1 - 1.4.5 - Tech G140 Separating information and structure from presentation to enable different presentations	1
E	SC 1.3.1 - Tech H42 Using h1-h6 to identify headings	1
W	SC 2.4.2 - Tech G88 Providing descriptive titles for Web pages	1
W	SC 1.3.1 - 3.3.2 - Tech G162 Positioning labels to maximize predictability of relationships	1
LINK		
W	SC 1.4.1 - Tech F73 Failure of Success Criterion 1.4.1 due to creating links that are not visually evident without color vision	27
RESPONSIVE		
E	SC 1.4.4 - 1.4.10 - Tech SCR34 Calculating size and position in a way that scales with text size	18



PAGES EVALUATION

E/W	Errors	No. of occurrences
E	SC 1.3.4 - Tech F97 Failure due to locking the orientation to landscape or portrait view	1
W	SC 1.4.4 - 1.4.12 - Tech C28 Specifying the size of text containers using em units	27

TABLE

E	SC 1.3.1 - Tech H63 Using the scope attribute to associate header cells and data cells in data tables	3
W	SC 1.3.1 - Tech H73 Using the summary attribute of the table element to give an overview of data tables	1
W	SC 1.3.1 - Tech F46 Failure of Success Criterion 1.3.1 due to using th elements, caption elements, or non-empty summary attributes in layout tables	1



PAGES EVALUATION

PAGE URL:

<https://www.comune.tribano.pd.it/amministrazione/statuto-comunale>

ERRORS GROUPED BY HTML VS STYLE



E/W	Errors	No. of occurrences
STYLE		
E	SC 1.4.4 - 1.4.10 - Tech SCR34 Calculating size and position in a way that scales with text size	18
E	SC 1.4.13 - Tech 1.4.13-ST2 CSS: Using hover and focus pseudo classes	2
E	SC 1.3.4 - Tech F97 Failure due to locking the orientation to landscape or portrait view	1
E	SC 1.4.11 - 2.4.7 - Tech F78 Failure due to styling element outlines and borders in a way that removes or renders non-visible the visual focus indicator	7
E	SC 1.4.4 - 1.4.5 - Tech C12-13-14 Using percent, em units or named font sizes	62
E	SC 1.4.3 - 1.4.11 - Tech G18 Ensuring that a contrast ratio of at least 4.5:1 exists between text (and images of text) and background behind the text	78
W	SC 1.4.12 - Tech C21 Specifying line spacing in CSS	225
W	SC 1.4.4 - 1.4.12 - Tech C28 Specifying the size of text containers using em units	27
HTML		



PAGES EVALUATION


E/W	Errors	No. of occurrences
E	SC 1.3.1 - Tech H63 Using the scope attribute to associate header cells and data cells in data tables	3
E	SC 3.2.2 - Tech H32 Providing submit buttons	1
E	SC 1.3.5 - Tech H98 Identify the purpose of inputs using the autocomplete value	2
E	SC 1.4.11 - 2.4.7 - Tech G195 Using an author-supplied, highly visible focus indicator	111
E	SC 1.3.1 - 1.4.5 - Tech G140 Separating information and structure from presentation to enable different presentations	1
E	SC 1.3.1 - Tech H42 Using h1-h6 to identify headings	1
E	SC 1.1.1 - 1.3.1 - 3.3.2 - 4.1.2 - Tech H44 Using label elements to associate text labels with form controls.	1
E	SC 1.3.1 - 4.1.2 - Tech ARIA16 Using aria-labelledby to provide a name for user interface controls	1
W	SC 1.4.1 - Tech F73 Failure of Success Criterion 1.4.1 due to creating links that are not visually evident without color vision	27
W	SC 1.3.1 - Tech H73 Using the summary attribute of the table element to give an overview of data tables	1
W	SC 2.4.2 - Tech G88 Providing descriptive titles for Web pages	1
W	SC 4.1.2 - Tech ARIA5 Using WAI-ARIA state and property attributes to expose the state of a user interface component	13
W	SC 1.3.1 - 3.3.2 - Tech G162 Positioning labels to maximize predictability of relationships	1
W	SC 1.3.1 - 2.4.1 - Tech ARIA11 Using ARIA landmarks to identify regions of a page	10
W	SC 1.3.1 - Tech F46 Failure of Success Criterion 1.3.1 due to using th elements, caption elements, or non-empty summary attributes in layout tables	1



PAGES EVALUATION

PAGE URL: <https://www.comune.tribano.pd.it/pat/avviso-adozione-piano-di-asse>

ERRORS GROUPED BY PRINCIPLES



- PERCEIVABLE: 622
- UNDERSTANDABLE: 4
- OPERABLE: 138
- ROBUST: 33

E/W	Errors	No. of occurrences
PERCEIVABLE		
E	SC 1.3.1 - Tech H63 Using the scope attribute to associate header cells and data cells in data tables	3
E	SC 1.4.13 - Tech 1.4.13-ST2 CSS: Using hover and focus pseudo classes	3
E	SC 1.3.4 - Tech F97 Failure due to locking the orientation to landscape or portrait view	2
E	SC 1.4.11 - Tech F78 Failure due to styling element outlines and borders in a way that removes or renders non-visible the visual focus indicator	8
E	SC 1.3.5 - Tech H98 Identify the purpose of inputs using the autocomplete value	3
E	SC 1.4.11 - Tech G195 Using an author-supplied, highly visible focus indicator	118
E	SC 1.3.1 - 1.4.5 - Tech G140 Separating information and structure from presentation to enable different presentations	1
E	SC 1.3.1 - Tech H42 Using h1-h6 to identify headings	1
E	SC 1.1.1 - 1.3.1 - Tech H44 Using label elements to associate text labels with form controls.	1



PAGES EVALUATION

E/W	Errors	No. of occurrences
E	SC 1.4.4 - 1.4.5 - Tech C12-13-14 Using percent, em units or named font sizes	62
E	SC 1.4.3 - 1.4.11 - Tech G18 Ensuring that a contrast ratio of at least 4.5:1 exists between text (and images of text) and background behind the text	79
E	SC 1.4.4 - 1.4.10 - Tech SCR34 Calculating size and position in a way that scales with text size	18
E	SC 1.3.1 - Tech ARIA16 Using aria-labelledby to provide a name for user interface controls	2
W	SC 1.4.12 - Tech C21 Specifying line spacing in CSS	242
W	SC 1.4.1 - Tech F73 Failure of Success Criterion 1.4.1 due to creating links that are not visually evident without color vision	33
W	SC 1.3.1 - Tech H73 Using the summary attribute of the table element to give an overview of data tables	1
W	SC 1.3.1 - Tech G162 Positioning labels to maximize predictability of relationships	1
W	SC 1.4.4 - 1.4.12 - Tech C28 Specifying the size of text containers using em units	32
W	SC 1.3.1 - Tech ARIA11 Using ARIA landmarks to identify regions of a page	11
W	SC 1.3.1 - Tech F46 Failure of Success Criterion 1.3.1 due to using th elements, caption elements, or non-empty summary attributes in layout tables	1
UNDERSTANDABLE		
E	SC 3.2.2 - Tech H32 Providing submit buttons	2
E	SC 3.3.2 - Tech H44 Using label elements to associate text labels with form controls.	1
W	SC 3.3.2 - Tech G162 Positioning labels to maximize predictability of relationships	1
OPERABLE		
E	SC 2.4.7 - Tech F78 Failure due to styling element outlines and borders in a way that removes or renders non-visible the visual focus indicator	8
E	SC 2.4.7 - Tech G195 Using an author-supplied, highly visible focus indicator	118



PAGES EVALUATION


E/W	Errors	No. of occurrences
W	SC 2.4.2 - Tech G88 Providing descriptive titles for Web pages	1
W	SC 2.4.1 - Tech ARIA11 Using ARIA landmarks to identify regions of a page	11
ROBUST		
E	SC 4.1.1 - Tech H93 Ensuring that id attributes are unique on a webpage	8
E	SC 4.1.1 - Tech F77 Failure of Success Criterion 4.1.1 due to duplicate values of type ID	8
E	SC 4.1.2 - Tech H44 Using label elements to associate text labels with form controls.	1
E	SC 4.1.2 - Tech ARIA16 Using aria-labelledby to provide a name for user interface controls	2
W	SC 4.1.2 - Tech ARIA5 Using WAI-ARIA state and property attributes to expose the state of a user interface component	14



PAGES EVALUATION

PAGE URL: <https://www.comune.tribano.pd.it/pat/avviso-adozione-piano-di-asse>

ERRORS GROUPED BY CATEGORIES



E/W	Errors	No. of occurrences
ARIA		
E	SC 1.3.1 - 4.1.2 - Tech ARIA16 Using aria-labelledby to provide a name for user interface controls	2
W	SC 4.1.2 - Tech ARIA5 Using WAI-ARIA state and property attributes to expose the state of a user interface component	14
W	SC 1.3.1 - 2.4.1 - Tech ARIA11 Using ARIA landmarks to identify regions of a page	11
COLOR		



PAGES EVALUATION

E/W	Errors	No. of occurrences
E	SC 1.4.3 - 1.4.11 - Tech G18 Ensuring that a contrast ratio of at least 4.5:1 exists between text (and images of text) and background behind the text	79
CONTENT		
E	SC 1.4.4 - 1.4.5 - Tech C12-13-14 Using percent, em units or named font sizes	62
W	SC 1.4.12 - Tech C21 Specifying line spacing in CSS	242
FORM		
E	SC 1.4.13 - Tech 1.4.13-ST2 CSS: Using hover and focus pseudo classes	3
E	SC 3.2.2 - Tech H32 Providing submit buttons	2
E	SC 1.4.11 - 2.4.7 - Tech F78 Failure due to styling element outlines and borders in a way that removes or renders non-visible the visual focus indicator	8
E	SC 1.3.5 - Tech H98 Identify the purpose of inputs using the autocomplete value	3
E	SC 1.4.11 - 2.4.7 - Tech G195 Using an author-supplied, highly visible focus indicator	118
E	SC 1.1.1 - 1.3.1 - 3.3.2 - 4.1.2 - Tech H44 Using label elements to associate text labels with form controls.	1
HTML		
E	SC 4.1.1 - Tech H93 Ensuring that id attributes are unique on a webpage	8
E	SC 4.1.1 - Tech F77 Failure of Success Criterion 4.1.1 due to duplicate values of type ID	8
E	SC 1.3.1 - 1.4.5 - Tech G140 Separating information and structure from presentation to enable different presentations	1
E	SC 1.3.1 - Tech H42 Using h1-h6 to identify headings	1
W	SC 2.4.2 - Tech G88 Providing descriptive titles for Web pages	1
W	SC 1.3.1 - 3.3.2 - Tech G162 Positioning labels to maximize predictability of relationships	1
LINK		



PAGES EVALUATION


E/W	Errors	No. of occurrences
W	SC 1.4.1 - Tech F73 Failure of Success Criterion 1.4.1 due to creating links that are not visually evident without color vision	33
RESPONSIVE		
E	SC 1.4.4 - 1.4.10 - Tech SCR34 Calculating size and position in a way that scales with text size	18
E	SC 1.3.4 - Tech F97 Failure due to locking the orientation to landscape or portrait view	2
W	SC 1.4.4 - 1.4.12 - Tech C28 Specifying the size of text containers using em units	32
TABLE		
E	SC 1.3.1 - Tech H63 Using the scope attribute to associate header cells and data cells in data tables	3
W	SC 1.3.1 - Tech H73 Using the summary attribute of the table element to give an overview of data tables	1
W	SC 1.3.1 - Tech F46 Failure of Success Criterion 1.3.1 due to using th elements, caption elements, or non-empty summary attributes in layout tables	1



PAGES EVALUATION

PAGE URL: <https://www.comune.tribano.pd.it/pat/avviso-adozione-piano-di-asse>

ERRORS GROUPED BY HTML VS STYLE



E/W	Errors	No. of occurrences
STYLE		
E	SC 1.4.4 - 1.4.10 - Tech SCR34 Calculating size and position in a way that scales with text size	18
E	SC 1.4.13 - Tech 1.4.13-ST2 CSS: Using hover and focus pseudo classes	3
E	SC 1.3.4 - Tech F97 Failure due to locking the orientation to landscape or portrait view	2
E	SC 1.4.11 - 2.4.7 - Tech F78 Failure due to styling element outlines and borders in a way that removes or renders non-visible the visual focus indicator	8
E	SC 1.4.4 - 1.4.5 - Tech C12-13-14 Using percent, em units or named font sizes	62
E	SC 1.4.3 - 1.4.11 - Tech G18 Ensuring that a contrast ratio of at least 4.5:1 exists between text (and images of text) and background behind the text	79
W	SC 1.4.12 - Tech C21 Specifying line spacing in CSS	242
W	SC 1.4.4 - 1.4.12 - Tech C28 Specifying the size of text containers using em units	32
HTML		



PAGES EVALUATION


E/W	Errors	No. of occurrences
E	SC 4.1.1 - Tech H93 Ensuring that id attributes are unique on a webpage	8
E	SC 1.3.1 - Tech H63 Using the scope attribute to associate header cells and data cells in data tables	3
E	SC 3.2.2 - Tech H32 Providing submit buttons	2
E	SC 1.3.5 - Tech H98 Identify the purpose of inputs using the autocomplete value	3
E	SC 1.4.11 - 2.4.7 - Tech G195 Using an author-supplied, highly visible focus indicator	118
E	SC 4.1.1 - Tech F77 Failure of Success Criterion 4.1.1 due to duplicate values of type ID	8
E	SC 1.3.1 - 1.4.5 - Tech G140 Separating information and structure from presentation to enable different presentations	1
E	SC 1.3.1 - Tech H42 Using h1-h6 to identify headings	1
E	SC 1.1.1 - 1.3.1 - 3.3.2 - 4.1.2 - Tech H44 Using label elements to associate text labels with form controls.	1
E	SC 1.3.1 - 4.1.2 - Tech ARIA16 Using aria-labelledby to provide a name for user interface controls	2
W	SC 1.4.1 - Tech F73 Failure of Success Criterion 1.4.1 due to creating links that are not visually evident without color vision	33
W	SC 1.3.1 - Tech H73 Using the summary attribute of the table element to give an overview of data tables	1
W	SC 2.4.2 - Tech G88 Providing descriptive titles for Web pages	1
W	SC 4.1.2 - Tech ARIA5 Using WAI-ARIA state and property attributes to expose the state of a user interface component	14
W	SC 1.3.1 - 3.3.2 - Tech G162 Positioning labels to maximize predictability of relationships	1
W	SC 1.3.1 - 2.4.1 - Tech ARIA11 Using ARIA landmarks to identify regions of a page	11
W	SC 1.3.1 - Tech F46 Failure of Success Criterion 1.3.1 due to using th elements, caption elements, or non-empty summary attributes in layout tables	1



PAGES EVALUATION

PAGE URL: <https://www.comune.tribano.pd.it/cookie-e-privacy-policy/>

ERRORS GROUPED BY PRINCIPLES



- PERCEIVABLE: 267
- UNDERSTANDABLE: 3
- OPERABLE: 65
- ROBUST: 3

E/W	Errors	No. of occurrences
PERCEIVABLE		
E	SC 1.4.13 - Tech 1.4.13-ST2 CSS: Using hover and focus pseudo classes	1
E	SC 1.3.4 - Tech F97 Failure due to locking the orientation to landscape or portrait view	1
E	SC 1.4.11 - Tech F78 Failure due to styling element outlines and borders in a way that removes or renders non-visible the visual focus indicator	1
E	SC 1.3.5 - Tech H98 Identify the purpose of inputs using the autocomplete value	1
E	SC 1.4.11 - Tech G195 Using an author-supplied, highly visible focus indicator	58
E	SC 1.1.1 - 1.3.1 - Tech H44 Using label elements to associate text labels with form controls.	1
E	SC 1.3.1 - Tech ARIA16 Using aria-labelledby to provide a name for user interface controls	1
E	SC 1.4.3 - 1.4.11 - Tech G18 Ensuring that a contrast ratio of at least 4.5:1 exists between text (and images of text) and background behind the text	74



PAGES EVALUATION


E/W	Errors	No. of occurrences
W	SC 1.4.12 - Tech C21 Specifying line spacing in CSS	106
W	SC 1.4.1 - Tech F73 Failure of Success Criterion 1.4.1 due to creating links that are not visually evident without color vision	6
W	SC 1.3.1 - Tech G162 Positioning labels to maximize predictability of relationships	1
W	SC 1.4.4 - 1.4.12 - Tech C28 Specifying the size of text containers using em units	11
W	SC 1.3.1 - Tech ARIA11 Using ARIA landmarks to identify regions of a page	5
UNDERSTANDABLE		
E	SC 3.2.2 - Tech H32 Providing submit buttons	1
E	SC 3.3.2 - Tech H44 Using label elements to associate text labels with form controls.	1
W	SC 3.3.2 - Tech G162 Positioning labels to maximize predictability of relationships	1
OPERABLE		
E	SC 2.4.7 - Tech F78 Failure due to styling element outlines and borders in a way that removes or renders non-visible the visual focus indicator	1
E	SC 2.4.7 - Tech G195 Using an author-supplied, highly visible focus indicator	58
W	SC 2.4.2 - Tech G88 Providing descriptive titles for Web pages	1
W	SC 2.4.1 - Tech ARIA11 Using ARIA landmarks to identify regions of a page	5
ROBUST		
E	SC 4.1.2 - Tech H44 Using label elements to associate text labels with form controls.	1
E	SC 4.1.2 - Tech ARIA16 Using aria-labelledby to provide a name for user interface controls	1
W	SC 4.1.2 - Tech ARIA5 Using WAI-ARIA state and property attributes to expose the state of a user interface component	1



PAGES EVALUATION

PAGE URL: <https://www.comune.tribano.pd.it/cookie-e-privacy-policy/>

ERRORS GROUPED BY CATEGORIES



E/W	Errors	No. of occurrences
ARIA		
E	SC 1.3.1 - 4.1.2 - Tech ARIA16 Using aria-labelledby to provide a name for user interface controls	1
W	SC 4.1.2 - Tech ARIA5 Using WAI-ARIA state and property attributes to expose the state of a user interface component	1
W	SC 1.3.1 - 2.4.1 - Tech ARIA11 Using ARIA landmarks to identify regions of a page	5
COLOR		



PAGES EVALUATION

E/W	Errors	No. of occurrences
E	SC 1.4.3 - 1.4.11 - Tech G18 Ensuring that a contrast ratio of at least 4.5:1 exists between text (and images of text) and background behind the text	74
CONTENT		
W	SC 1.4.12 - Tech C21 Specifying line spacing in CSS	106
FORM		
E	SC 1.4.13 - Tech 1.4.13-ST2 CSS: Using hover and focus pseudo classes	1
E	SC 3.2.2 - Tech H32 Providing submit buttons	1
E	SC 1.4.11 - 2.4.7 - Tech F78 Failure due to styling element outlines and borders in a way that removes or renders non-visible the visual focus indicator	1
E	SC 1.3.5 - Tech H98 Identify the purpose of inputs using the autocomplete value	1
E	SC 1.4.11 - 2.4.7 - Tech G195 Using an author-supplied, highly visible focus indicator	58
E	SC 1.1.1 - 1.3.1 - 3.3.2 - 4.1.2 - Tech H44 Using label elements to associate text labels with form controls.	1
HTML		
W	SC 2.4.2 - Tech G88 Providing descriptive titles for Web pages	1
W	SC 1.3.1 - 3.3.2 - Tech G162 Positioning labels to maximize predictability of relationships	1
LINK		
W	SC 1.4.1 - Tech F73 Failure of Success Criterion 1.4.1 due to creating links that are not visually evident without color vision	6
RESPONSIVE		
E	SC 1.3.4 - Tech F97 Failure due to locking the orientation to landscape or portrait view	1
W	SC 1.4.4 - 1.4.12 - Tech C28 Specifying the size of text containers using em units	11



PAGES EVALUATION

PAGE URL: <https://www.comune.tribano.pd.it/cookie-e-privacy-policy/>

ERRORS GROUPED BY HTML VS STYLE



E/W	Errors	No. of occurrences
STYLE		
E	SC 1.4.13 - Tech 1.4.13-ST2 CSS: Using hover and focus pseudo classes	1
E	SC 1.3.4 - Tech F97 Failure due to locking the orientation to landscape or portrait view	1
E	SC 1.4.11 - 2.4.7 - Tech F78 Failure due to styling element outlines and borders in a way that removes or renders non-visible the visual focus indicator	1
E	SC 1.4.3 - 1.4.11 - Tech G18 Ensuring that a contrast ratio of at least 4.5:1 exists between text (and images of text) and background behind the text	74
W	SC 1.4.12 - Tech C21 Specifying line spacing in CSS	106
W	SC 1.4.4 - 1.4.12 - Tech C28 Specifying the size of text containers using em units	11
HTML		
E	SC 3.2.2 - Tech H32 Providing submit buttons	1
E	SC 1.3.5 - Tech H98 Identify the purpose of inputs using the autocomplete value	1



PAGES EVALUATION

E/W	Errors	No. of occurrences
E	SC 1.4.11 - 2.4.7 - Tech G195 Using an author-supplied, highly visible focus indicator	58
E	SC 1.1.1 - 1.3.1 - 3.3.2 - 4.1.2 - Tech H44 Using label elements to associate text labels with form controls.	1
E	SC 1.3.1 - 4.1.2 - Tech ARIA16 Using aria-labelledby to provide a name for user interface controls	1
W	SC 1.4.1 - Tech F73 Failure of Success Criterion 1.4.1 due to creating links that are not visually evident without color vision	6
W	SC 2.4.2 - Tech G88 Providing descriptive titles for Web pages	1
W	SC 4.1.2 - Tech ARIA5 Using WAI-ARIA state and property attributes to expose the state of a user interface component	1
W	SC 1.3.1 - 3.3.2 - Tech G162 Positioning labels to maximize predictability of relationships	1
W	SC 1.3.1 - 2.4.1 - Tech ARIA11 Using ARIA landmarks to identify regions of a page	5




PAGES EVALUATION

PAGE URL:

<https://www.comune.tribano.pd.it/commissioni-e-gruppi/volontari-d>

ERRORS GROUPED BY PRINCIPLES



- PERCEIVABLE: 578
- UNDERSTANDABLE: 3
- OPERABLE: 128
- ROBUST: 15

E/W	Errors	No. of occurrences
PERCEIVABLE		
E	SC 1.3.1 - Tech H63 Using the scope attribute to associate header cells and data cells in data tables	3
E	SC 1.4.13 - Tech 1.4.13-ST2 CSS: Using hover and focus pseudo classes	2
E	SC 1.3.4 - Tech F97 Failure due to locking the orientation to landscape or portrait view	1
E	SC 1.4.11 - Tech F78 Failure due to styling element outlines and borders in a way that removes or renders non-visible the visual focus indicator	7
E	SC 1.3.5 - Tech H98 Identify the purpose of inputs using the autocomplete value	2
E	SC 1.4.11 - Tech G195 Using an author-supplied, highly visible focus indicator	110
E	SC 1.3.1 - 1.4.5 - Tech G140 Separating information and structure from presentation to enable different presentations	1
E	SC 1.3.1 - Tech H42 Using h1-h6 to identify headings	1
E	SC 1.1.1 - 1.3.1 - Tech H44 Using label elements to associate text labels with form controls.	1



PAGES EVALUATION

E/W	Errors	No. of occurrences
E	SC 1.4.4 - 1.4.5 - Tech C12-13-14 Using percent, em units or named font sizes	62
E	SC 1.4.3 - 1.4.11 - Tech G18 Ensuring that a contrast ratio of at least 4.5:1 exists between text (and images of text) and background behind the text	78
E	SC 1.4.4 - 1.4.10 - Tech SCR34 Calculating size and position in a way that scales with text size	18
E	SC 1.3.1 - Tech ARIA16 Using aria-labelledby to provide a name for user interface controls	1
W	SC 1.4.12 - Tech C21 Specifying line spacing in CSS	225
W	SC 1.4.1 - Tech F73 Failure of Success Criterion 1.4.1 due to creating links that are not visually evident without color vision	26
W	SC 1.3.1 - Tech H73 Using the summary attribute of the table element to give an overview of data tables	1
W	SC 1.3.1 - Tech G162 Positioning labels to maximize predictability of relationships	1
W	SC 1.4.4 - 1.4.12 - Tech C28 Specifying the size of text containers using em units	27
W	SC 1.3.1 - Tech ARIA11 Using ARIA landmarks to identify regions of a page	10
W	SC 1.3.1 - Tech F46 Failure of Success Criterion 1.3.1 due to using th elements, caption elements, or non-empty summary attributes in layout tables	1
UNDERSTANDABLE		
E	SC 3.2.2 - Tech H32 Providing submit buttons	1
E	SC 3.3.2 - Tech H44 Using label elements to associate text labels with form controls.	1
W	SC 3.3.2 - Tech G162 Positioning labels to maximize predictability of relationships	1
OPERABLE		
E	SC 2.4.7 - Tech F78 Failure due to styling element outlines and borders in a way that removes or renders non-visible the visual focus indicator	7
E	SC 2.4.7 - Tech G195 Using an author-supplied, highly visible focus indicator	110



PAGES EVALUATION


E/W	Errors	No. of occurrences
W	SC 2.4.2 - Tech G88 Providing descriptive titles for Web pages	1
W	SC 2.4.1 - Tech ARIA11 Using ARIA landmarks to identify regions of a page	10
ROBUST		
E	SC 4.1.2 - Tech H44 Using label elements to associate text labels with form controls.	1
E	SC 4.1.2 - Tech ARIA16 Using aria-labelledby to provide a name for user interface controls	1
W	SC 4.1.2 - Tech ARIA5 Using WAI-ARIA state and property attributes to expose the state of a user interface component	13



PAGES EVALUATION

PAGE URL: <https://www.comune.tribano.pd.it/commissioni-e-gruppi/volontari-d>

ERRORS GROUPED BY CATEGORIES



E/W	Errors	No. of occurrences
ARIA		
E	SC 1.3.1 - 4.1.2 - Tech ARIA16 Using aria-labelledby to provide a name for user interface controls	1
W	SC 4.1.2 - Tech ARIA5 Using WAI-ARIA state and property attributes to expose the state of a user interface component	13
W	SC 1.3.1 - 2.4.1 - Tech ARIA11 Using ARIA landmarks to identify regions of a page	10
COLOR		



PAGES EVALUATION

E/W	Errors	No. of occurrences
E	SC 1.4.3 - 1.4.11 - Tech G18 Ensuring that a contrast ratio of at least 4.5:1 exists between text (and images of text) and background behind the text	78
CONTENT		
E	SC 1.4.4 - 1.4.5 - Tech C12-13-14 Using percent, em units or named font sizes	62
W	SC 1.4.12 - Tech C21 Specifying line spacing in CSS	225
FORM		
E	SC 1.4.13 - Tech 1.4.13-ST2 CSS: Using hover and focus pseudo classes	2
E	SC 3.2.2 - Tech H32 Providing submit buttons	1
E	SC 1.4.11 - 2.4.7 - Tech F78 Failure due to styling element outlines and borders in a way that removes or renders non-visible the visual focus indicator	7
E	SC 1.3.5 - Tech H98 Identify the purpose of inputs using the autocomplete value	2
E	SC 1.4.11 - 2.4.7 - Tech G195 Using an author-supplied, highly visible focus indicator	110
E	SC 1.1.1 - 1.3.1 - 3.3.2 - 4.1.2 - Tech H44 Using label elements to associate text labels with form controls.	1
HTML		
E	SC 1.3.1 - 1.4.5 - Tech G140 Separating information and structure from presentation to enable different presentations	1
E	SC 1.3.1 - Tech H42 Using h1-h6 to identify headings	1
W	SC 2.4.2 - Tech G88 Providing descriptive titles for Web pages	1
W	SC 1.3.1 - 3.3.2 - Tech G162 Positioning labels to maximize predictability of relationships	1
LINK		
W	SC 1.4.1 - Tech F73 Failure of Success Criterion 1.4.1 due to creating links that are not visually evident without color vision	26
RESPONSIVE		
E	SC 1.4.4 - 1.4.10 - Tech SCR34 Calculating size and position in a way that scales with text size	18



PAGES EVALUATION

E/W	Errors	No. of occurrences
E	SC 1.3.4 - Tech F97 Failure due to locking the orientation to landscape or portrait view	1
W	SC 1.4.4 - 1.4.12 - Tech C28 Specifying the size of text containers using em units	27

TABLE

E	SC 1.3.1 - Tech H63 Using the scope attribute to associate header cells and data cells in data tables	3
W	SC 1.3.1 - Tech H73 Using the summary attribute of the table element to give an overview of data tables	1
W	SC 1.3.1 - Tech F46 Failure of Success Criterion 1.3.1 due to using th elements, caption elements, or non-empty summary attributes in layout tables	1




PAGES EVALUATION

PAGE URL:

<https://www.comune.tribano.pd.it/commissioni-e-gruppi/volontari-d>

ERRORS GROUPED BY HTML VS STYLE



E/W	Errors	No. of occurrences
STYLE		
E	SC 1.4.4 - 1.4.10 - Tech SCR34 Calculating size and position in a way that scales with text size	18
E	SC 1.4.13 - Tech 1.4.13-ST2 CSS: Using hover and focus pseudo classes	2
E	SC 1.3.4 - Tech F97 Failure due to locking the orientation to landscape or portrait view	1
E	SC 1.4.11 - 2.4.7 - Tech F78 Failure due to styling element outlines and borders in a way that removes or renders non-visible the visual focus indicator	7
E	SC 1.4.4 - 1.4.5 - Tech C12-13-14 Using percent, em units or named font sizes	62
E	SC 1.4.3 - 1.4.11 - Tech G18 Ensuring that a contrast ratio of at least 4.5:1 exists between text (and images of text) and background behind the text	78
W	SC 1.4.12 - Tech C21 Specifying line spacing in CSS	225
W	SC 1.4.4 - 1.4.12 - Tech C28 Specifying the size of text containers using em units	27
HTML		



PAGES EVALUATION

E/W	Errors	No. of occurrences
E	SC 1.3.1 - Tech H63 Using the scope attribute to associate header cells and data cells in data tables	3
E	SC 3.2.2 - Tech H32 Providing submit buttons	1
E	SC 1.3.5 - Tech H98 Identify the purpose of inputs using the autocomplete value	2
E	SC 1.4.11 - 2.4.7 - Tech G195 Using an author-supplied, highly visible focus indicator	110
E	SC 1.3.1 - 1.4.5 - Tech G140 Separating information and structure from presentation to enable different presentations	1
E	SC 1.3.1 - Tech H42 Using h1-h6 to identify headings	1
E	SC 1.1.1 - 1.3.1 - 3.3.2 - 4.1.2 - Tech H44 Using label elements to associate text labels with form controls.	1
E	SC 1.3.1 - 4.1.2 - Tech ARIA16 Using aria-labelledby to provide a name for user interface controls	1
W	SC 1.4.1 - Tech F73 Failure of Success Criterion 1.4.1 due to creating links that are not visually evident without color vision	26
W	SC 1.3.1 - Tech H73 Using the summary attribute of the table element to give an overview of data tables	1
W	SC 2.4.2 - Tech G88 Providing descriptive titles for Web pages	1
W	SC 4.1.2 - Tech ARIA5 Using WAI-ARIA state and property attributes to expose the state of a user interface component	13
W	SC 1.3.1 - 3.3.2 - Tech G162 Positioning labels to maximize predictability of relationships	1
W	SC 1.3.1 - 2.4.1 - Tech ARIA11 Using ARIA landmarks to identify regions of a page	10
W	SC 1.3.1 - Tech F46 Failure of Success Criterion 1.3.1 due to using th elements, caption elements, or non-empty summary attributes in layout tables	1




PAGES EVALUATION

PAGE URL:

<https://www.comune.tribano.pd.it/2021/03/19/borse-di-studio-regione-liguria/>

ERRORS GROUPED BY PRINCIPLES



- PERCEIVABLE: 324
- UNDERSTANDABLE: 3
- OPERABLE: 76
- ROBUST: 3

E/W	Errors	No. of occurrences
PERCEIVABLE		
E	SC 1.4.4 - 1.4.10 - Tech SCR34 Calculating size and position in a way that scales with text size	2
E	SC 1.4.13 - Tech 1.4.13-ST2 CSS: Using hover and focus pseudo classes	1
E	SC 1.3.4 - Tech F97 Failure due to locking the orientation to landscape or portrait view	1
E	SC 1.4.11 - Tech F78 Failure due to styling element outlines and borders in a way that removes or renders non-visible the visual focus indicator	1
E	SC 1.3.5 - Tech H98 Identify the purpose of inputs using the autocomplete value	1
E	SC 1.4.11 - Tech G195 Using an author-supplied, highly visible focus indicator	68
E	SC 1.1.1 - 1.3.1 - Tech H44 Using label elements to associate text labels with form controls.	1
E	SC 1.3.1 - Tech ARIA16 Using aria-labelledby to provide a name for user interface controls	1



PAGES EVALUATION


E/W	Errors	No. of occurrences
E	SC 1.4.3 - 1.4.11 - Tech G18 Ensuring that a contrast ratio of at least 4.5:1 exists between text (and images of text) and background behind the text	80
W	SC 1.4.12 - Tech C21 Specifying line spacing in CSS	129
W	SC 1.4.1 - Tech F73 Failure of Success Criterion 1.4.1 due to creating links that are not visually evident without color vision	14
W	SC 1.3.1 - Tech G162 Positioning labels to maximize predictability of relationships	1
W	SC 1.4.4 - 1.4.12 - Tech C28 Specifying the size of text containers using em units	18
W	SC 1.3.1 - Tech ARIA11 Using ARIA landmarks to identify regions of a page	6
UNDERSTANDABLE		
E	SC 3.2.2 - Tech H32 Providing submit buttons	1
E	SC 3.3.2 - Tech H44 Using label elements to associate text labels with form controls.	1
W	SC 3.3.2 - Tech G162 Positioning labels to maximize predictability of relationships	1
OPERABLE		
E	SC 2.4.7 - Tech F78 Failure due to styling element outlines and borders in a way that removes or renders non-visible the visual focus indicator	1
E	SC 2.4.7 - Tech G195 Using an author-supplied, highly visible focus indicator	68
W	SC 2.4.2 - Tech G88 Providing descriptive titles for Web pages	1
W	SC 2.4.1 - Tech ARIA11 Using ARIA landmarks to identify regions of a page	6
ROBUST		
E	SC 4.1.2 - Tech H44 Using label elements to associate text labels with form controls.	1
E	SC 4.1.2 - Tech ARIA16 Using aria-labelledby to provide a name for user interface controls	1
W	SC 4.1.2 - Tech ARIA5 Using WAI-ARIA state and property attributes to expose the state of a user interface component	1



PAGES EVALUATION

PAGE URL: <https://www.comune.tribano.pd.it/2021/03/19/borse-di-studio-regioni-europee/>

ERRORS GROUPED BY CATEGORIES



E/W	Errors	No. of occurrences
ARIA		
E	SC 1.3.1 - 4.1.2 - Tech ARIA16 Using aria-labelledby to provide a name for user interface controls	1
W	SC 4.1.2 - Tech ARIA5 Using WAI-ARIA state and property attributes to expose the state of a user interface component	1
W	SC 1.3.1 - 2.4.1 - Tech ARIA11 Using ARIA landmarks to identify regions of a page	6
COLOR		



PAGES EVALUATION

E/W	Errors	No. of occurrences
E	SC 1.4.3 - 1.4.11 - Tech G18 Ensuring that a contrast ratio of at least 4.5:1 exists between text (and images of text) and background behind the text	80
CONTENT		
W	SC 1.4.12 - Tech C21 Specifying line spacing in CSS	129
FORM		
E	SC 1.4.13 - Tech 1.4.13-ST2 CSS: Using hover and focus pseudo classes	1
E	SC 3.2.2 - Tech H32 Providing submit buttons	1
E	SC 1.4.11 - 2.4.7 - Tech F78 Failure due to styling element outlines and borders in a way that removes or renders non-visible the visual focus indicator	1
E	SC 1.3.5 - Tech H98 Identify the purpose of inputs using the autocomplete value	1
E	SC 1.4.11 - 2.4.7 - Tech G195 Using an author-supplied, highly visible focus indicator	68
E	SC 1.1.1 - 1.3.1 - 3.3.2 - 4.1.2 - Tech H44 Using label elements to associate text labels with form controls.	1
HTML		
W	SC 2.4.2 - Tech G88 Providing descriptive titles for Web pages	1
W	SC 1.3.1 - 3.3.2 - Tech G162 Positioning labels to maximize predictability of relationships	1
LINK		
W	SC 1.4.1 - Tech F73 Failure of Success Criterion 1.4.1 due to creating links that are not visually evident without color vision	14
RESPONSIVE		
E	SC 1.4.4 - 1.4.10 - Tech SCR34 Calculating size and position in a way that scales with text size	2
E	SC 1.3.4 - Tech F97 Failure due to locking the orientation to landscape or portrait view	1
W	SC 1.4.4 - 1.4.12 - Tech C28 Specifying the size of text containers using em units	18



PAGES EVALUATION

PAGE URL:

<https://www.comune.tribano.pd.it/2021/03/19/borse-di-studio-regione-liguria/>

ERRORS GROUPED BY HTML VS STYLE



E/W	Errors	No. of occurrences
STYLE		
E	SC 1.4.4 - 1.4.10 - Tech SCR34 Calculating size and position in a way that scales with text size	2
E	SC 1.4.13 - Tech 1.4.13-ST2 CSS: Using hover and focus pseudo classes	1
E	SC 1.3.4 - Tech F97 Failure due to locking the orientation to landscape or portrait view	1
E	SC 1.4.11 - 2.4.7 - Tech F78 Failure due to styling element outlines and borders in a way that removes or renders non-visible the visual focus indicator	1
E	SC 1.4.3 - 1.4.11 - Tech G18 Ensuring that a contrast ratio of at least 4.5:1 exists between text (and images of text) and background behind the text	80
W	SC 1.4.12 - Tech C21 Specifying line spacing in CSS	129
W	SC 1.4.4 - 1.4.12 - Tech C28 Specifying the size of text containers using em units	18
HTML		
E	SC 3.2.2 - Tech H32 Providing submit buttons	1



PAGES EVALUATION


E/W	Errors	No. of occurrences
E	SC 1.3.5 - Tech H98 Identify the purpose of inputs using the autocomplete value	1
E	SC 1.4.11 - 2.4.7 - Tech G195 Using an author-supplied, highly visible focus indicator	68
E	SC 1.1.1 - 1.3.1 - 3.3.2 - 4.1.2 - Tech H44 Using label elements to associate text labels with form controls.	1
E	SC 1.3.1 - 4.1.2 - Tech ARIA16 Using aria-labelledby to provide a name for user interface controls	1
W	SC 1.4.1 - Tech F73 Failure of Success Criterion 1.4.1 due to creating links that are not visually evident without color vision	14
W	SC 2.4.2 - Tech G88 Providing descriptive titles for Web pages	1
W	SC 4.1.2 - Tech ARIA5 Using WAI-ARIA state and property attributes to expose the state of a user interface component	1
W	SC 1.3.1 - 3.3.2 - Tech G162 Positioning labels to maximize predictability of relationships	1
W	SC 1.3.1 - 2.4.1 - Tech ARIA11 Using ARIA landmarks to identify regions of a page	6



PAGES EVALUATION

PAGE URL: <https://www.comune.tribano.pd.it/2022/08/>

ERRORS GROUPED BY PRINCIPLES



- PERCEIVABLE: 641
- UNDERSTANDABLE: 3
- OPERABLE: 142
- ROBUST: 15

E/W	Errors	No. of occurrences
PERCEIVABLE		
E	SC 1.3.1 - Tech H63 Using the scope attribute to associate header cells and data cells in data tables	3
E	SC 1.4.13 - Tech 1.4.13-ST2 CSS: Using hover and focus pseudo classes	2
E	SC 1.3.4 - Tech F97 Failure due to locking the orientation to landscape or portrait view	1
E	SC 1.4.11 - Tech F78 Failure due to styling element outlines and borders in a way that removes or renders non-visible the visual focus indicator	7
E	SC 1.3.5 - Tech H98 Identify the purpose of inputs using the autocomplete value	2
E	SC 1.4.11 - Tech G195 Using an author-supplied, highly visible focus indicator	124
E	SC 1.3.1 - 1.4.5 - Tech G140 Separating information and structure from presentation to enable different presentations	1
E	SC 1.3.1 - Tech H42 Using h1-h6 to identify headings	1
E	SC 1.1.1 - 1.3.1 - Tech H44 Using label elements to associate text labels with form controls.	1



PAGES EVALUATION

E/W	Errors	No. of occurrences
E	SC 1.4.4 - 1.4.5 - Tech C12-13-14 Using percent, em units or named font sizes	62
E	SC 1.4.3 - 1.4.11 - Tech G18 Ensuring that a contrast ratio of at least 4.5:1 exists between text (and images of text) and background behind the text	94
E	SC 1.4.4 - 1.4.10 - Tech SCR34 Calculating size and position in a way that scales with text size	18
E	SC 1.3.1 - Tech ARIA16 Using aria-labelledby to provide a name for user interface controls	1
W	SC 1.4.12 - Tech C21 Specifying line spacing in CSS	244
W	SC 1.4.1 - Tech F73 Failure of Success Criterion 1.4.1 due to creating links that are not visually evident without color vision	34
W	SC 1.3.1 - Tech H73 Using the summary attribute of the table element to give an overview of data tables	1
W	SC 1.3.1 - Tech G162 Positioning labels to maximize predictability of relationships	1
W	SC 1.4.4 - 1.4.12 - Tech C28 Specifying the size of text containers using em units	33
W	SC 1.3.1 - Tech ARIA11 Using ARIA landmarks to identify regions of a page	10
W	SC 1.3.1 - Tech F46 Failure of Success Criterion 1.3.1 due to using th elements, caption elements, or non-empty summary attributes in layout tables	1
UNDERSTANDABLE		
E	SC 3.2.2 - Tech H32 Providing submit buttons	1
E	SC 3.3.2 - Tech H44 Using label elements to associate text labels with form controls.	1
W	SC 3.3.2 - Tech G162 Positioning labels to maximize predictability of relationships	1
OPERABLE		
E	SC 2.4.7 - Tech F78 Failure due to styling element outlines and borders in a way that removes or renders non-visible the visual focus indicator	7
E	SC 2.4.7 - Tech G195 Using an author-supplied, highly visible focus indicator	124



PAGES EVALUATION


E/W	Errors	No. of occurrences
W	SC 2.4.2 - Tech G88 Providing descriptive titles for Web pages	1
W	SC 2.4.1 - Tech ARIA11 Using ARIA landmarks to identify regions of a page	10
ROBUST		
E	SC 4.1.2 - Tech H44 Using label elements to associate text labels with form controls.	1
E	SC 4.1.2 - Tech ARIA16 Using aria-labelledby to provide a name for user interface controls	1
W	SC 4.1.2 - Tech ARIA5 Using WAI-ARIA state and property attributes to expose the state of a user interface component	13



PAGES EVALUATION

PAGE URL: <https://www.comune.tribano.pd.it/2022/08/>

ERRORS GROUPED BY CATEGORIES



E/W	Errors	No. of occurrences
ARIA		
E	SC 1.3.1 - 4.1.2 - Tech ARIA16 Using aria-labelledby to provide a name for user interface controls	1
W	SC 4.1.2 - Tech ARIA5 Using WAI-ARIA state and property attributes to expose the state of a user interface component	13
W	SC 1.3.1 - 2.4.1 - Tech ARIA11 Using ARIA landmarks to identify regions of a page	10
COLOR		



PAGES EVALUATION

E/W	Errors	No. of occurrences
E	SC 1.4.3 - 1.4.11 - Tech G18 Ensuring that a contrast ratio of at least 4.5:1 exists between text (and images of text) and background behind the text	94
CONTENT		
E	SC 1.4.4 - 1.4.5 - Tech C12-13-14 Using percent, em units or named font sizes	62
W	SC 1.4.12 - Tech C21 Specifying line spacing in CSS	244
FORM		
E	SC 1.4.13 - Tech 1.4.13-ST2 CSS: Using hover and focus pseudo classes	2
E	SC 3.2.2 - Tech H32 Providing submit buttons	1
E	SC 1.4.11 - 2.4.7 - Tech F78 Failure due to styling element outlines and borders in a way that removes or renders non-visible the visual focus indicator	7
E	SC 1.3.5 - Tech H98 Identify the purpose of inputs using the autocomplete value	2
E	SC 1.4.11 - 2.4.7 - Tech G195 Using an author-supplied, highly visible focus indicator	124
E	SC 1.1.1 - 1.3.1 - 3.3.2 - 4.1.2 - Tech H44 Using label elements to associate text labels with form controls.	1
HTML		
E	SC 1.3.1 - 1.4.5 - Tech G140 Separating information and structure from presentation to enable different presentations	1
E	SC 1.3.1 - Tech H42 Using h1-h6 to identify headings	1
W	SC 2.4.2 - Tech G88 Providing descriptive titles for Web pages	1
W	SC 1.3.1 - 3.3.2 - Tech G162 Positioning labels to maximize predictability of relationships	1
LINK		
W	SC 1.4.1 - Tech F73 Failure of Success Criterion 1.4.1 due to creating links that are not visually evident without color vision	34
RESPONSIVE		
E	SC 1.4.4 - 1.4.10 - Tech SCR34 Calculating size and position in a way that scales with text size	18



PAGES EVALUATION

E/W	Errors	No. of occurrences
E	SC 1.3.4 - Tech F97 Failure due to locking the orientation to landscape or portrait view	1
W	SC 1.4.4 - 1.4.12 - Tech C28 Specifying the size of text containers using em units	33

TABLE


E	SC 1.3.1 - Tech H63 Using the scope attribute to associate header cells and data cells in data tables	3
W	SC 1.3.1 - Tech H73 Using the summary attribute of the table element to give an overview of data tables	1
W	SC 1.3.1 - Tech F46 Failure of Success Criterion 1.3.1 due to using th elements, caption elements, or non-empty summary attributes in layout tables	1



PAGES EVALUATION

PAGE URL: <https://www.comune.tribano.pd.it/2022/08/>

ERRORS GROUPED BY HTML VS STYLE



E/W	Errors	No. of occurrences
STYLE		
E	SC 1.4.4 - 1.4.10 - Tech SCR34 Calculating size and position in a way that scales with text size	18
E	SC 1.4.13 - Tech 1.4.13-ST2 CSS: Using hover and focus pseudo classes	2
E	SC 1.3.4 - Tech F97 Failure due to locking the orientation to landscape or portrait view	1
E	SC 1.4.11 - 2.4.7 - Tech F78 Failure due to styling element outlines and borders in a way that removes or renders non-visible the visual focus indicator	7
E	SC 1.4.4 - 1.4.5 - Tech C12-13-14 Using percent, em units or named font sizes	62
E	SC 1.4.3 - 1.4.11 - Tech G18 Ensuring that a contrast ratio of at least 4.5:1 exists between text (and images of text) and background behind the text	94
W	SC 1.4.12 - Tech C21 Specifying line spacing in CSS	244
W	SC 1.4.4 - 1.4.12 - Tech C28 Specifying the size of text containers using em units	33
HTML		



PAGES EVALUATION


E/W	Errors	No. of occurrences
E	SC 1.3.1 - Tech H63 Using the scope attribute to associate header cells and data cells in data tables	3
E	SC 3.2.2 - Tech H32 Providing submit buttons	1
E	SC 1.3.5 - Tech H98 Identify the purpose of inputs using the autocomplete value	2
E	SC 1.4.11 - 2.4.7 - Tech G195 Using an author-supplied, highly visible focus indicator	124
E	SC 1.3.1 - 1.4.5 - Tech G140 Separating information and structure from presentation to enable different presentations	1
E	SC 1.3.1 - Tech H42 Using h1-h6 to identify headings	1
E	SC 1.1.1 - 1.3.1 - 3.3.2 - 4.1.2 - Tech H44 Using label elements to associate text labels with form controls.	1
E	SC 1.3.1 - 4.1.2 - Tech ARIA16 Using aria-labelledby to provide a name for user interface controls	1
W	SC 1.4.1 - Tech F73 Failure of Success Criterion 1.4.1 due to creating links that are not visually evident without color vision	34
W	SC 1.3.1 - Tech H73 Using the summary attribute of the table element to give an overview of data tables	1
W	SC 2.4.2 - Tech G88 Providing descriptive titles for Web pages	1
W	SC 4.1.2 - Tech ARIA5 Using WAI-ARIA state and property attributes to expose the state of a user interface component	13
W	SC 1.3.1 - 3.3.2 - Tech G162 Positioning labels to maximize predictability of relationships	1
W	SC 1.3.1 - 2.4.1 - Tech ARIA11 Using ARIA landmarks to identify regions of a page	10
W	SC 1.3.1 - Tech F46 Failure of Success Criterion 1.3.1 due to using th elements, caption elements, or non-empty summary attributes in layout tables	1



PAGES EVALUATION

PAGE URL: <https://www.comune.tribano.pd.it/gallerie/>

ERRORS GROUPED BY PRINCIPLES



- PERCEIVABLE: 602
- UNDERSTANDABLE: 3
- OPERABLE: 131
- ROBUST: 15

E/W	Errors	No. of occurrences
PERCEIVABLE		
E	SC 1.3.1 - Tech H63 Using the scope attribute to associate header cells and data cells in data tables	3
E	SC 1.4.13 - Tech 1.4.13-ST2 CSS: Using hover and focus pseudo classes	2
E	SC 1.3.4 - Tech F97 Failure due to locking the orientation to landscape or portrait view	1
E	SC 1.4.11 - Tech F78 Failure due to styling element outlines and borders in a way that removes or renders non-visible the visual focus indicator	7
E	SC 1.3.5 - Tech H98 Identify the purpose of inputs using the autocomplete value	2
E	SC 1.4.11 - Tech G195 Using an author-supplied, highly visible focus indicator	113
E	SC 1.3.1 - 1.4.5 - Tech G140 Separating information and structure from presentation to enable different presentations	1
E	SC 1.3.1 - Tech H42 Using h1-h6 to identify headings	1
E	SC 1.1.1 - 1.3.1 - Tech H44 Using label elements to associate text labels with form controls.	1



PAGES EVALUATION

E/W	Errors	No. of occurrences
E	SC 1.4.4 - 1.4.5 - Tech C12-13-14 Using percent, em units or named font sizes	62
E	SC 1.4.3 - 1.4.11 - Tech G18 Ensuring that a contrast ratio of at least 4.5:1 exists between text (and images of text) and background behind the text	84
E	SC 1.4.4 - 1.4.10 - Tech SCR34 Calculating size and position in a way that scales with text size	18
E	SC 1.3.1 - Tech ARIA16 Using aria-labelledby to provide a name for user interface controls	1
W	SC 1.4.12 - Tech C21 Specifying line spacing in CSS	237
W	SC 1.4.1 - Tech F73 Failure of Success Criterion 1.4.1 due to creating links that are not visually evident without color vision	28
W	SC 1.3.1 - Tech H73 Using the summary attribute of the table element to give an overview of data tables	1
W	SC 1.3.1 - Tech G162 Positioning labels to maximize predictability of relationships	1
W	SC 1.4.4 - 1.4.12 - Tech C28 Specifying the size of text containers using em units	28
W	SC 1.3.1 - Tech ARIA11 Using ARIA landmarks to identify regions of a page	10
W	SC 1.3.1 - Tech F46 Failure of Success Criterion 1.3.1 due to using th elements, caption elements, or non-empty summary attributes in layout tables	1
UNDERSTANDABLE		
E	SC 3.2.2 - Tech H32 Providing submit buttons	1
E	SC 3.3.2 - Tech H44 Using label elements to associate text labels with form controls.	1
W	SC 3.3.2 - Tech G162 Positioning labels to maximize predictability of relationships	1
OPERABLE		
E	SC 2.4.7 - Tech F78 Failure due to styling element outlines and borders in a way that removes or renders non-visible the visual focus indicator	7
E	SC 2.4.7 - Tech G195 Using an author-supplied, highly visible focus indicator	113



PAGES EVALUATION


E/W	Errors	No. of occurrences
W	SC 2.4.2 - Tech G88 Providing descriptive titles for Web pages	1
W	SC 2.4.1 - Tech ARIA11 Using ARIA landmarks to identify regions of a page	10
ROBUST		
E	SC 4.1.2 - Tech H44 Using label elements to associate text labels with form controls.	1
E	SC 4.1.2 - Tech ARIA16 Using aria-labelledby to provide a name for user interface controls	1
W	SC 4.1.2 - Tech ARIA5 Using WAI-ARIA state and property attributes to expose the state of a user interface component	13



PAGES EVALUATION

PAGE URL: <https://www.comune.tribano.pd.it/gallerie/>

ERRORS GROUPED BY CATEGORIES



E/W	Errors	No. of occurrences
ARIA		
E	SC 1.3.1 - 4.1.2 - Tech ARIA16 Using aria-labelledby to provide a name for user interface controls	1
W	SC 4.1.2 - Tech ARIA5 Using WAI-ARIA state and property attributes to expose the state of a user interface component	13
W	SC 1.3.1 - 2.4.1 - Tech ARIA11 Using ARIA landmarks to identify regions of a page	10
COLOR		



PAGES EVALUATION

E/W	Errors	No. of occurrences
E	SC 1.4.3 - 1.4.11 - Tech G18 Ensuring that a contrast ratio of at least 4.5:1 exists between text (and images of text) and background behind the text	84
CONTENT		
E	SC 1.4.4 - 1.4.5 - Tech C12-13-14 Using percent, em units or named font sizes	62
W	SC 1.4.12 - Tech C21 Specifying line spacing in CSS	237
FORM		
E	SC 1.4.13 - Tech 1.4.13-ST2 CSS: Using hover and focus pseudo classes	2
E	SC 3.2.2 - Tech H32 Providing submit buttons	1
E	SC 1.4.11 - 2.4.7 - Tech F78 Failure due to styling element outlines and borders in a way that removes or renders non-visible the visual focus indicator	7
E	SC 1.3.5 - Tech H98 Identify the purpose of inputs using the autocomplete value	2
E	SC 1.4.11 - 2.4.7 - Tech G195 Using an author-supplied, highly visible focus indicator	113
E	SC 1.1.1 - 1.3.1 - 3.3.2 - 4.1.2 - Tech H44 Using label elements to associate text labels with form controls.	1
HTML		
E	SC 1.3.1 - 1.4.5 - Tech G140 Separating information and structure from presentation to enable different presentations	1
E	SC 1.3.1 - Tech H42 Using h1-h6 to identify headings	1
W	SC 2.4.2 - Tech G88 Providing descriptive titles for Web pages	1
W	SC 1.3.1 - 3.3.2 - Tech G162 Positioning labels to maximize predictability of relationships	1
LINK		
W	SC 1.4.1 - Tech F73 Failure of Success Criterion 1.4.1 due to creating links that are not visually evident without color vision	28
RESPONSIVE		
E	SC 1.4.4 - 1.4.10 - Tech SCR34 Calculating size and position in a way that scales with text size	18



PAGES EVALUATION

E/W	Errors	No. of occurrences
E	SC 1.3.4 - Tech F97 Failure due to locking the orientation to landscape or portrait view	1
W	SC 1.4.4 - 1.4.12 - Tech C28 Specifying the size of text containers using em units	28

TABLE

E	SC 1.3.1 - Tech H63 Using the scope attribute to associate header cells and data cells in data tables	3
W	SC 1.3.1 - Tech H73 Using the summary attribute of the table element to give an overview of data tables	1
W	SC 1.3.1 - Tech F46 Failure of Success Criterion 1.3.1 due to using th elements, caption elements, or non-empty summary attributes in layout tables	1



PAGES EVALUATION

PAGE URL: <https://www.comune.tribano.pd.it/gallerie/>

ERRORS GROUPED BY HTML VS STYLE



E/W	Errors	No. of occurrences
STYLE		
E	SC 1.4.4 - 1.4.10 - Tech SCR34 Calculating size and position in a way that scales with text size	18
E	SC 1.4.13 - Tech 1.4.13-ST2 CSS: Using hover and focus pseudo classes	2
E	SC 1.3.4 - Tech F97 Failure due to locking the orientation to landscape or portrait view	1
E	SC 1.4.11 - 2.4.7 - Tech F78 Failure due to styling element outlines and borders in a way that removes or renders non-visible the visual focus indicator	7
E	SC 1.4.4 - 1.4.5 - Tech C12-13-14 Using percent, em units or named font sizes	62
E	SC 1.4.3 - 1.4.11 - Tech G18 Ensuring that a contrast ratio of at least 4.5:1 exists between text (and images of text) and background behind the text	84
W	SC 1.4.12 - Tech C21 Specifying line spacing in CSS	237
W	SC 1.4.4 - 1.4.12 - Tech C28 Specifying the size of text containers using em units	28
HTML		



PAGES EVALUATION


E/W	Errors	No. of occurrences
E	SC 1.3.1 - Tech H63 Using the scope attribute to associate header cells and data cells in data tables	3
E	SC 3.2.2 - Tech H32 Providing submit buttons	1
E	SC 1.3.5 - Tech H98 Identify the purpose of inputs using the autocomplete value	2
E	SC 1.4.11 - 2.4.7 - Tech G195 Using an author-supplied, highly visible focus indicator	113
E	SC 1.3.1 - 1.4.5 - Tech G140 Separating information and structure from presentation to enable different presentations	1
E	SC 1.3.1 - Tech H42 Using h1-h6 to identify headings	1
E	SC 1.1.1 - 1.3.1 - 3.3.2 - 4.1.2 - Tech H44 Using label elements to associate text labels with form controls.	1
E	SC 1.3.1 - 4.1.2 - Tech ARIA16 Using aria-labelledby to provide a name for user interface controls	1
W	SC 1.4.1 - Tech F73 Failure of Success Criterion 1.4.1 due to creating links that are not visually evident without color vision	28
W	SC 1.3.1 - Tech H73 Using the summary attribute of the table element to give an overview of data tables	1
W	SC 2.4.2 - Tech G88 Providing descriptive titles for Web pages	1
W	SC 4.1.2 - Tech ARIA5 Using WAI-ARIA state and property attributes to expose the state of a user interface component	13
W	SC 1.3.1 - 3.3.2 - Tech G162 Positioning labels to maximize predictability of relationships	1
W	SC 1.3.1 - 2.4.1 - Tech ARIA11 Using ARIA landmarks to identify regions of a page	10
W	SC 1.3.1 - Tech F46 Failure of Success Criterion 1.3.1 due to using th elements, caption elements, or non-empty summary attributes in layout tables	1



PAGES EVALUATION

PAGE URL: <https://www.comune.tribano.pd.it/category/eventi-e-cultura/>

ERRORS GROUPED BY PRINCIPLES



- PERCEIVABLE: 620
- UNDERSTANDABLE: 3
- OPERABLE: 134
- ROBUST: 15

E/W	Errors	No. of occurrences
PERCEIVABLE		
E	SC 1.3.1 - Tech H63 Using the scope attribute to associate header cells and data cells in data tables	3
E	SC 1.4.13 - Tech 1.4.13-ST2 CSS: Using hover and focus pseudo classes	2
E	SC 1.3.4 - Tech F97 Failure due to locking the orientation to landscape or portrait view	1
E	SC 1.4.11 - Tech F78 Failure due to styling element outlines and borders in a way that removes or renders non-visible the visual focus indicator	7
E	SC 1.3.5 - Tech H98 Identify the purpose of inputs using the autocomplete value	2
E	SC 1.4.11 - Tech G195 Using an author-supplied, highly visible focus indicator	116
E	SC 1.3.1 - 1.4.5 - Tech G140 Separating information and structure from presentation to enable different presentations	1
E	SC 1.3.1 - Tech H42 Using h1-h6 to identify headings	1
E	SC 1.1.1 - 1.3.1 - Tech H44 Using label elements to associate text labels with form controls.	1



PAGES EVALUATION

E/W	Errors	No. of occurrences
E	SC 1.4.4 - 1.4.5 - Tech C12-13-14 Using percent, em units or named font sizes	62
E	SC 1.4.3 - 1.4.11 - Tech G18 Ensuring that a contrast ratio of at least 4.5:1 exists between text (and images of text) and background behind the text	90
E	SC 1.4.4 - 1.4.10 - Tech SCR34 Calculating size and position in a way that scales with text size	18
E	SC 1.3.1 - Tech ARIA16 Using aria-labelledby to provide a name for user interface controls	1
W	SC 1.4.12 - Tech C21 Specifying line spacing in CSS	239
W	SC 1.4.1 - Tech F73 Failure of Success Criterion 1.4.1 due to creating links that are not visually evident without color vision	32
W	SC 1.3.1 - Tech H73 Using the summary attribute of the table element to give an overview of data tables	1
W	SC 1.3.1 - Tech G162 Positioning labels to maximize predictability of relationships	1
W	SC 1.4.4 - 1.4.12 - Tech C28 Specifying the size of text containers using em units	31
W	SC 1.3.1 - Tech ARIA11 Using ARIA landmarks to identify regions of a page	10
W	SC 1.3.1 - Tech F46 Failure of Success Criterion 1.3.1 due to using th elements, caption elements, or non-empty summary attributes in layout tables	1
UNDERSTANDABLE		
E	SC 3.2.2 - Tech H32 Providing submit buttons	1
E	SC 3.3.2 - Tech H44 Using label elements to associate text labels with form controls.	1
W	SC 3.3.2 - Tech G162 Positioning labels to maximize predictability of relationships	1
OPERABLE		
E	SC 2.4.7 - Tech F78 Failure due to styling element outlines and borders in a way that removes or renders non-visible the visual focus indicator	7
E	SC 2.4.7 - Tech G195 Using an author-supplied, highly visible focus indicator	116



PAGES EVALUATION


E/W	Errors	No. of occurrences
W	SC 2.4.2 - Tech G88 Providing descriptive titles for Web pages	1
W	SC 2.4.1 - Tech ARIA11 Using ARIA landmarks to identify regions of a page	10
ROBUST		
E	SC 4.1.2 - Tech H44 Using label elements to associate text labels with form controls.	1
E	SC 4.1.2 - Tech ARIA16 Using aria-labelledby to provide a name for user interface controls	1
W	SC 4.1.2 - Tech ARIA5 Using WAI-ARIA state and property attributes to expose the state of a user interface component	13



PAGES EVALUATION

PAGE URL: <https://www.comune.tribano.pd.it/category/eventi-e-cultura/>

ERRORS GROUPED BY CATEGORIES



E/W	Errors	No. of occurrences
ARIA		
E	SC 1.3.1 - 4.1.2 - Tech ARIA16 Using aria-labelledby to provide a name for user interface controls	1
W	SC 4.1.2 - Tech ARIA5 Using WAI-ARIA state and property attributes to expose the state of a user interface component	13
W	SC 1.3.1 - 2.4.1 - Tech ARIA11 Using ARIA landmarks to identify regions of a page	10
COLOR		



PAGES EVALUATION

E/W	Errors	No. of occurrences
E	SC 1.4.3 - 1.4.11 - Tech G18 Ensuring that a contrast ratio of at least 4.5:1 exists between text (and images of text) and background behind the text	90
CONTENT		
E	SC 1.4.4 - 1.4.5 - Tech C12-13-14 Using percent, em units or named font sizes	62
W	SC 1.4.12 - Tech C21 Specifying line spacing in CSS	239
FORM		
E	SC 1.4.13 - Tech 1.4.13-ST2 CSS: Using hover and focus pseudo classes	2
E	SC 3.2.2 - Tech H32 Providing submit buttons	1
E	SC 1.4.11 - 2.4.7 - Tech F78 Failure due to styling element outlines and borders in a way that removes or renders non-visible the visual focus indicator	7
E	SC 1.3.5 - Tech H98 Identify the purpose of inputs using the autocomplete value	2
E	SC 1.4.11 - 2.4.7 - Tech G195 Using an author-supplied, highly visible focus indicator	116
E	SC 1.1.1 - 1.3.1 - 3.3.2 - 4.1.2 - Tech H44 Using label elements to associate text labels with form controls.	1
HTML		
E	SC 1.3.1 - 1.4.5 - Tech G140 Separating information and structure from presentation to enable different presentations	1
E	SC 1.3.1 - Tech H42 Using h1-h6 to identify headings	1
W	SC 2.4.2 - Tech G88 Providing descriptive titles for Web pages	1
W	SC 1.3.1 - 3.3.2 - Tech G162 Positioning labels to maximize predictability of relationships	1
LINK		
W	SC 1.4.1 - Tech F73 Failure of Success Criterion 1.4.1 due to creating links that are not visually evident without color vision	32
RESPONSIVE		
E	SC 1.4.4 - 1.4.10 - Tech SCR34 Calculating size and position in a way that scales with text size	18



PAGES EVALUATION

E/W	Errors	No. of occurrences
E	SC 1.3.4 - Tech F97 Failure due to locking the orientation to landscape or portrait view	1
W	SC 1.4.4 - 1.4.12 - Tech C28 Specifying the size of text containers using em units	31

TABLE

E	SC 1.3.1 - Tech H63 Using the scope attribute to associate header cells and data cells in data tables	3
W	SC 1.3.1 - Tech H73 Using the summary attribute of the table element to give an overview of data tables	1
W	SC 1.3.1 - Tech F46 Failure of Success Criterion 1.3.1 due to using th elements, caption elements, or non-empty summary attributes in layout tables	1



PAGES EVALUATION

PAGE URL: <https://www.comune.tribano.pd.it/category/eventi-e-cultura/>

ERRORS GROUPED BY HTML VS STYLE



E/W	Errors	No. of occurrences
STYLE		
E	SC 1.4.4 - 1.4.10 - Tech SCR34 Calculating size and position in a way that scales with text size	18
E	SC 1.4.13 - Tech 1.4.13-ST2 CSS: Using hover and focus pseudo classes	2
E	SC 1.3.4 - Tech F97 Failure due to locking the orientation to landscape or portrait view	1
E	SC 1.4.11 - 2.4.7 - Tech F78 Failure due to styling element outlines and borders in a way that removes or renders non-visible the visual focus indicator	7
E	SC 1.4.4 - 1.4.5 - Tech C12-13-14 Using percent, em units or named font sizes	62
E	SC 1.4.3 - 1.4.11 - Tech G18 Ensuring that a contrast ratio of at least 4.5:1 exists between text (and images of text) and background behind the text	90
W	SC 1.4.12 - Tech C21 Specifying line spacing in CSS	239
W	SC 1.4.4 - 1.4.12 - Tech C28 Specifying the size of text containers using em units	31
HTML		



PAGES EVALUATION


E/W	Errors	No. of occurrences
E	SC 1.3.1 - Tech H63 Using the scope attribute to associate header cells and data cells in data tables	3
E	SC 3.2.2 - Tech H32 Providing submit buttons	1
E	SC 1.3.5 - Tech H98 Identify the purpose of inputs using the autocomplete value	2
E	SC 1.4.11 - 2.4.7 - Tech G195 Using an author-supplied, highly visible focus indicator	116
E	SC 1.3.1 - 1.4.5 - Tech G140 Separating information and structure from presentation to enable different presentations	1
E	SC 1.3.1 - Tech H42 Using h1-h6 to identify headings	1
E	SC 1.1.1 - 1.3.1 - 3.3.2 - 4.1.2 - Tech H44 Using label elements to associate text labels with form controls.	1
E	SC 1.3.1 - 4.1.2 - Tech ARIA16 Using aria-labelledby to provide a name for user interface controls	1
W	SC 1.4.1 - Tech F73 Failure of Success Criterion 1.4.1 due to creating links that are not visually evident without color vision	32
W	SC 1.3.1 - Tech H73 Using the summary attribute of the table element to give an overview of data tables	1
W	SC 2.4.2 - Tech G88 Providing descriptive titles for Web pages	1
W	SC 4.1.2 - Tech ARIA5 Using WAI-ARIA state and property attributes to expose the state of a user interface component	13
W	SC 1.3.1 - 3.3.2 - Tech G162 Positioning labels to maximize predictability of relationships	1
W	SC 1.3.1 - 2.4.1 - Tech ARIA11 Using ARIA landmarks to identify regions of a page	10
W	SC 1.3.1 - Tech F46 Failure of Success Criterion 1.3.1 due to using th elements, caption elements, or non-empty summary attributes in layout tables	1



PAGES EVALUATION

PAGE URL: <https://www.comune.tribano.pd.it>

ERRORS GROUPED BY PRINCIPLES



- PERCEIVABLE: 423
- UNDERSTANDABLE: 3
- OPERABLE: 101
- ROBUST: 3

E/W	Errors	No. of occurrences
PERCEIVABLE		
E	SC 1.4.13 - Tech 1.4.13-ST2 CSS: Using hover and focus pseudo classes	1
E	SC 1.3.4 - Tech F97 Failure due to locking the orientation to landscape or portrait view	1
E	SC 1.4.11 - Tech F78 Failure due to styling element outlines and borders in a way that removes or renders non-visible the visual focus indicator	1
E	SC 1.3.5 - Tech H98 Identify the purpose of inputs using the autocomplete value	1
E	SC 1.4.11 - Tech G195 Using an author-supplied, highly visible focus indicator	95
E	SC 1.1.1 - 1.3.1 - Tech H44 Using label elements to associate text labels with form controls.	1
E	SC 1.3.1 - Tech ARIA16 Using aria-labelledby to provide a name for user interface controls	1
E	SC 1.4.3 - 1.4.11 - Tech G18 Ensuring that a contrast ratio of at least 4.5:1 exists between text (and images of text) and background behind the text	92



PAGES EVALUATION


E/W	Errors	No. of occurrences
W	SC 1.4.12 - Tech C21 Specifying line spacing in CSS	158
W	SC 1.4.1 - Tech F73 Failure of Success Criterion 1.4.1 due to creating links that are not visually evident without color vision	32
W	SC 1.3.1 - Tech G162 Positioning labels to maximize predictability of relationships	1
W	SC 1.4.4 - 1.4.12 - Tech C28 Specifying the size of text containers using em units	35
W	SC 1.3.1 - Tech ARIA11 Using ARIA landmarks to identify regions of a page	4
UNDERSTANDABLE		
E	SC 3.2.2 - Tech H32 Providing submit buttons	1
E	SC 3.3.2 - Tech H44 Using label elements to associate text labels with form controls.	1
W	SC 3.3.2 - Tech G162 Positioning labels to maximize predictability of relationships	1
OPERABLE		
E	SC 2.4.7 - Tech F78 Failure due to styling element outlines and borders in a way that removes or renders non-visible the visual focus indicator	1
E	SC 2.4.7 - Tech G195 Using an author-supplied, highly visible focus indicator	95
W	SC 2.4.2 - Tech G88 Providing descriptive titles for Web pages	1
W	SC 2.4.1 - Tech ARIA11 Using ARIA landmarks to identify regions of a page	4
ROBUST		
E	SC 4.1.2 - Tech H44 Using label elements to associate text labels with form controls.	1
E	SC 4.1.2 - Tech ARIA16 Using aria-labelledby to provide a name for user interface controls	1
W	SC 4.1.2 - Tech ARIA5 Using WAI-ARIA state and property attributes to expose the state of a user interface component	1



PAGES EVALUATION

PAGE URL: <https://www.comune.tribano.pd.it>

ERRORS GROUPED BY CATEGORIES



E/W	Errors	No. of occurrences
ARIA		
E	SC 1.3.1 - 4.1.2 - Tech ARIA16 Using aria-labelledby to provide a name for user interface controls	1
W	SC 4.1.2 - Tech ARIA5 Using WAI-ARIA state and property attributes to expose the state of a user interface component	1
W	SC 1.3.1 - 2.4.1 - Tech ARIA11 Using ARIA landmarks to identify regions of a page	4
COLOR		



PAGES EVALUATION


E/W	Errors	No. of occurrences
E	SC 1.4.3 - 1.4.11 - Tech G18 Ensuring that a contrast ratio of at least 4.5:1 exists between text (and images of text) and background behind the text	92
CONTENT		
W	SC 1.4.12 - Tech C21 Specifying line spacing in CSS	158
FORM		
E	SC 1.4.13 - Tech 1.4.13-ST2 CSS: Using hover and focus pseudo classes	1
E	SC 3.2.2 - Tech H32 Providing submit buttons	1
E	SC 1.4.11 - 2.4.7 - Tech F78 Failure due to styling element outlines and borders in a way that removes or renders non-visible the visual focus indicator	1
E	SC 1.3.5 - Tech H98 Identify the purpose of inputs using the autocomplete value	1
E	SC 1.4.11 - 2.4.7 - Tech G195 Using an author-supplied, highly visible focus indicator	95
E	SC 1.1.1 - 1.3.1 - 3.3.2 - 4.1.2 - Tech H44 Using label elements to associate text labels with form controls.	1
HTML		
W	SC 2.4.2 - Tech G88 Providing descriptive titles for Web pages	1
W	SC 1.3.1 - 3.3.2 - Tech G162 Positioning labels to maximize predictability of relationships	1
LINK		
W	SC 1.4.1 - Tech F73 Failure of Success Criterion 1.4.1 due to creating links that are not visually evident without color vision	32
RESPONSIVE		
E	SC 1.3.4 - Tech F97 Failure due to locking the orientation to landscape or portrait view	1
W	SC 1.4.4 - 1.4.12 - Tech C28 Specifying the size of text containers using em units	35



PAGES EVALUATION

PAGE URL: <https://www.comune.tribano.pd.it>

ERRORS GROUPED BY HTML VS STYLE



E/W	Errors	No. of occurrences
STYLE		
E	SC 1.4.13 - Tech 1.4.13-ST2 CSS: Using hover and focus pseudo classes	1
E	SC 1.3.4 - Tech F97 Failure due to locking the orientation to landscape or portrait view	1
E	SC 1.4.11 - 2.4.7 - Tech F78 Failure due to styling element outlines and borders in a way that removes or renders non-visible the visual focus indicator	1
E	SC 1.4.3 - 1.4.11 - Tech G18 Ensuring that a contrast ratio of at least 4.5:1 exists between text (and images of text) and background behind the text	92
W	SC 1.4.12 - Tech C21 Specifying line spacing in CSS	158
W	SC 1.4.4 - 1.4.12 - Tech C28 Specifying the size of text containers using em units	35
HTML		
E	SC 3.2.2 - Tech H32 Providing submit buttons	1
E	SC 1.3.5 - Tech H98 Identify the purpose of inputs using the autocomplete value	1



PAGES EVALUATION


E/W	Errors	No. of occurrences
E	SC 1.4.11 - 2.4.7 - Tech G195 Using an author-supplied, highly visible focus indicator	95
E	SC 1.1.1 - 1.3.1 - 3.3.2 - 4.1.2 - Tech H44 Using label elements to associate text labels with form controls.	1
E	SC 1.3.1 - 4.1.2 - Tech ARIA16 Using aria-labelledby to provide a name for user interface controls	1
W	SC 1.4.1 - Tech F73 Failure of Success Criterion 1.4.1 due to creating links that are not visually evident without color vision	32
W	SC 2.4.2 - Tech G88 Providing descriptive titles for Web pages	1
W	SC 4.1.2 - Tech ARIA5 Using WAI-ARIA state and property attributes to expose the state of a user interface component	1
W	SC 1.3.1 - 3.3.2 - Tech G162 Positioning labels to maximize predictability of relationships	1
W	SC 1.3.1 - 2.4.1 - Tech ARIA11 Using ARIA landmarks to identify regions of a page	4



PAGES EVALUATION

PAGE URL: <https://www.comune.tribano.pd.it/2022/09/02/>

ERRORS GROUPED BY PRINCIPLES



- PERCEIVABLE: 611
- UNDERSTANDABLE: 3
- OPERABLE: 135
- ROBUST: 15

E/W	Errors	No. of occurrences
PERCEIVABLE		
E	SC 1.3.1 - Tech H63 Using the scope attribute to associate header cells and data cells in data tables	3
E	SC 1.4.13 - Tech 1.4.13-ST2 CSS: Using hover and focus pseudo classes	2
E	SC 1.3.4 - Tech F97 Failure due to locking the orientation to landscape or portrait view	1
E	SC 1.4.11 - Tech F78 Failure due to styling element outlines and borders in a way that removes or renders non-visible the visual focus indicator	7
E	SC 1.3.5 - Tech H98 Identify the purpose of inputs using the autocomplete value	2
E	SC 1.4.11 - Tech G195 Using an author-supplied, highly visible focus indicator	117
E	SC 1.3.1 - 1.4.5 - Tech G140 Separating information and structure from presentation to enable different presentations	1
E	SC 1.3.1 - Tech H42 Using h1-h6 to identify headings	1
E	SC 1.1.1 - 1.3.1 - Tech H44 Using label elements to associate text labels with form controls.	1



PAGES EVALUATION

E/W	Errors	No. of occurrences
E	SC 1.4.4 - 1.4.5 - Tech C12-13-14 Using percent, em units or named font sizes	62
E	SC 1.4.3 - 1.4.11 - Tech G18 Ensuring that a contrast ratio of at least 4.5:1 exists between text (and images of text) and background behind the text	86
E	SC 1.4.4 - 1.4.10 - Tech SCR34 Calculating size and position in a way that scales with text size	18
E	SC 1.3.1 - Tech ARIA16 Using aria-labelledby to provide a name for user interface controls	1
W	SC 1.4.12 - Tech C21 Specifying line spacing in CSS	237
W	SC 1.4.1 - Tech F73 Failure of Success Criterion 1.4.1 due to creating links that are not visually evident without color vision	30
W	SC 1.3.1 - Tech H73 Using the summary attribute of the table element to give an overview of data tables	1
W	SC 1.3.1 - Tech G162 Positioning labels to maximize predictability of relationships	1
W	SC 1.4.4 - 1.4.12 - Tech C28 Specifying the size of text containers using em units	29
W	SC 1.3.1 - Tech ARIA11 Using ARIA landmarks to identify regions of a page	10
W	SC 1.3.1 - Tech F46 Failure of Success Criterion 1.3.1 due to using th elements, caption elements, or non-empty summary attributes in layout tables	1
UNDERSTANDABLE		
E	SC 3.2.2 - Tech H32 Providing submit buttons	1
E	SC 3.3.2 - Tech H44 Using label elements to associate text labels with form controls.	1
W	SC 3.3.2 - Tech G162 Positioning labels to maximize predictability of relationships	1
OPERABLE		
E	SC 2.4.7 - Tech F78 Failure due to styling element outlines and borders in a way that removes or renders non-visible the visual focus indicator	7
E	SC 2.4.7 - Tech G195 Using an author-supplied, highly visible focus indicator	117



PAGES EVALUATION


E/W	Errors	No. of occurrences
W	SC 2.4.2 - Tech G88 Providing descriptive titles for Web pages	1
W	SC 2.4.1 - Tech ARIA11 Using ARIA landmarks to identify regions of a page	10
ROBUST		
E	SC 4.1.2 - Tech H44 Using label elements to associate text labels with form controls.	1
E	SC 4.1.2 - Tech ARIA16 Using aria-labelledby to provide a name for user interface controls	1
W	SC 4.1.2 - Tech ARIA5 Using WAI-ARIA state and property attributes to expose the state of a user interface component	13



PAGES EVALUATION

PAGE URL: <https://www.comune.tribano.pd.it/2022/09/02/>

ERRORS GROUPED BY CATEGORIES



E/W	Errors	No. of occurrences
ARIA		
E	SC 1.3.1 - 4.1.2 - Tech ARIA16 Using aria-labelledby to provide a name for user interface controls	1
W	SC 4.1.2 - Tech ARIA5 Using WAI-ARIA state and property attributes to expose the state of a user interface component	13
W	SC 1.3.1 - 2.4.1 - Tech ARIA11 Using ARIA landmarks to identify regions of a page	10
COLOR		



PAGES EVALUATION

E/W	Errors	No. of occurrences
E	SC 1.4.3 - 1.4.11 - Tech G18 Ensuring that a contrast ratio of at least 4.5:1 exists between text (and images of text) and background behind the text	86
CONTENT		
E	SC 1.4.4 - 1.4.5 - Tech C12-13-14 Using percent, em units or named font sizes	62
W	SC 1.4.12 - Tech C21 Specifying line spacing in CSS	237
FORM		
E	SC 1.4.13 - Tech 1.4.13-ST2 CSS: Using hover and focus pseudo classes	2
E	SC 3.2.2 - Tech H32 Providing submit buttons	1
E	SC 1.4.11 - 2.4.7 - Tech F78 Failure due to styling element outlines and borders in a way that removes or renders non-visible the visual focus indicator	7
E	SC 1.3.5 - Tech H98 Identify the purpose of inputs using the autocomplete value	2
E	SC 1.4.11 - 2.4.7 - Tech G195 Using an author-supplied, highly visible focus indicator	117
E	SC 1.1.1 - 1.3.1 - 3.3.2 - 4.1.2 - Tech H44 Using label elements to associate text labels with form controls.	1
HTML		
E	SC 1.3.1 - 1.4.5 - Tech G140 Separating information and structure from presentation to enable different presentations	1
E	SC 1.3.1 - Tech H42 Using h1-h6 to identify headings	1
W	SC 2.4.2 - Tech G88 Providing descriptive titles for Web pages	1
W	SC 1.3.1 - 3.3.2 - Tech G162 Positioning labels to maximize predictability of relationships	1
LINK		
W	SC 1.4.1 - Tech F73 Failure of Success Criterion 1.4.1 due to creating links that are not visually evident without color vision	30
RESPONSIVE		
E	SC 1.4.4 - 1.4.10 - Tech SCR34 Calculating size and position in a way that scales with text size	18



PAGES EVALUATION

E/W	Errors	No. of occurrences
E	SC 1.3.4 - Tech F97 Failure due to locking the orientation to landscape or portrait view	1
W	SC 1.4.4 - 1.4.12 - Tech C28 Specifying the size of text containers using em units	29

TABLE


E	SC 1.3.1 - Tech H63 Using the scope attribute to associate header cells and data cells in data tables	3
W	SC 1.3.1 - Tech H73 Using the summary attribute of the table element to give an overview of data tables	1
W	SC 1.3.1 - Tech F46 Failure of Success Criterion 1.3.1 due to using th elements, caption elements, or non-empty summary attributes in layout tables	1



PAGES EVALUATION

PAGE URL: <https://www.comune.tribano.pd.it/2022/09/02/>

ERRORS GROUPED BY HTML VS STYLE



E/W	Errors	No. of occurrences
STYLE		
E	SC 1.4.4 - 1.4.10 - Tech SCR34 Calculating size and position in a way that scales with text size	18
E	SC 1.4.13 - Tech 1.4.13-ST2 CSS: Using hover and focus pseudo classes	2
E	SC 1.3.4 - Tech F97 Failure due to locking the orientation to landscape or portrait view	1
E	SC 1.4.11 - 2.4.7 - Tech F78 Failure due to styling element outlines and borders in a way that removes or renders non-visible the visual focus indicator	7
E	SC 1.4.4 - 1.4.5 - Tech C12-13-14 Using percent, em units or named font sizes	62
E	SC 1.4.3 - 1.4.11 - Tech G18 Ensuring that a contrast ratio of at least 4.5:1 exists between text (and images of text) and background behind the text	86
W	SC 1.4.12 - Tech C21 Specifying line spacing in CSS	237
W	SC 1.4.4 - 1.4.12 - Tech C28 Specifying the size of text containers using em units	29
HTML		



PAGES EVALUATION


E/W	Errors	No. of occurrences
E	SC 1.3.1 - Tech H63 Using the scope attribute to associate header cells and data cells in data tables	3
E	SC 3.2.2 - Tech H32 Providing submit buttons	1
E	SC 1.3.5 - Tech H98 Identify the purpose of inputs using the autocomplete value	2
E	SC 1.4.11 - 2.4.7 - Tech G195 Using an author-supplied, highly visible focus indicator	117
E	SC 1.3.1 - 1.4.5 - Tech G140 Separating information and structure from presentation to enable different presentations	1
E	SC 1.3.1 - Tech H42 Using h1-h6 to identify headings	1
E	SC 1.1.1 - 1.3.1 - 3.3.2 - 4.1.2 - Tech H44 Using label elements to associate text labels with form controls.	1
E	SC 1.3.1 - 4.1.2 - Tech ARIA16 Using aria-labelledby to provide a name for user interface controls	1
W	SC 1.4.1 - Tech F73 Failure of Success Criterion 1.4.1 due to creating links that are not visually evident without color vision	30
W	SC 1.3.1 - Tech H73 Using the summary attribute of the table element to give an overview of data tables	1
W	SC 2.4.2 - Tech G88 Providing descriptive titles for Web pages	1
W	SC 4.1.2 - Tech ARIA5 Using WAI-ARIA state and property attributes to expose the state of a user interface component	13
W	SC 1.3.1 - 3.3.2 - Tech G162 Positioning labels to maximize predictability of relationships	1
W	SC 1.3.1 - 2.4.1 - Tech ARIA11 Using ARIA landmarks to identify regions of a page	10
W	SC 1.3.1 - Tech F46 Failure of Success Criterion 1.3.1 due to using th elements, caption elements, or non-empty summary attributes in layout tables	1



PAGES EVALUATION

PAGE URL: <https://www.comune.tribano.pd.it/category/notizie/>

ERRORS GROUPED BY PRINCIPLES



- PERCEIVABLE: 331
- UNDERSTANDABLE: 3
- OPERABLE: 77
- ROBUST: 3

E/W	Errors	No. of occurrences
PERCEIVABLE		
E	SC 1.4.13 - Tech 1.4.13-ST2 CSS: Using hover and focus pseudo classes	1
E	SC 1.3.4 - Tech F97 Failure due to locking the orientation to landscape or portrait view	1
E	SC 1.4.11 - Tech F78 Failure due to styling element outlines and borders in a way that removes or renders non-visible the visual focus indicator	1
E	SC 1.3.5 - Tech H98 Identify the purpose of inputs using the autocomplete value	1
E	SC 1.4.11 - Tech G195 Using an author-supplied, highly visible focus indicator	70
E	SC 1.1.1 - 1.3.1 - Tech H44 Using label elements to associate text labels with form controls.	1
E	SC 1.3.1 - Tech ARIA16 Using aria-labelledby to provide a name for user interface controls	1
E	SC 1.4.3 - 1.4.11 - Tech G18 Ensuring that a contrast ratio of at least 4.5:1 exists between text (and images of text) and background behind the text	93



PAGES EVALUATION


E/W	Errors	No. of occurrences
W	SC 1.4.12 - Tech C21 Specifying line spacing in CSS	121
W	SC 1.4.1 - Tech F73 Failure of Success Criterion 1.4.1 due to creating links that are not visually evident without color vision	15
W	SC 1.3.1 - Tech G162 Positioning labels to maximize predictability of relationships	1
W	SC 1.4.4 - 1.4.12 - Tech C28 Specifying the size of text containers using em units	20
W	SC 1.3.1 - Tech ARIA11 Using ARIA landmarks to identify regions of a page	5
UNDERSTANDABLE		
E	SC 3.2.2 - Tech H32 Providing submit buttons	1
E	SC 3.3.2 - Tech H44 Using label elements to associate text labels with form controls.	1
W	SC 3.3.2 - Tech G162 Positioning labels to maximize predictability of relationships	1
OPERABLE		
E	SC 2.4.7 - Tech F78 Failure due to styling element outlines and borders in a way that removes or renders non-visible the visual focus indicator	1
E	SC 2.4.7 - Tech G195 Using an author-supplied, highly visible focus indicator	70
W	SC 2.4.2 - Tech G88 Providing descriptive titles for Web pages	1
W	SC 2.4.1 - Tech ARIA11 Using ARIA landmarks to identify regions of a page	5
ROBUST		
E	SC 4.1.2 - Tech H44 Using label elements to associate text labels with form controls.	1
E	SC 4.1.2 - Tech ARIA16 Using aria-labelledby to provide a name for user interface controls	1
W	SC 4.1.2 - Tech ARIA5 Using WAI-ARIA state and property attributes to expose the state of a user interface component	1



PAGES EVALUATION

PAGE URL: <https://www.comune.tribano.pd.it/category/notizie/>

ERRORS GROUPED BY CATEGORIES



E/W	Errors	No. of occurrences
ARIA		
E	SC 1.3.1 - 4.1.2 - Tech ARIA16 Using aria-labelledby to provide a name for user interface controls	1
W	SC 4.1.2 - Tech ARIA5 Using WAI-ARIA state and property attributes to expose the state of a user interface component	1
W	SC 1.3.1 - 2.4.1 - Tech ARIA11 Using ARIA landmarks to identify regions of a page	5
COLOR		



PAGES EVALUATION


E/W	Errors	No. of occurrences
E	SC 1.4.3 - 1.4.11 - Tech G18 Ensuring that a contrast ratio of at least 4.5:1 exists between text (and images of text) and background behind the text	93
CONTENT		
W	SC 1.4.12 - Tech C21 Specifying line spacing in CSS	121
FORM		
E	SC 1.4.13 - Tech 1.4.13-ST2 CSS: Using hover and focus pseudo classes	1
E	SC 3.2.2 - Tech H32 Providing submit buttons	1
E	SC 1.4.11 - 2.4.7 - Tech F78 Failure due to styling element outlines and borders in a way that removes or renders non-visible the visual focus indicator	1
E	SC 1.3.5 - Tech H98 Identify the purpose of inputs using the autocomplete value	1
E	SC 1.4.11 - 2.4.7 - Tech G195 Using an author-supplied, highly visible focus indicator	70
E	SC 1.1.1 - 1.3.1 - 3.3.2 - 4.1.2 - Tech H44 Using label elements to associate text labels with form controls.	1
HTML		
W	SC 2.4.2 - Tech G88 Providing descriptive titles for Web pages	1
W	SC 1.3.1 - 3.3.2 - Tech G162 Positioning labels to maximize predictability of relationships	1
LINK		
W	SC 1.4.1 - Tech F73 Failure of Success Criterion 1.4.1 due to creating links that are not visually evident without color vision	15
RESPONSIVE		
E	SC 1.3.4 - Tech F97 Failure due to locking the orientation to landscape or portrait view	1
W	SC 1.4.4 - 1.4.12 - Tech C28 Specifying the size of text containers using em units	20



PAGES EVALUATION

PAGE URL: <https://www.comune.tribano.pd.it/category/notizie/>

ERRORS GROUPED BY HTML VS STYLE



E/W	Errors	No. of occurrences
STYLE		
E	SC 1.4.13 - Tech 1.4.13-ST2 CSS: Using hover and focus pseudo classes	1
E	SC 1.3.4 - Tech F97 Failure due to locking the orientation to landscape or portrait view	1
E	SC 1.4.11 - 2.4.7 - Tech F78 Failure due to styling element outlines and borders in a way that removes or renders non-visible the visual focus indicator	1
E	SC 1.4.3 - 1.4.11 - Tech G18 Ensuring that a contrast ratio of at least 4.5:1 exists between text (and images of text) and background behind the text	93
W	SC 1.4.12 - Tech C21 Specifying line spacing in CSS	121
W	SC 1.4.4 - 1.4.12 - Tech C28 Specifying the size of text containers using em units	20
HTML		
E	SC 3.2.2 - Tech H32 Providing submit buttons	1
E	SC 1.3.5 - Tech H98 Identify the purpose of inputs using the autocomplete value	1



PAGES EVALUATION


E/W	Errors	No. of occurrences
E	SC 1.4.11 - 2.4.7 - Tech G195 Using an author-supplied, highly visible focus indicator	70
E	SC 1.1.1 - 1.3.1 - 3.3.2 - 4.1.2 - Tech H44 Using label elements to associate text labels with form controls.	1
E	SC 1.3.1 - 4.1.2 - Tech ARIA16 Using aria-labelledby to provide a name for user interface controls	1
W	SC 1.4.1 - Tech F73 Failure of Success Criterion 1.4.1 due to creating links that are not visually evident without color vision	15
W	SC 2.4.2 - Tech G88 Providing descriptive titles for Web pages	1
W	SC 4.1.2 - Tech ARIA5 Using WAI-ARIA state and property attributes to expose the state of a user interface component	1
W	SC 1.3.1 - 3.3.2 - Tech G162 Positioning labels to maximize predictability of relationships	1
W	SC 1.3.1 - 2.4.1 - Tech ARIA11 Using ARIA landmarks to identify regions of a page	5



PAGES EVALUATION

PAGE URL: <https://www.comune.tribano.pd.it/articoli/>

ERRORS GROUPED BY PRINCIPLES



- PERCEIVABLE: 407
- UNDERSTANDABLE: 3
- OPERABLE: 92
- ROBUST: 3

E/W	Errors	No. of occurrences
PERCEIVABLE		
E	SC 1.4.13 - Tech 1.4.13-ST2 CSS: Using hover and focus pseudo classes	1
E	SC 1.3.4 - Tech F97 Failure due to locking the orientation to landscape or portrait view	1
E	SC 1.4.11 - Tech F78 Failure due to styling element outlines and borders in a way that removes or renders non-visible the visual focus indicator	1
E	SC 1.3.5 - Tech H98 Identify the purpose of inputs using the autocomplete value	1
E	SC 1.4.11 - Tech G195 Using an author-supplied, highly visible focus indicator	86
E	SC 1.1.1 - 1.3.1 - Tech H44 Using label elements to associate text labels with form controls.	1
E	SC 1.3.1 - Tech ARIA16 Using aria-labelledby to provide a name for user interface controls	1
E	SC 1.4.3 - 1.4.11 - Tech G18 Ensuring that a contrast ratio of at least 4.5:1 exists between text (and images of text) and background behind the text	114



PAGES EVALUATION


E/W	Errors	No. of occurrences
W	SC 1.4.12 - Tech C21 Specifying line spacing in CSS	138
W	SC 1.4.1 - Tech F73 Failure of Success Criterion 1.4.1 due to creating links that are not visually evident without color vision	26
W	SC 1.3.1 - Tech G162 Positioning labels to maximize predictability of relationships	1
W	SC 1.4.4 - 1.4.12 - Tech C28 Specifying the size of text containers using em units	32
W	SC 1.3.1 - Tech ARIA11 Using ARIA landmarks to identify regions of a page	4
UNDERSTANDABLE		
E	SC 3.2.2 - Tech H32 Providing submit buttons	1
E	SC 3.3.2 - Tech H44 Using label elements to associate text labels with form controls.	1
W	SC 3.3.2 - Tech G162 Positioning labels to maximize predictability of relationships	1
OPERABLE		
E	SC 2.4.7 - Tech F78 Failure due to styling element outlines and borders in a way that removes or renders non-visible the visual focus indicator	1
E	SC 2.4.7 - Tech G195 Using an author-supplied, highly visible focus indicator	86
W	SC 2.4.2 - Tech G88 Providing descriptive titles for Web pages	1
W	SC 2.4.1 - Tech ARIA11 Using ARIA landmarks to identify regions of a page	4
ROBUST		
E	SC 4.1.2 - Tech H44 Using label elements to associate text labels with form controls.	1
E	SC 4.1.2 - Tech ARIA16 Using aria-labelledby to provide a name for user interface controls	1
W	SC 4.1.2 - Tech ARIA5 Using WAI-ARIA state and property attributes to expose the state of a user interface component	1



PAGES EVALUATION

PAGE URL: <https://www.comune.tribano.pd.it/articoli/>

ERRORS GROUPED BY CATEGORIES



E/W	Errors	No. of occurrences
ARIA		
E	SC 1.3.1 - 4.1.2 - Tech ARIA16 Using aria-labelledby to provide a name for user interface controls	1
W	SC 4.1.2 - Tech ARIA5 Using WAI-ARIA state and property attributes to expose the state of a user interface component	1
W	SC 1.3.1 - 2.4.1 - Tech ARIA11 Using ARIA landmarks to identify regions of a page	4
COLOR		



PAGES EVALUATION


E/W	Errors	No. of occurrences
E	SC 1.4.3 - 1.4.11 - Tech G18 Ensuring that a contrast ratio of at least 4.5:1 exists between text (and images of text) and background behind the text	114
CONTENT		
W	SC 1.4.12 - Tech C21 Specifying line spacing in CSS	138
FORM		
E	SC 1.4.13 - Tech 1.4.13-ST2 CSS: Using hover and focus pseudo classes	1
E	SC 3.2.2 - Tech H32 Providing submit buttons	1
E	SC 1.4.11 - 2.4.7 - Tech F78 Failure due to styling element outlines and borders in a way that removes or renders non-visible the visual focus indicator	1
E	SC 1.3.5 - Tech H98 Identify the purpose of inputs using the autocomplete value	1
E	SC 1.4.11 - 2.4.7 - Tech G195 Using an author-supplied, highly visible focus indicator	86
E	SC 1.1.1 - 1.3.1 - 3.3.2 - 4.1.2 - Tech H44 Using label elements to associate text labels with form controls.	1
HTML		
W	SC 2.4.2 - Tech G88 Providing descriptive titles for Web pages	1
W	SC 1.3.1 - 3.3.2 - Tech G162 Positioning labels to maximize predictability of relationships	1
LINK		
W	SC 1.4.1 - Tech F73 Failure of Success Criterion 1.4.1 due to creating links that are not visually evident without color vision	26
RESPONSIVE		
E	SC 1.3.4 - Tech F97 Failure due to locking the orientation to landscape or portrait view	1
W	SC 1.4.4 - 1.4.12 - Tech C28 Specifying the size of text containers using em units	32



PAGES EVALUATION

PAGE URL: <https://www.comune.tribano.pd.it/articoli/>

ERRORS GROUPED BY HTML VS STYLE



E/W	Errors	No. of occurrences
STYLE		
E	SC 1.4.13 - Tech 1.4.13-ST2 CSS: Using hover and focus pseudo classes	1
E	SC 1.3.4 - Tech F97 Failure due to locking the orientation to landscape or portrait view	1
E	SC 1.4.11 - 2.4.7 - Tech F78 Failure due to styling element outlines and borders in a way that removes or renders non-visible the visual focus indicator	1
E	SC 1.4.3 - 1.4.11 - Tech G18 Ensuring that a contrast ratio of at least 4.5:1 exists between text (and images of text) and background behind the text	114
W	SC 1.4.12 - Tech C21 Specifying line spacing in CSS	138
W	SC 1.4.4 - 1.4.12 - Tech C28 Specifying the size of text containers using em units	32
HTML		
E	SC 3.2.2 - Tech H32 Providing submit buttons	1
E	SC 1.3.5 - Tech H98 Identify the purpose of inputs using the autocomplete value	1



PAGES EVALUATION


E/W	Errors	No. of occurrences
E	SC 1.4.11 - 2.4.7 - Tech G195 Using an author-supplied, highly visible focus indicator	86
E	SC 1.1.1 - 1.3.1 - 3.3.2 - 4.1.2 - Tech H44 Using label elements to associate text labels with form controls.	1
E	SC 1.3.1 - 4.1.2 - Tech ARIA16 Using aria-labelledby to provide a name for user interface controls	1
W	SC 1.4.1 - Tech F73 Failure of Success Criterion 1.4.1 due to creating links that are not visually evident without color vision	26
W	SC 2.4.2 - Tech G88 Providing descriptive titles for Web pages	1
W	SC 4.1.2 - Tech ARIA5 Using WAI-ARIA state and property attributes to expose the state of a user interface component	1
W	SC 1.3.1 - 3.3.2 - Tech G162 Positioning labels to maximize predictability of relationships	1
W	SC 1.3.1 - 2.4.1 - Tech ARIA11 Using ARIA landmarks to identify regions of a page	4



PAGES EVALUATION

PAGE URL: <https://www.comune.tribano.pd.it/amministrazione/>

ERRORS GROUPED BY PRINCIPLES



- PERCEIVABLE: 45
- UNDERSTANDABLE: 1
- OPERABLE: 8
- ROBUST: 5

E/W	Errors	No. of occurrences
PERCEIVABLE		
E	SC 1.4.4 - 1.4.10 - Tech SCR34 Calculating size and position in a way that scales with text size	9
E	SC 1.4.11 - Tech F78 Failure due to styling element outlines and borders in a way that removes or renders non-visible the visual focus indicator	5
E	SC 1.3.5 - Tech H98 Identify the purpose of inputs using the autocomplete value	3
E	SC 1.4.11 - Tech G195 Using an author-supplied, highly visible focus indicator	1
E	SC 1.4.10 - Tech C38 Using CSS width, max-width and flexbox to fit labels and inputs	1
E	SC 1.1.1 - 1.3.1 - Tech H44 Using label elements to associate text labels with form controls.	1
E	SC 1.4.4 - 1.4.5 - Tech C12-13-14 Using percent, em units or named font sizes	14
W	SC 1.4.12 - Tech C21 Specifying line spacing in CSS	5
W	SC 1.4.1 - Tech F73 Failure of Success Criterion 1.4.1 due to creating links that are not visually evident without color vision	1



PAGES EVALUATION


E/W	Errors	No. of occurrences
W	SC 1.4.4 - 1.4.12 - Tech C28 Specifying the size of text containers using em units	4
W	SC 1.3.1 - Tech ARIA11 Using ARIA landmarks to identify regions of a page	1
UNDERSTANDABLE		
E	SC 3.3.2 - Tech H44 Using label elements to associate text labels with form controls.	1
OPERABLE		
E	SC 2.4.7 - Tech F78 Failure due to styling element outlines and borders in a way that removes or renders non-visible the visual focus indicator	5
E	SC 2.4.7 - Tech G195 Using an author-supplied, highly visible focus indicator	1
W	SC 2.4.2 - Tech G88 Providing descriptive titles for Web pages	1
W	SC 2.4.1 - Tech ARIA11 Using ARIA landmarks to identify regions of a page	1
ROBUST		
E	SC 4.1.2 - Tech H44 Using label elements to associate text labels with form controls.	1
W	SC 4.1.3 - Tech ARIA19 Use role=alert or aria-live=assertive attribute in order to inject the error message inside these containers and notify the Assistive Technologies	3
W	SC 4.1.3 - Tech G199 Use role=status attribute in order to notify the Assistive Technologies that the submission was successful	1



PAGES EVALUATION

PAGE URL: <https://www.comune.tribano.pd.it/amministrazione/>

ERRORS GROUPED BY CATEGORIES



E/W	Errors	No. of occurrences
ARIA		
W	SC 4.1.3 - Tech ARIA19 Use role=alert or aria-live=assertive attribute in order to inject the error message inside these containers and notify the Assistive Technologies	3
W	SC 1.3.1 - 2.4.1 - Tech ARIA11 Using ARIA landmarks to identify regions of a page	1
W	SC 4.1.3 - Tech G199 Use role=status attribute in order to notify the Assistive Technologies that the submission was successful	1
CONTENT		



PAGES EVALUATION


E/W	Errors	No. of occurrences
E	SC 1.4.4 - 1.4.5 - Tech C12-13-14 Using percent, em units or named font sizes	14
W	SC 1.4.12 - Tech C21 Specifying line spacing in CSS	5
FORM		
E	SC 1.4.11 - 2.4.7 - Tech F78 Failure due to styling element outlines and borders in a way that removes or renders non-visible the visual focus indicator	5
E	SC 1.3.5 - Tech H98 Identify the purpose of inputs using the autocomplete value	3
E	SC 1.4.11 - 2.4.7 - Tech G195 Using an author-supplied, highly visible focus indicator	1
E	SC 1.1.1 - 1.3.1 - 3.3.2 - 4.1.2 - Tech H44 Using label elements to associate text labels with form controls.	1
HTML		
W	SC 2.4.2 - Tech G88 Providing descriptive titles for Web pages	1
LINK		
W	SC 1.4.1 - Tech F73 Failure of Success Criterion 1.4.1 due to creating links that are not visually evident without color vision	1
RESPONSIVE		
E	SC 1.4.4 - 1.4.10 - Tech SCR34 Calculating size and position in a way that scales with text size	9
E	SC 1.4.10 - Tech C38 Using CSS width, max-width and flexbox to fit labels and inputs	1
W	SC 1.4.4 - 1.4.12 - Tech C28 Specifying the size of text containers using em units	4



PAGES EVALUATION

PAGE URL: <https://www.comune.tribano.pd.it/amministrazione/>

ERRORS GROUPED BY HTML VS STYLE



E/W	Errors	No. of occurrences
STYLE		
E	SC 1.4.4 - 1.4.10 - Tech SCR34 Calculating size and position in a way that scales with text size	9
E	SC 1.4.11 - 2.4.7 - Tech F78 Failure due to styling element outlines and borders in a way that removes or renders non-visible the visual focus indicator	5
E	SC 1.4.10 - Tech C38 Using CSS width, max-width and flexbox to fit labels and inputs	1
E	SC 1.4.4 - 1.4.5 - Tech C12-13-14 Using percent, em units or named font sizes	14
W	SC 1.4.12 - Tech C21 Specifying line spacing in CSS	5
W	SC 1.4.4 - 1.4.12 - Tech C28 Specifying the size of text containers using em units	4
HTML		
E	SC 1.3.5 - Tech H98 Identify the purpose of inputs using the autocomplete value	3
E	SC 1.4.11 - 2.4.7 - Tech G195 Using an author-supplied, highly visible focus indicator	1



PAGES EVALUATION


E/W	Errors	No. of occurrences
E	SC 1.1.1 - 1.3.1 - 3.3.2 - 4.1.2 - Tech H44 Using label elements to associate text labels with form controls.	1
W	SC 4.1.3 - Tech ARIA19 Use role=alert or aria-live=assertive attribute in order to inject the error message inside these containers and notify the Assistive Technologies	3
W	SC 1.4.1 - Tech F73 Failure of Success Criterion 1.4.1 due to creating links that are not visually evident without color vision	1
W	SC 2.4.2 - Tech G88 Providing descriptive titles for Web pages	1
W	SC 1.3.1 - 2.4.1 - Tech ARIA11 Using ARIA landmarks to identify regions of a page	1
W	SC 4.1.3 - Tech G199 Use role=status attribute in order to notify the Assistive Technologies that the submission was successful	1



PAGES EVALUATION

PAGE URL: <https://www.comune.tribano.pd.it/amministrazione/ordinanze/>

ERRORS GROUPED BY PRINCIPLES



- PERCEIVABLE: 578
- UNDERSTANDABLE: 3
- OPERABLE: 128
- ROBUST: 15

E/W	Errors	No. of occurrences
PERCEIVABLE		
E	SC 1.3.1 - Tech H63 Using the scope attribute to associate header cells and data cells in data tables	3
E	SC 1.4.13 - Tech 1.4.13-ST2 CSS: Using hover and focus pseudo classes	2
E	SC 1.3.4 - Tech F97 Failure due to locking the orientation to landscape or portrait view	1
E	SC 1.4.11 - Tech F78 Failure due to styling element outlines and borders in a way that removes or renders non-visible the visual focus indicator	7
E	SC 1.3.5 - Tech H98 Identify the purpose of inputs using the autocomplete value	2
E	SC 1.4.11 - Tech G195 Using an author-supplied, highly visible focus indicator	110
E	SC 1.3.1 - 1.4.5 - Tech G140 Separating information and structure from presentation to enable different presentations	1
E	SC 1.3.1 - Tech H42 Using h1-h6 to identify headings	1
E	SC 1.1.1 - 1.3.1 - Tech H44 Using label elements to associate text labels with form controls.	1



PAGES EVALUATION

E/W	Errors	No. of occurrences
E	SC 1.4.4 - 1.4.5 - Tech C12-13-14 Using percent, em units or named font sizes	62
E	SC 1.4.3 - 1.4.11 - Tech G18 Ensuring that a contrast ratio of at least 4.5:1 exists between text (and images of text) and background behind the text	78
E	SC 1.4.4 - 1.4.10 - Tech SCR34 Calculating size and position in a way that scales with text size	18
E	SC 1.3.1 - Tech ARIA16 Using aria-labelledby to provide a name for user interface controls	1
W	SC 1.4.12 - Tech C21 Specifying line spacing in CSS	225
W	SC 1.4.1 - Tech F73 Failure of Success Criterion 1.4.1 due to creating links that are not visually evident without color vision	26
W	SC 1.3.1 - Tech H73 Using the summary attribute of the table element to give an overview of data tables	1
W	SC 1.3.1 - Tech G162 Positioning labels to maximize predictability of relationships	1
W	SC 1.4.4 - 1.4.12 - Tech C28 Specifying the size of text containers using em units	27
W	SC 1.3.1 - Tech ARIA11 Using ARIA landmarks to identify regions of a page	10
W	SC 1.3.1 - Tech F46 Failure of Success Criterion 1.3.1 due to using th elements, caption elements, or non-empty summary attributes in layout tables	1
UNDERSTANDABLE		
E	SC 3.2.2 - Tech H32 Providing submit buttons	1
E	SC 3.3.2 - Tech H44 Using label elements to associate text labels with form controls.	1
W	SC 3.3.2 - Tech G162 Positioning labels to maximize predictability of relationships	1
OPERABLE		
E	SC 2.4.7 - Tech F78 Failure due to styling element outlines and borders in a way that removes or renders non-visible the visual focus indicator	7
E	SC 2.4.7 - Tech G195 Using an author-supplied, highly visible focus indicator	110



PAGES EVALUATION


E/W	Errors	No. of occurrences
W	SC 2.4.2 - Tech G88 Providing descriptive titles for Web pages	1
W	SC 2.4.1 - Tech ARIA11 Using ARIA landmarks to identify regions of a page	10
ROBUST		
E	SC 4.1.2 - Tech H44 Using label elements to associate text labels with form controls.	1
E	SC 4.1.2 - Tech ARIA16 Using aria-labelledby to provide a name for user interface controls	1
W	SC 4.1.2 - Tech ARIA5 Using WAI-ARIA state and property attributes to expose the state of a user interface component	13



PAGES EVALUATION

PAGE URL: <https://www.comune.tribano.pd.it/amministrazione/ordinanze/>

ERRORS GROUPED BY CATEGORIES



E/W	Errors	No. of occurrences
ARIA		
E	SC 1.3.1 - 4.1.2 - Tech ARIA16 Using aria-labelledby to provide a name for user interface controls	1
W	SC 4.1.2 - Tech ARIA5 Using WAI-ARIA state and property attributes to expose the state of a user interface component	13
W	SC 1.3.1 - 2.4.1 - Tech ARIA11 Using ARIA landmarks to identify regions of a page	10
COLOR		



PAGES EVALUATION

E/W	Errors	No. of occurrences
E	SC 1.4.3 - 1.4.11 - Tech G18 Ensuring that a contrast ratio of at least 4.5:1 exists between text (and images of text) and background behind the text	78
CONTENT		
E	SC 1.4.4 - 1.4.5 - Tech C12-13-14 Using percent, em units or named font sizes	62
W	SC 1.4.12 - Tech C21 Specifying line spacing in CSS	225
FORM		
E	SC 1.4.13 - Tech 1.4.13-ST2 CSS: Using hover and focus pseudo classes	2
E	SC 3.2.2 - Tech H32 Providing submit buttons	1
E	SC 1.4.11 - 2.4.7 - Tech F78 Failure due to styling element outlines and borders in a way that removes or renders non-visible the visual focus indicator	7
E	SC 1.3.5 - Tech H98 Identify the purpose of inputs using the autocomplete value	2
E	SC 1.4.11 - 2.4.7 - Tech G195 Using an author-supplied, highly visible focus indicator	110
E	SC 1.1.1 - 1.3.1 - 3.3.2 - 4.1.2 - Tech H44 Using label elements to associate text labels with form controls.	1
HTML		
E	SC 1.3.1 - 1.4.5 - Tech G140 Separating information and structure from presentation to enable different presentations	1
E	SC 1.3.1 - Tech H42 Using h1-h6 to identify headings	1
W	SC 2.4.2 - Tech G88 Providing descriptive titles for Web pages	1
W	SC 1.3.1 - 3.3.2 - Tech G162 Positioning labels to maximize predictability of relationships	1
LINK		
W	SC 1.4.1 - Tech F73 Failure of Success Criterion 1.4.1 due to creating links that are not visually evident without color vision	26
RESPONSIVE		
E	SC 1.4.4 - 1.4.10 - Tech SCR34 Calculating size and position in a way that scales with text size	18



PAGES EVALUATION

E/W	Errors	No. of occurrences
E	SC 1.3.4 - Tech F97 Failure due to locking the orientation to landscape or portrait view	1
W	SC 1.4.4 - 1.4.12 - Tech C28 Specifying the size of text containers using em units	27

TABLE


E	SC 1.3.1 - Tech H63 Using the scope attribute to associate header cells and data cells in data tables	3
W	SC 1.3.1 - Tech H73 Using the summary attribute of the table element to give an overview of data tables	1
W	SC 1.3.1 - Tech F46 Failure of Success Criterion 1.3.1 due to using th elements, caption elements, or non-empty summary attributes in layout tables	1



PAGES EVALUATION

PAGE URL: <https://www.comune.tribano.pd.it/amministrazione/ordinanze/>

ERRORS GROUPED BY HTML VS STYLE



E/W	Errors	No. of occurrences
STYLE		
E	SC 1.4.4 - 1.4.10 - Tech SCR34 Calculating size and position in a way that scales with text size	18
E	SC 1.4.13 - Tech 1.4.13-ST2 CSS: Using hover and focus pseudo classes	2
E	SC 1.3.4 - Tech F97 Failure due to locking the orientation to landscape or portrait view	1
E	SC 1.4.11 - 2.4.7 - Tech F78 Failure due to styling element outlines and borders in a way that removes or renders non-visible the visual focus indicator	7
E	SC 1.4.4 - 1.4.5 - Tech C12-13-14 Using percent, em units or named font sizes	62
E	SC 1.4.3 - 1.4.11 - Tech G18 Ensuring that a contrast ratio of at least 4.5:1 exists between text (and images of text) and background behind the text	78
W	SC 1.4.12 - Tech C21 Specifying line spacing in CSS	225
W	SC 1.4.4 - 1.4.12 - Tech C28 Specifying the size of text containers using em units	27
HTML		



PAGES EVALUATION


E/W	Errors	No. of occurrences
E	SC 1.3.1 - Tech H63 Using the scope attribute to associate header cells and data cells in data tables	3
E	SC 3.2.2 - Tech H32 Providing submit buttons	1
E	SC 1.3.5 - Tech H98 Identify the purpose of inputs using the autocomplete value	2
E	SC 1.4.11 - 2.4.7 - Tech G195 Using an author-supplied, highly visible focus indicator	110
E	SC 1.3.1 - 1.4.5 - Tech G140 Separating information and structure from presentation to enable different presentations	1
E	SC 1.3.1 - Tech H42 Using h1-h6 to identify headings	1
E	SC 1.1.1 - 1.3.1 - 3.3.2 - 4.1.2 - Tech H44 Using label elements to associate text labels with form controls.	1
E	SC 1.3.1 - 4.1.2 - Tech ARIA16 Using aria-labelledby to provide a name for user interface controls	1
W	SC 1.4.1 - Tech F73 Failure of Success Criterion 1.4.1 due to creating links that are not visually evident without color vision	26
W	SC 1.3.1 - Tech H73 Using the summary attribute of the table element to give an overview of data tables	1
W	SC 2.4.2 - Tech G88 Providing descriptive titles for Web pages	1
W	SC 4.1.2 - Tech ARIA5 Using WAI-ARIA state and property attributes to expose the state of a user interface component	13
W	SC 1.3.1 - 3.3.2 - Tech G162 Positioning labels to maximize predictability of relationships	1
W	SC 1.3.1 - 2.4.1 - Tech ARIA11 Using ARIA landmarks to identify regions of a page	10
W	SC 1.3.1 - Tech F46 Failure of Success Criterion 1.3.1 due to using th elements, caption elements, or non-empty summary attributes in layout tables	1



PAGES EVALUATION

PAGE URL: <https://www.comune.tribano.pd.it/accessibilita/>

ERRORS GROUPED BY PRINCIPLES



- PERCEIVABLE: 584
- UNDERSTANDABLE: 3
- OPERABLE: 132
- ROBUST: 18

E/W	Errors	No. of occurrences
PERCEIVABLE		
E	SC 1.3.1 - Tech H63 Using the scope attribute to associate header cells and data cells in data tables	3
E	SC 1.4.13 - Tech 1.4.13-ST2 CSS: Using hover and focus pseudo classes	2
E	SC 1.3.4 - Tech F97 Failure due to locking the orientation to landscape or portrait view	1
E	SC 1.4.11 - Tech F78 Failure due to styling element outlines and borders in a way that removes or renders non-visible the visual focus indicator	7
E	SC 1.3.5 - Tech H98 Identify the purpose of inputs using the autocomplete value	2
E	SC 1.4.11 - Tech G195 Using an author-supplied, highly visible focus indicator	114
E	SC 1.3.1 - 1.4.5 - Tech G140 Separating information and structure from presentation to enable different presentations	1
E	SC 1.3.1 - Tech H42 Using h1-h6 to identify headings	1
E	SC 1.1.1 - 1.3.1 - Tech H44 Using label elements to associate text labels with form controls.	1



PAGES EVALUATION

E/W	Errors	No. of occurrences
E	SC 1.4.4 - 1.4.5 - Tech C12-13-14 Using percent, em units or named font sizes	62
E	SC 1.4.3 - 1.4.11 - Tech G18 Ensuring that a contrast ratio of at least 4.5:1 exists between text (and images of text) and background behind the text	78
E	SC 1.4.4 - 1.4.10 - Tech SCR34 Calculating size and position in a way that scales with text size	18
E	SC 1.3.1 - Tech ARIA16 Using aria-labelledby to provide a name for user interface controls	1
W	SC 1.4.10 - Tech C33 Allowing for Reflow with Long URLs and Strings of Text	2
W	SC 1.4.12 - Tech C21 Specifying line spacing in CSS	224
W	SC 1.4.1 - Tech F73 Failure of Success Criterion 1.4.1 due to creating links that are not visually evident without color vision	26
W	SC 1.3.1 - Tech H73 Using the summary attribute of the table element to give an overview of data tables	1
W	SC 1.3.1 - Tech G162 Positioning labels to maximize predictability of relationships	1
W	SC 1.4.4 - 1.4.12 - Tech C28 Specifying the size of text containers using em units	28
W	SC 1.3.1 - Tech ARIA11 Using ARIA landmarks to identify regions of a page	10
W	SC 1.3.1 - Tech F46 Failure of Success Criterion 1.3.1 due to using th elements, caption elements, or non-empty summary attributes in layout tables	1
UNDERSTANDABLE		
E	SC 3.2.2 - Tech H32 Providing submit buttons	1
E	SC 3.3.2 - Tech H44 Using label elements to associate text labels with form controls.	1
W	SC 3.3.2 - Tech G162 Positioning labels to maximize predictability of relationships	1
OPERABLE		
E	SC 2.4.7 - Tech F78 Failure due to styling element outlines and borders in a way that removes or renders non-visible the visual focus indicator	7



PAGES EVALUATION


E/W	Errors	No. of occurrences
E	SC 2.4.7 - Tech G195 Using an author-supplied, highly visible focus indicator	114
W	SC 2.4.2 - Tech G88 Providing descriptive titles for Web pages	1
W	SC 2.4.1 - Tech ARIA11 Using ARIA landmarks to identify regions of a page	10
ROBUST		
E	SC 4.1.2 - Tech H44 Using label elements to associate text labels with form controls.	1
E	SC 4.1.2 - Tech ARIA16 Using aria-labelledby to provide a name for user interface controls	1
W	SC 4.1.2 - Tech ARIA5 Using WAI-ARIA state and property attributes to expose the state of a user interface component	16



PAGES EVALUATION

PAGE URL: <https://www.comune.tribano.pd.it/accessibilita/>

ERRORS GROUPED BY CATEGORIES



E/W	Errors	No. of occurrences
ARIA		
E	SC 1.3.1 - 4.1.2 - Tech ARIA16 Using aria-labelledby to provide a name for user interface controls	1
W	SC 4.1.2 - Tech ARIA5 Using WAI-ARIA state and property attributes to expose the state of a user interface component	16
W	SC 1.3.1 - 2.4.1 - Tech ARIA11 Using ARIA landmarks to identify regions of a page	10
COLOR		



PAGES EVALUATION

E/W	Errors	No. of occurrences
E	SC 1.4.3 - 1.4.11 - Tech G18 Ensuring that a contrast ratio of at least 4.5:1 exists between text (and images of text) and background behind the text	78
CONTENT		
E	SC 1.4.4 - 1.4.5 - Tech C12-13-14 Using percent, em units or named font sizes	62
W	SC 1.4.12 - Tech C21 Specifying line spacing in CSS	224
FORM		
E	SC 1.4.13 - Tech 1.4.13-ST2 CSS: Using hover and focus pseudo classes	2
E	SC 3.2.2 - Tech H32 Providing submit buttons	1
E	SC 1.4.11 - 2.4.7 - Tech F78 Failure due to styling element outlines and borders in a way that removes or renders non-visible the visual focus indicator	7
E	SC 1.3.5 - Tech H98 Identify the purpose of inputs using the autocomplete value	2
E	SC 1.4.11 - 2.4.7 - Tech G195 Using an author-supplied, highly visible focus indicator	114
E	SC 1.1.1 - 1.3.1 - 3.3.2 - 4.1.2 - Tech H44 Using label elements to associate text labels with form controls.	1
HTML		
E	SC 1.3.1 - 1.4.5 - Tech G140 Separating information and structure from presentation to enable different presentations	1
E	SC 1.3.1 - Tech H42 Using h1-h6 to identify headings	1
W	SC 2.4.2 - Tech G88 Providing descriptive titles for Web pages	1
W	SC 1.3.1 - 3.3.2 - Tech G162 Positioning labels to maximize predictability of relationships	1
LINK		
W	SC 1.4.1 - Tech F73 Failure of Success Criterion 1.4.1 due to creating links that are not visually evident without color vision	26
RESPONSIVE		
E	SC 1.4.4 - 1.4.10 - Tech SCR34 Calculating size and position in a way that scales with text size	18



PAGES EVALUATION

E/W	Errors	No. of occurrences
E	SC 1.3.4 - Tech F97 Failure due to locking the orientation to landscape or portrait view	1
W	SC 1.4.10 - Tech C33 Allowing for Reflow with Long URLs and Strings of Text	2
W	SC 1.4.4 - 1.4.12 - Tech C28 Specifying the size of text containers using em units	28

TABLE


E	SC 1.3.1 - Tech H63 Using the scope attribute to associate header cells and data cells in data tables	3
W	SC 1.3.1 - Tech H73 Using the summary attribute of the table element to give an overview of data tables	1
W	SC 1.3.1 - Tech F46 Failure of Success Criterion 1.3.1 due to using th elements, caption elements, or non-empty summary attributes in layout tables	1



PAGES EVALUATION

PAGE URL: <https://www.comune.tribano.pd.it/accessibilita/>

ERRORS GROUPED BY HTML VS STYLE



E/W	Errors	No. of occurrences
STYLE		
E	SC 1.4.4 - 1.4.10 - Tech SCR34 Calculating size and position in a way that scales with text size	18
E	SC 1.4.13 - Tech 1.4.13-ST2 CSS: Using hover and focus pseudo classes	2
E	SC 1.3.4 - Tech F97 Failure due to locking the orientation to landscape or portrait view	1
E	SC 1.4.11 - 2.4.7 - Tech F78 Failure due to styling element outlines and borders in a way that removes or renders non-visible the visual focus indicator	7
E	SC 1.4.4 - 1.4.5 - Tech C12-13-14 Using percent, em units or named font sizes	62
E	SC 1.4.3 - 1.4.11 - Tech G18 Ensuring that a contrast ratio of at least 4.5:1 exists between text (and images of text) and background behind the text	78
W	SC 1.4.10 - Tech C33 Allowing for Reflow with Long URLs and Strings of Text	2
W	SC 1.4.12 - Tech C21 Specifying line spacing in CSS	224



PAGES EVALUATION


E/W	Errors	No. of occurrences
W	SC 1.4.4 - 1.4.12 - Tech C28 Specifying the size of text containers using em units	28
HTML		
E	SC 1.3.1 - Tech H63 Using the scope attribute to associate header cells and data cells in data tables	3
E	SC 3.2.2 - Tech H32 Providing submit buttons	1
E	SC 1.3.5 - Tech H98 Identify the purpose of inputs using the autocomplete value	2
E	SC 1.4.11 - 2.4.7 - Tech G195 Using an author-supplied, highly visible focus indicator	114
E	SC 1.3.1 - 1.4.5 - Tech G140 Separating information and structure from presentation to enable different presentations	1
E	SC 1.3.1 - Tech H42 Using h1-h6 to identify headings	1
E	SC 1.1.1 - 1.3.1 - 3.3.2 - 4.1.2 - Tech H44 Using label elements to associate text labels with form controls.	1
E	SC 1.3.1 - 4.1.2 - Tech ARIA16 Using aria-labelledby to provide a name for user interface controls	1
W	SC 1.4.1 - Tech F73 Failure of Success Criterion 1.4.1 due to creating links that are not visually evident without color vision	26
W	SC 1.3.1 - Tech H73 Using the summary attribute of the table element to give an overview of data tables	1
W	SC 2.4.2 - Tech G88 Providing descriptive titles for Web pages	1
W	SC 4.1.2 - Tech ARIA5 Using WAI-ARIA state and property attributes to expose the state of a user interface component	16
W	SC 1.3.1 - 3.3.2 - Tech G162 Positioning labels to maximize predictability of relationships	1
W	SC 1.3.1 - 2.4.1 - Tech ARIA11 Using ARIA landmarks to identify regions of a page	10
W	SC 1.3.1 - Tech F46 Failure of Success Criterion 1.3.1 due to using th elements, caption elements, or non-empty summary attributes in layout tables	1



PAGES EVALUATION

PAGE URL: <https://www.comune.tribano.pd.it/note-legali/>

ERRORS GROUPED BY PRINCIPLES



- PERCEIVABLE: 576
- UNDERSTANDABLE: 3
- OPERABLE: 127
- ROBUST: 15

E/W	Errors	No. of occurrences
PERCEIVABLE		
E	SC 1.3.1 - Tech H63 Using the scope attribute to associate header cells and data cells in data tables	3
E	SC 1.4.13 - Tech 1.4.13-ST2 CSS: Using hover and focus pseudo classes	2
E	SC 1.3.4 - Tech F97 Failure due to locking the orientation to landscape or portrait view	1
E	SC 1.4.11 - Tech F78 Failure due to styling element outlines and borders in a way that removes or renders non-visible the visual focus indicator	7
E	SC 1.3.5 - Tech H98 Identify the purpose of inputs using the autocomplete value	2
E	SC 1.4.11 - Tech G195 Using an author-supplied, highly visible focus indicator	109
E	SC 1.3.1 - 1.4.5 - Tech G140 Separating information and structure from presentation to enable different presentations	1
E	SC 1.3.1 - Tech H42 Using h1-h6 to identify headings	1
E	SC 1.1.1 - 1.3.1 - Tech H44 Using label elements to associate text labels with form controls.	1



PAGES EVALUATION

E/W	Errors	No. of occurrences
E	SC 1.4.4 - 1.4.5 - Tech C12-13-14 Using percent, em units or named font sizes	62
E	SC 1.4.3 - 1.4.11 - Tech G18 Ensuring that a contrast ratio of at least 4.5:1 exists between text (and images of text) and background behind the text	78
E	SC 1.4.4 - 1.4.10 - Tech SCR34 Calculating size and position in a way that scales with text size	18
E	SC 1.3.1 - Tech ARIA16 Using aria-labelledby to provide a name for user interface controls	1
W	SC 1.4.12 - Tech C21 Specifying line spacing in CSS	224
W	SC 1.4.1 - Tech F73 Failure of Success Criterion 1.4.1 due to creating links that are not visually evident without color vision	26
W	SC 1.3.1 - Tech H73 Using the summary attribute of the table element to give an overview of data tables	1
W	SC 1.3.1 - Tech G162 Positioning labels to maximize predictability of relationships	1
W	SC 1.4.4 - 1.4.12 - Tech C28 Specifying the size of text containers using em units	27
W	SC 1.3.1 - Tech ARIA11 Using ARIA landmarks to identify regions of a page	10
W	SC 1.3.1 - Tech F46 Failure of Success Criterion 1.3.1 due to using th elements, caption elements, or non-empty summary attributes in layout tables	1
UNDERSTANDABLE		
E	SC 3.2.2 - Tech H32 Providing submit buttons	1
E	SC 3.3.2 - Tech H44 Using label elements to associate text labels with form controls.	1
W	SC 3.3.2 - Tech G162 Positioning labels to maximize predictability of relationships	1
OPERABLE		
E	SC 2.4.7 - Tech F78 Failure due to styling element outlines and borders in a way that removes or renders non-visible the visual focus indicator	7
E	SC 2.4.7 - Tech G195 Using an author-supplied, highly visible focus indicator	109



PAGES EVALUATION


E/W	Errors	No. of occurrences
W	SC 2.4.2 - Tech G88 Providing descriptive titles for Web pages	1
W	SC 2.4.1 - Tech ARIA11 Using ARIA landmarks to identify regions of a page	10
ROBUST		
E	SC 4.1.2 - Tech H44 Using label elements to associate text labels with form controls.	1
E	SC 4.1.2 - Tech ARIA16 Using aria-labelledby to provide a name for user interface controls	1
W	SC 4.1.2 - Tech ARIA5 Using WAI-ARIA state and property attributes to expose the state of a user interface component	13



PAGES EVALUATION

PAGE URL: <https://www.comune.tribano.pd.it/note-legali/>

ERRORS GROUPED BY CATEGORIES



E/W	Errors	No. of occurrences
ARIA		
E	SC 1.3.1 - 4.1.2 - Tech ARIA16 Using aria-labelledby to provide a name for user interface controls	1
W	SC 4.1.2 - Tech ARIA5 Using WAI-ARIA state and property attributes to expose the state of a user interface component	13
W	SC 1.3.1 - 2.4.1 - Tech ARIA11 Using ARIA landmarks to identify regions of a page	10
COLOR		



PAGES EVALUATION

E/W	Errors	No. of occurrences
E	SC 1.4.3 - 1.4.11 - Tech G18 Ensuring that a contrast ratio of at least 4.5:1 exists between text (and images of text) and background behind the text	78
CONTENT		
E	SC 1.4.4 - 1.4.5 - Tech C12-13-14 Using percent, em units or named font sizes	62
W	SC 1.4.12 - Tech C21 Specifying line spacing in CSS	224
FORM		
E	SC 1.4.13 - Tech 1.4.13-ST2 CSS: Using hover and focus pseudo classes	2
E	SC 3.2.2 - Tech H32 Providing submit buttons	1
E	SC 1.4.11 - 2.4.7 - Tech F78 Failure due to styling element outlines and borders in a way that removes or renders non-visible the visual focus indicator	7
E	SC 1.3.5 - Tech H98 Identify the purpose of inputs using the autocomplete value	2
E	SC 1.4.11 - 2.4.7 - Tech G195 Using an author-supplied, highly visible focus indicator	109
E	SC 1.1.1 - 1.3.1 - 3.3.2 - 4.1.2 - Tech H44 Using label elements to associate text labels with form controls.	1
HTML		
E	SC 1.3.1 - 1.4.5 - Tech G140 Separating information and structure from presentation to enable different presentations	1
E	SC 1.3.1 - Tech H42 Using h1-h6 to identify headings	1
W	SC 2.4.2 - Tech G88 Providing descriptive titles for Web pages	1
W	SC 1.3.1 - 3.3.2 - Tech G162 Positioning labels to maximize predictability of relationships	1
LINK		
W	SC 1.4.1 - Tech F73 Failure of Success Criterion 1.4.1 due to creating links that are not visually evident without color vision	26
RESPONSIVE		
E	SC 1.4.4 - 1.4.10 - Tech SCR34 Calculating size and position in a way that scales with text size	18



PAGES EVALUATION

E/W	Errors	No. of occurrences
E	SC 1.3.4 - Tech F97 Failure due to locking the orientation to landscape or portrait view	1
W	SC 1.4.4 - 1.4.12 - Tech C28 Specifying the size of text containers using em units	27

TABLE


E	SC 1.3.1 - Tech H63 Using the scope attribute to associate header cells and data cells in data tables	3
W	SC 1.3.1 - Tech H73 Using the summary attribute of the table element to give an overview of data tables	1
W	SC 1.3.1 - Tech F46 Failure of Success Criterion 1.3.1 due to using th elements, caption elements, or non-empty summary attributes in layout tables	1



PAGES EVALUATION

PAGE URL: <https://www.comune.tribano.pd.it/note-legali/>

ERRORS GROUPED BY HTML VS STYLE



E/W	Errors	No. of occurrences
STYLE		
E	SC 1.4.4 - 1.4.10 - Tech SCR34 Calculating size and position in a way that scales with text size	18
E	SC 1.4.13 - Tech 1.4.13-ST2 CSS: Using hover and focus pseudo classes	2
E	SC 1.3.4 - Tech F97 Failure due to locking the orientation to landscape or portrait view	1
E	SC 1.4.11 - 2.4.7 - Tech F78 Failure due to styling element outlines and borders in a way that removes or renders non-visible the visual focus indicator	7
E	SC 1.4.4 - 1.4.5 - Tech C12-13-14 Using percent, em units or named font sizes	62
E	SC 1.4.3 - 1.4.11 - Tech G18 Ensuring that a contrast ratio of at least 4.5:1 exists between text (and images of text) and background behind the text	78
W	SC 1.4.12 - Tech C21 Specifying line spacing in CSS	224
W	SC 1.4.4 - 1.4.12 - Tech C28 Specifying the size of text containers using em units	27
HTML		



PAGES EVALUATION

E/W	Errors	No. of occurrences
E	SC 1.3.1 - Tech H63 Using the scope attribute to associate header cells and data cells in data tables	3
E	SC 3.2.2 - Tech H32 Providing submit buttons	1
E	SC 1.3.5 - Tech H98 Identify the purpose of inputs using the autocomplete value	2
E	SC 1.4.11 - 2.4.7 - Tech G195 Using an author-supplied, highly visible focus indicator	109
E	SC 1.3.1 - 1.4.5 - Tech G140 Separating information and structure from presentation to enable different presentations	1
E	SC 1.3.1 - Tech H42 Using h1-h6 to identify headings	1
E	SC 1.1.1 - 1.3.1 - 3.3.2 - 4.1.2 - Tech H44 Using label elements to associate text labels with form controls.	1
E	SC 1.3.1 - 4.1.2 - Tech ARIA16 Using aria-labelledby to provide a name for user interface controls	1
W	SC 1.4.1 - Tech F73 Failure of Success Criterion 1.4.1 due to creating links that are not visually evident without color vision	26
W	SC 1.3.1 - Tech H73 Using the summary attribute of the table element to give an overview of data tables	1
W	SC 2.4.2 - Tech G88 Providing descriptive titles for Web pages	1
W	SC 4.1.2 - Tech ARIA5 Using WAI-ARIA state and property attributes to expose the state of a user interface component	13
W	SC 1.3.1 - 3.3.2 - Tech G162 Positioning labels to maximize predictability of relationships	1
W	SC 1.3.1 - 2.4.1 - Tech ARIA11 Using ARIA landmarks to identify regions of a page	10
W	SC 1.3.1 - Tech F46 Failure of Success Criterion 1.3.1 due to using th elements, caption elements, or non-empty summary attributes in layout tables	1



PAGES EVALUATION

PAGE URL: <https://www.comune.tribano.pd.it/2022/09/07/servizio-a-chiamata-0>

ERRORS GROUPED BY PRINCIPLES


- PERCEIVABLE: 0
- UNDERSTANDABLE: 0
- OPERABLE: 0
- ROBUST: 0



PAGES EVALUATION

PAGE URL: <https://www.comune.tribano.pd.it/2022/09/07/servizio-a-chiamata-0>

ERRORS GROUPED BY CATEGORIES





PAGES EVALUATION

PAGE URL: <https://www.comune.tribano.pd.it/2022/09/07/servizio-a-chiamata-0>

ERRORS GROUPED BY HTML VS STYLE

- STYLE: 0
- HTML: 0


E/W	Errors	No. of occurrences
STYLE		
HTML		



PAGES EVALUATION

PAGE URL: <https://www.comune.tribano.pd.it/2022/08/16/elezioni-politiche-del->

ERRORS GROUPED BY PRINCIPLES



- PERCEIVABLE: 324
- UNDERSTANDABLE: 3
- OPERABLE: 76
- ROBUST: 3

E/W	Errors	No. of occurrences
PERCEIVABLE		
E	SC 1.4.4 - 1.4.10 - Tech SCR34 Calculating size and position in a way that scales with text size	2
E	SC 1.4.13 - Tech 1.4.13-ST2 CSS: Using hover and focus pseudo classes	1
E	SC 1.3.4 - Tech F97 Failure due to locking the orientation to landscape or portrait view	1
E	SC 1.4.11 - Tech F78 Failure due to styling element outlines and borders in a way that removes or renders non-visible the visual focus indicator	1
E	SC 1.3.5 - Tech H98 Identify the purpose of inputs using the autocomplete value	1
E	SC 1.4.11 - Tech G195 Using an author-supplied, highly visible focus indicator	68
E	SC 1.1.1 - 1.3.1 - Tech H44 Using label elements to associate text labels with form controls.	1
E	SC 1.3.1 - Tech ARIA16 Using aria-labelledby to provide a name for user interface controls	1



PAGES EVALUATION


E/W	Errors	No. of occurrences
E	SC 1.4.3 - 1.4.11 - Tech G18 Ensuring that a contrast ratio of at least 4.5:1 exists between text (and images of text) and background behind the text	80
W	SC 1.4.12 - Tech C21 Specifying line spacing in CSS	129
W	SC 1.4.1 - Tech F73 Failure of Success Criterion 1.4.1 due to creating links that are not visually evident without color vision	14
W	SC 1.3.1 - Tech G162 Positioning labels to maximize predictability of relationships	1
W	SC 1.4.4 - 1.4.12 - Tech C28 Specifying the size of text containers using em units	18
W	SC 1.3.1 - Tech ARIA11 Using ARIA landmarks to identify regions of a page	6
UNDERSTANDABLE		
E	SC 3.2.2 - Tech H32 Providing submit buttons	1
E	SC 3.3.2 - Tech H44 Using label elements to associate text labels with form controls.	1
W	SC 3.3.2 - Tech G162 Positioning labels to maximize predictability of relationships	1
OPERABLE		
E	SC 2.4.7 - Tech F78 Failure due to styling element outlines and borders in a way that removes or renders non-visible the visual focus indicator	1
E	SC 2.4.7 - Tech G195 Using an author-supplied, highly visible focus indicator	68
W	SC 2.4.2 - Tech G88 Providing descriptive titles for Web pages	1
W	SC 2.4.1 - Tech ARIA11 Using ARIA landmarks to identify regions of a page	6
ROBUST		
E	SC 4.1.2 - Tech H44 Using label elements to associate text labels with form controls.	1
E	SC 4.1.2 - Tech ARIA16 Using aria-labelledby to provide a name for user interface controls	1
W	SC 4.1.2 - Tech ARIA5 Using WAI-ARIA state and property attributes to expose the state of a user interface component	1



PAGES EVALUATION

PAGE URL: <https://www.comune.tribano.pd.it/2022/08/16/elezioni-politiche-del->

ERRORS GROUPED BY CATEGORIES



E/W	Errors	No. of occurrences
ARIA		
E	SC 1.3.1 - 4.1.2 - Tech ARIA16 Using aria-labelledby to provide a name for user interface controls	1
W	SC 4.1.2 - Tech ARIA5 Using WAI-ARIA state and property attributes to expose the state of a user interface component	1
W	SC 1.3.1 - 2.4.1 - Tech ARIA11 Using ARIA landmarks to identify regions of a page	6
COLOR		



PAGES EVALUATION

E/W	Errors	No. of occurrences
E	SC 1.4.3 - 1.4.11 - Tech G18 Ensuring that a contrast ratio of at least 4.5:1 exists between text (and images of text) and background behind the text	80
CONTENT		
W	SC 1.4.12 - Tech C21 Specifying line spacing in CSS	129
FORM		
E	SC 1.4.13 - Tech 1.4.13-ST2 CSS: Using hover and focus pseudo classes	1
E	SC 3.2.2 - Tech H32 Providing submit buttons	1
E	SC 1.4.11 - 2.4.7 - Tech F78 Failure due to styling element outlines and borders in a way that removes or renders non-visible the visual focus indicator	1
E	SC 1.3.5 - Tech H98 Identify the purpose of inputs using the autocomplete value	1
E	SC 1.4.11 - 2.4.7 - Tech G195 Using an author-supplied, highly visible focus indicator	68
E	SC 1.1.1 - 1.3.1 - 3.3.2 - 4.1.2 - Tech H44 Using label elements to associate text labels with form controls.	1
HTML		
W	SC 2.4.2 - Tech G88 Providing descriptive titles for Web pages	1
W	SC 1.3.1 - 3.3.2 - Tech G162 Positioning labels to maximize predictability of relationships	1
LINK		
W	SC 1.4.1 - Tech F73 Failure of Success Criterion 1.4.1 due to creating links that are not visually evident without color vision	14
RESPONSIVE		
E	SC 1.4.4 - 1.4.10 - Tech SCR34 Calculating size and position in a way that scales with text size	2
E	SC 1.3.4 - Tech F97 Failure due to locking the orientation to landscape or portrait view	1
W	SC 1.4.4 - 1.4.12 - Tech C28 Specifying the size of text containers using em units	18



PAGES EVALUATION

PAGE URL: <https://www.comune.tribano.pd.it/2022/08/16/elezioni-politiche-del->

ERRORS GROUPED BY HTML VS STYLE



E/W	Errors	No. of occurrences
STYLE		
E	SC 1.4.4 - 1.4.10 - Tech SCR34 Calculating size and position in a way that scales with text size	2
E	SC 1.4.13 - Tech 1.4.13-ST2 CSS: Using hover and focus pseudo classes	1
E	SC 1.3.4 - Tech F97 Failure due to locking the orientation to landscape or portrait view	1
E	SC 1.4.11 - 2.4.7 - Tech F78 Failure due to styling element outlines and borders in a way that removes or renders non-visible the visual focus indicator	1
E	SC 1.4.3 - 1.4.11 - Tech G18 Ensuring that a contrast ratio of at least 4.5:1 exists between text (and images of text) and background behind the text	80
W	SC 1.4.12 - Tech C21 Specifying line spacing in CSS	129
W	SC 1.4.4 - 1.4.12 - Tech C28 Specifying the size of text containers using em units	18
HTML		
E	SC 3.2.2 - Tech H32 Providing submit buttons	1



PAGES EVALUATION

E/W	Errors	No. of occurrences
E	SC 1.3.5 - Tech H98 Identify the purpose of inputs using the autocomplete value	1
E	SC 1.4.11 - 2.4.7 - Tech G195 Using an author-supplied, highly visible focus indicator	68
E	SC 1.1.1 - 1.3.1 - 3.3.2 - 4.1.2 - Tech H44 Using label elements to associate text labels with form controls.	1
E	SC 1.3.1 - 4.1.2 - Tech ARIA16 Using aria-labelledby to provide a name for user interface controls	1
W	SC 1.4.1 - Tech F73 Failure of Success Criterion 1.4.1 due to creating links that are not visually evident without color vision	14
W	SC 2.4.2 - Tech G88 Providing descriptive titles for Web pages	1
W	SC 4.1.2 - Tech ARIA5 Using WAI-ARIA state and property attributes to expose the state of a user interface component	1
W	SC 1.3.1 - 3.3.2 - Tech G162 Positioning labels to maximize predictability of relationships	1
W	SC 1.3.1 - 2.4.1 - Tech ARIA11 Using ARIA landmarks to identify regions of a page	6




PAGES EVALUATION

PAGE URL:

<https://www.comune.tribano.pd.it/2022/09/02/contributo-regionale-1/>

ERRORS GROUPED BY PRINCIPLES



- PERCEIVABLE: 313
- UNDERSTANDABLE: 3
- OPERABLE: 75
- ROBUST: 3

E/W	Errors	No. of occurrences
PERCEIVABLE		
E	SC 1.4.4 - 1.4.10 - Tech SCR34 Calculating size and position in a way that scales with text size	2
E	SC 1.4.13 - Tech 1.4.13-ST2 CSS: Using hover and focus pseudo classes	1
E	SC 1.3.4 - Tech F97 Failure due to locking the orientation to landscape or portrait view	1
E	SC 1.4.11 - Tech F78 Failure due to styling element outlines and borders in a way that removes or renders non-visible the visual focus indicator	1
E	SC 1.3.5 - Tech H98 Identify the purpose of inputs using the autocomplete value	1
E	SC 1.4.11 - Tech G195 Using an author-supplied, highly visible focus indicator	67
E	SC 1.1.1 - 1.3.1 - Tech H44 Using label elements to associate text labels with form controls.	1
E	SC 1.3.1 - Tech ARIA16 Using aria-labelledby to provide a name for user interface controls	1



PAGES EVALUATION

E/W	Errors	No. of occurrences
E	SC 1.4.3 - 1.4.11 - Tech G18 Ensuring that a contrast ratio of at least 4.5:1 exists between text (and images of text) and background behind the text	77
W	SC 1.4.10 - Tech C33 Allowing for Reflow with Long URLs and Strings of Text	1
W	SC 1.4.12 - Tech C21 Specifying line spacing in CSS	124
W	SC 1.4.1 - Tech F73 Failure of Success Criterion 1.4.1 due to creating links that are not visually evident without color vision	12
W	SC 1.3.1 - Tech G162 Positioning labels to maximize predictability of relationships	1
W	SC 1.4.4 - 1.4.12 - Tech C28 Specifying the size of text containers using em units	17
W	SC 1.3.1 - Tech ARIA11 Using ARIA landmarks to identify regions of a page	6
UNDERSTANDABLE		
E	SC 3.2.2 - Tech H32 Providing submit buttons	1
E	SC 3.3.2 - Tech H44 Using label elements to associate text labels with form controls.	1
W	SC 3.3.2 - Tech G162 Positioning labels to maximize predictability of relationships	1
OPERABLE		
E	SC 2.4.7 - Tech F78 Failure due to styling element outlines and borders in a way that removes or renders non-visible the visual focus indicator	1
E	SC 2.4.7 - Tech G195 Using an author-supplied, highly visible focus indicator	67
W	SC 2.4.2 - Tech G88 Providing descriptive titles for Web pages	1
W	SC 2.4.1 - Tech ARIA11 Using ARIA landmarks to identify regions of a page	6
ROBUST		
E	SC 4.1.2 - Tech H44 Using label elements to associate text labels with form controls.	1
E	SC 4.1.2 - Tech ARIA16 Using aria-labelledby to provide a name for user interface controls	1



PAGES EVALUATION


E/W	Errors	No. of occurrences
W	SC 4.1.2 - Tech ARIA5 Using WAI-ARIA state and property attributes to expose the state of a user interface component	1



PAGES EVALUATION

PAGE URL: <https://www.comune.tribano.pd.it/2022/09/02/contributo-regionale-1>

ERRORS GROUPED BY CATEGORIES



E/W	Errors	No. of occurrences
ARIA		
E	SC 1.3.1 - 4.1.2 - Tech ARIA16 Using aria-labelledby to provide a name for user interface controls	1
W	SC 4.1.2 - Tech ARIA5 Using WAI-ARIA state and property attributes to expose the state of a user interface component	1
W	SC 1.3.1 - 2.4.1 - Tech ARIA11 Using ARIA landmarks to identify regions of a page	6
COLOR		



PAGES EVALUATION

E/W	Errors	No. of occurrences
E	SC 1.4.3 - 1.4.11 - Tech G18 Ensuring that a contrast ratio of at least 4.5:1 exists between text (and images of text) and background behind the text	77
CONTENT		
W	SC 1.4.12 - Tech C21 Specifying line spacing in CSS	124
FORM		
E	SC 1.4.13 - Tech 1.4.13-ST2 CSS: Using hover and focus pseudo classes	1
E	SC 3.2.2 - Tech H32 Providing submit buttons	1
E	SC 1.4.11 - 2.4.7 - Tech F78 Failure due to styling element outlines and borders in a way that removes or renders non-visible the visual focus indicator	1
E	SC 1.3.5 - Tech H98 Identify the purpose of inputs using the autocomplete value	1
E	SC 1.4.11 - 2.4.7 - Tech G195 Using an author-supplied, highly visible focus indicator	67
E	SC 1.1.1 - 1.3.1 - 3.3.2 - 4.1.2 - Tech H44 Using label elements to associate text labels with form controls.	1
HTML		
W	SC 2.4.2 - Tech G88 Providing descriptive titles for Web pages	1
W	SC 1.3.1 - 3.3.2 - Tech G162 Positioning labels to maximize predictability of relationships	1
LINK		
W	SC 1.4.1 - Tech F73 Failure of Success Criterion 1.4.1 due to creating links that are not visually evident without color vision	12
RESPONSIVE		
E	SC 1.4.4 - 1.4.10 - Tech SCR34 Calculating size and position in a way that scales with text size	2
E	SC 1.3.4 - Tech F97 Failure due to locking the orientation to landscape or portrait view	1
W	SC 1.4.10 - Tech C33 Allowing for Reflow with Long URLs and Strings of Text	1



PAGES EVALUATION


E/W	Errors	No. of occurrences
W	SC 1.4.4 - 1.4.12 - Tech C28 Specifying the size of text containers using em units	17



PAGES EVALUATION

PAGE URL: <https://www.comune.tribano.pd.it/2022/09/02/contributo-regionale-1>

ERRORS GROUPED BY HTML VS STYLE



E/W	Errors	No. of occurrences
STYLE		
E	SC 1.4.4 - 1.4.10 - Tech SCR34 Calculating size and position in a way that scales with text size	2
E	SC 1.4.13 - Tech 1.4.13-ST2 CSS: Using hover and focus pseudo classes	1
E	SC 1.3.4 - Tech F97 Failure due to locking the orientation to landscape or portrait view	1
E	SC 1.4.11 - 2.4.7 - Tech F78 Failure due to styling element outlines and borders in a way that removes or renders non-visible the visual focus indicator	1
E	SC 1.4.3 - 1.4.11 - Tech G18 Ensuring that a contrast ratio of at least 4.5:1 exists between text (and images of text) and background behind the text	77
W	SC 1.4.10 - Tech C33 Allowing for Reflow with Long URLs and Strings of Text	1
W	SC 1.4.12 - Tech C21 Specifying line spacing in CSS	124
W	SC 1.4.4 - 1.4.12 - Tech C28 Specifying the size of text containers using em units	17
HTML		



PAGES EVALUATION


E/W	Errors	No. of occurrences
E	SC 3.2.2 - Tech H32 Providing submit buttons	1
E	SC 1.3.5 - Tech H98 Identify the purpose of inputs using the autocomplete value	1
E	SC 1.4.11 - 2.4.7 - Tech G195 Using an author-supplied, highly visible focus indicator	67
E	SC 1.1.1 - 1.3.1 - 3.3.2 - 4.1.2 - Tech H44 Using label elements to associate text labels with form controls.	1
E	SC 1.3.1 - 4.1.2 - Tech ARIA16 Using aria-labelledby to provide a name for user interface controls	1
W	SC 1.4.1 - Tech F73 Failure of Success Criterion 1.4.1 due to creating links that are not visually evident without color vision	12
W	SC 2.4.2 - Tech G88 Providing descriptive titles for Web pages	1
W	SC 4.1.2 - Tech ARIA5 Using WAI-ARIA state and property attributes to expose the state of a user interface component	1
W	SC 1.3.1 - 3.3.2 - Tech G162 Positioning labels to maximize predictability of relationships	1
W	SC 1.3.1 - 2.4.1 - Tech ARIA11 Using ARIA landmarks to identify regions of a page	6



PAGES EVALUATION

PAGE URL: <https://www.comune.tribano.pd.it/amministrazione/consiglio-comunale>

ERRORS GROUPED BY PRINCIPLES



- PERCEIVABLE: 578
- UNDERSTANDABLE: 3
- OPERABLE: 128
- ROBUST: 15

E/W	Errors	No. of occurrences
PERCEIVABLE		
E	SC 1.3.1 - Tech H63 Using the scope attribute to associate header cells and data cells in data tables	3
E	SC 1.4.13 - Tech 1.4.13-ST2 CSS: Using hover and focus pseudo classes	2
E	SC 1.3.4 - Tech F97 Failure due to locking the orientation to landscape or portrait view	1
E	SC 1.4.11 - Tech F78 Failure due to styling element outlines and borders in a way that removes or renders non-visible the visual focus indicator	7
E	SC 1.3.5 - Tech H98 Identify the purpose of inputs using the autocomplete value	2
E	SC 1.4.11 - Tech G195 Using an author-supplied, highly visible focus indicator	110
E	SC 1.3.1 - 1.4.5 - Tech G140 Separating information and structure from presentation to enable different presentations	1
E	SC 1.3.1 - Tech H42 Using h1-h6 to identify headings	1
E	SC 1.1.1 - 1.3.1 - Tech H44 Using label elements to associate text labels with form controls.	1



PAGES EVALUATION

E/W	Errors	No. of occurrences
E	SC 1.4.4 - 1.4.5 - Tech C12-13-14 Using percent, em units or named font sizes	62
E	SC 1.4.3 - 1.4.11 - Tech G18 Ensuring that a contrast ratio of at least 4.5:1 exists between text (and images of text) and background behind the text	78
E	SC 1.4.4 - 1.4.10 - Tech SCR34 Calculating size and position in a way that scales with text size	18
E	SC 1.3.1 - Tech ARIA16 Using aria-labelledby to provide a name for user interface controls	1
W	SC 1.4.12 - Tech C21 Specifying line spacing in CSS	225
W	SC 1.4.1 - Tech F73 Failure of Success Criterion 1.4.1 due to creating links that are not visually evident without color vision	26
W	SC 1.3.1 - Tech H73 Using the summary attribute of the table element to give an overview of data tables	1
W	SC 1.3.1 - Tech G162 Positioning labels to maximize predictability of relationships	1
W	SC 1.4.4 - 1.4.12 - Tech C28 Specifying the size of text containers using em units	27
W	SC 1.3.1 - Tech ARIA11 Using ARIA landmarks to identify regions of a page	10
W	SC 1.3.1 - Tech F46 Failure of Success Criterion 1.3.1 due to using th elements, caption elements, or non-empty summary attributes in layout tables	1
UNDERSTANDABLE		
E	SC 3.2.2 - Tech H32 Providing submit buttons	1
E	SC 3.3.2 - Tech H44 Using label elements to associate text labels with form controls.	1
W	SC 3.3.2 - Tech G162 Positioning labels to maximize predictability of relationships	1
OPERABLE		
E	SC 2.4.7 - Tech F78 Failure due to styling element outlines and borders in a way that removes or renders non-visible the visual focus indicator	7
E	SC 2.4.7 - Tech G195 Using an author-supplied, highly visible focus indicator	110



PAGES EVALUATION


E/W	Errors	No. of occurrences
W	SC 2.4.2 - Tech G88 Providing descriptive titles for Web pages	1
W	SC 2.4.1 - Tech ARIA11 Using ARIA landmarks to identify regions of a page	10
ROBUST		
E	SC 4.1.2 - Tech H44 Using label elements to associate text labels with form controls.	1
E	SC 4.1.2 - Tech ARIA16 Using aria-labelledby to provide a name for user interface controls	1
W	SC 4.1.2 - Tech ARIA5 Using WAI-ARIA state and property attributes to expose the state of a user interface component	13



PAGES EVALUATION

PAGE URL: <https://www.comune.tribano.pd.it/amministrazione/consiglio-comunale>

ERRORS GROUPED BY CATEGORIES



E/W	Errors	No. of occurrences
ARIA		
E	SC 1.3.1 - 4.1.2 - Tech ARIA16 Using aria-labelledby to provide a name for user interface controls	1
W	SC 4.1.2 - Tech ARIA5 Using WAI-ARIA state and property attributes to expose the state of a user interface component	13
W	SC 1.3.1 - 2.4.1 - Tech ARIA11 Using ARIA landmarks to identify regions of a page	10
COLOR		



PAGES EVALUATION

E/W	Errors	No. of occurrences
E	SC 1.4.3 - 1.4.11 - Tech G18 Ensuring that a contrast ratio of at least 4.5:1 exists between text (and images of text) and background behind the text	78
CONTENT		
E	SC 1.4.4 - 1.4.5 - Tech C12-13-14 Using percent, em units or named font sizes	62
W	SC 1.4.12 - Tech C21 Specifying line spacing in CSS	225
FORM		
E	SC 1.4.13 - Tech 1.4.13-ST2 CSS: Using hover and focus pseudo classes	2
E	SC 3.2.2 - Tech H32 Providing submit buttons	1
E	SC 1.4.11 - 2.4.7 - Tech F78 Failure due to styling element outlines and borders in a way that removes or renders non-visible the visual focus indicator	7
E	SC 1.3.5 - Tech H98 Identify the purpose of inputs using the autocomplete value	2
E	SC 1.4.11 - 2.4.7 - Tech G195 Using an author-supplied, highly visible focus indicator	110
E	SC 1.1.1 - 1.3.1 - 3.3.2 - 4.1.2 - Tech H44 Using label elements to associate text labels with form controls.	1
HTML		
E	SC 1.3.1 - 1.4.5 - Tech G140 Separating information and structure from presentation to enable different presentations	1
E	SC 1.3.1 - Tech H42 Using h1-h6 to identify headings	1
W	SC 2.4.2 - Tech G88 Providing descriptive titles for Web pages	1
W	SC 1.3.1 - 3.3.2 - Tech G162 Positioning labels to maximize predictability of relationships	1
LINK		
W	SC 1.4.1 - Tech F73 Failure of Success Criterion 1.4.1 due to creating links that are not visually evident without color vision	26
RESPONSIVE		
E	SC 1.4.4 - 1.4.10 - Tech SCR34 Calculating size and position in a way that scales with text size	18



PAGES EVALUATION

E/W	Errors	No. of occurrences
E	SC 1.3.4 - Tech F97 Failure due to locking the orientation to landscape or portrait view	1
W	SC 1.4.4 - 1.4.12 - Tech C28 Specifying the size of text containers using em units	27

TABLE

E	SC 1.3.1 - Tech H63 Using the scope attribute to associate header cells and data cells in data tables	3
W	SC 1.3.1 - Tech H73 Using the summary attribute of the table element to give an overview of data tables	1
W	SC 1.3.1 - Tech F46 Failure of Success Criterion 1.3.1 due to using th elements, caption elements, or non-empty summary attributes in layout tables	1




PAGES EVALUATION

PAGE URL:

<https://www.comune.tribano.pd.it/amministrazione/consiglio-comunale>

ERRORS GROUPED BY HTML VS STYLE



E/W	Errors	No. of occurrences
STYLE		
E	SC 1.4.4 - 1.4.10 - Tech SCR34 Calculating size and position in a way that scales with text size	18
E	SC 1.4.13 - Tech 1.4.13-ST2 CSS: Using hover and focus pseudo classes	2
E	SC 1.3.4 - Tech F97 Failure due to locking the orientation to landscape or portrait view	1
E	SC 1.4.11 - 2.4.7 - Tech F78 Failure due to styling element outlines and borders in a way that removes or renders non-visible the visual focus indicator	7
E	SC 1.4.4 - 1.4.5 - Tech C12-13-14 Using percent, em units or named font sizes	62
E	SC 1.4.3 - 1.4.11 - Tech G18 Ensuring that a contrast ratio of at least 4.5:1 exists between text (and images of text) and background behind the text	78
W	SC 1.4.12 - Tech C21 Specifying line spacing in CSS	225
W	SC 1.4.4 - 1.4.12 - Tech C28 Specifying the size of text containers using em units	27
HTML		



PAGES EVALUATION


E/W	Errors	No. of occurrences
E	SC 1.3.1 - Tech H63 Using the scope attribute to associate header cells and data cells in data tables	3
E	SC 3.2.2 - Tech H32 Providing submit buttons	1
E	SC 1.3.5 - Tech H98 Identify the purpose of inputs using the autocomplete value	2
E	SC 1.4.11 - 2.4.7 - Tech G195 Using an author-supplied, highly visible focus indicator	110
E	SC 1.3.1 - 1.4.5 - Tech G140 Separating information and structure from presentation to enable different presentations	1
E	SC 1.3.1 - Tech H42 Using h1-h6 to identify headings	1
E	SC 1.1.1 - 1.3.1 - 3.3.2 - 4.1.2 - Tech H44 Using label elements to associate text labels with form controls.	1
E	SC 1.3.1 - 4.1.2 - Tech ARIA16 Using aria-labelledby to provide a name for user interface controls	1
W	SC 1.4.1 - Tech F73 Failure of Success Criterion 1.4.1 due to creating links that are not visually evident without color vision	26
W	SC 1.3.1 - Tech H73 Using the summary attribute of the table element to give an overview of data tables	1
W	SC 2.4.2 - Tech G88 Providing descriptive titles for Web pages	1
W	SC 4.1.2 - Tech ARIA5 Using WAI-ARIA state and property attributes to expose the state of a user interface component	13
W	SC 1.3.1 - 3.3.2 - Tech G162 Positioning labels to maximize predictability of relationships	1
W	SC 1.3.1 - 2.4.1 - Tech ARIA11 Using ARIA landmarks to identify regions of a page	10
W	SC 1.3.1 - Tech F46 Failure of Success Criterion 1.3.1 due to using th elements, caption elements, or non-empty summary attributes in layout tables	1



PAGES EVALUATION

PAGE URL: <https://www.comune.tribano.pd.it/mappa-territorio-tribano>

ERRORS GROUPED BY PRINCIPLES



- PERCEIVABLE: 600
- UNDERSTANDABLE: 4
- OPERABLE: 132
- ROBUST: 34

E/W	Errors	No. of occurrences
PERCEIVABLE		
E	SC 1.3.1 - Tech H63 Using the scope attribute to associate header cells and data cells in data tables	3
E	SC 1.4.13 - Tech 1.4.13-ST2 CSS: Using hover and focus pseudo classes	3
E	SC 1.3.4 - Tech F97 Failure due to locking the orientation to landscape or portrait view	2
E	SC 1.4.11 - Tech F78 Failure due to styling element outlines and borders in a way that removes or renders non-visible the visual focus indicator	8
E	SC 1.3.5 - Tech H98 Identify the purpose of inputs using the autocomplete value	3
E	SC 1.4.11 - Tech G195 Using an author-supplied, highly visible focus indicator	111
E	SC 1.3.1 - 1.4.5 - Tech G140 Separating information and structure from presentation to enable different presentations	1
E	SC 1.3.1 - Tech H42 Using h1-h6 to identify headings	1
E	SC 1.1.1 - 1.3.1 - Tech H44 Using label elements to associate text labels with form controls.	1



PAGES EVALUATION

E/W	Errors	No. of occurrences
E	SC 1.4.4 - 1.4.5 - Tech C12-13-14 Using percent, em units or named font sizes	62
E	SC 1.4.3 - 1.4.11 - Tech G18 Ensuring that a contrast ratio of at least 4.5:1 exists between text (and images of text) and background behind the text	79
E	SC 1.4.4 - 1.4.10 - Tech SCR34 Calculating size and position in a way that scales with text size	18
E	SC 1.3.1 - Tech ARIA16 Using aria-labelledby to provide a name for user interface controls	2
W	SC 1.4.12 - Tech C21 Specifying line spacing in CSS	233
W	SC 1.4.1 - Tech F73 Failure of Success Criterion 1.4.1 due to creating links that are not visually evident without color vision	27
W	SC 1.3.1 - Tech H73 Using the summary attribute of the table element to give an overview of data tables	1
W	SC 1.3.1 - Tech G162 Positioning labels to maximize predictability of relationships	1
W	SC 1.4.4 - 1.4.12 - Tech C28 Specifying the size of text containers using em units	32
W	SC 1.3.1 - Tech ARIA11 Using ARIA landmarks to identify regions of a page	11
W	SC 1.3.1 - Tech F46 Failure of Success Criterion 1.3.1 due to using th elements, caption elements, or non-empty summary attributes in layout tables	1
UNDERSTANDABLE		
E	SC 3.2.2 - Tech H32 Providing submit buttons	2
E	SC 3.3.2 - Tech H44 Using label elements to associate text labels with form controls.	1
W	SC 3.3.2 - Tech G162 Positioning labels to maximize predictability of relationships	1
OPERABLE		
E	SC 2.4.7 - Tech F78 Failure due to styling element outlines and borders in a way that removes or renders non-visible the visual focus indicator	8
E	SC 2.4.7 - Tech G195 Using an author-supplied, highly visible focus indicator	111



PAGES EVALUATION


E/W	Errors	No. of occurrences
E	SC 2.4.1 - Tech H64 Using the title attribute of the frame and iframe elements	1
W	SC 2.4.2 - Tech G88 Providing descriptive titles for Web pages	1
W	SC 2.4.1 - Tech ARIA11 Using ARIA landmarks to identify regions of a page	11
ROBUST		
E	SC 4.1.1 - Tech H93 Ensuring that id attributes are unique on a webpage	8
E	SC 4.1.1 - Tech F77 Failure of Success Criterion 4.1.1 due to duplicate values of type ID	8
E	SC 4.1.2 - Tech H64 Using the title attribute of the frame and iframe elements	1
E	SC 4.1.2 - Tech H44 Using label elements to associate text labels with form controls.	1
E	SC 4.1.2 - Tech ARIA16 Using aria-labelledby to provide a name for user interface controls	2
W	SC 4.1.2 - Tech ARIA5 Using WAI-ARIA state and property attributes to expose the state of a user interface component	14



PAGES EVALUATION

PAGE URL: <https://www.comune.tribano.pd.it/mappa-territorio-tribano>

ERRORS GROUPED BY CATEGORIES



E/W	Errors	No. of occurrences
ARIA		
E	SC 1.3.1 - 4.1.2 - Tech ARIA16 Using aria-labelledby to provide a name for user interface controls	2
W	SC 4.1.2 - Tech ARIA5 Using WAI-ARIA state and property attributes to expose the state of a user interface component	14
W	SC 1.3.1 - 2.4.1 - Tech ARIA11 Using ARIA landmarks to identify regions of a page	11
COLOR		



PAGES EVALUATION

E/W	Errors	No. of occurrences
E	SC 1.4.3 - 1.4.11 - Tech G18 Ensuring that a contrast ratio of at least 4.5:1 exists between text (and images of text) and background behind the text	79
CONTENT		
E	SC 1.4.4 - 1.4.5 - Tech C12-13-14 Using percent, em units or named font sizes	62
W	SC 1.4.12 - Tech C21 Specifying line spacing in CSS	233
FORM		
E	SC 1.4.13 - Tech 1.4.13-ST2 CSS: Using hover and focus pseudo classes	3
E	SC 3.2.2 - Tech H32 Providing submit buttons	2
E	SC 1.4.11 - 2.4.7 - Tech F78 Failure due to styling element outlines and borders in a way that removes or renders non-visible the visual focus indicator	8
E	SC 1.3.5 - Tech H98 Identify the purpose of inputs using the autocomplete value	3
E	SC 1.4.11 - 2.4.7 - Tech G195 Using an author-supplied, highly visible focus indicator	111
E	SC 1.1.1 - 1.3.1 - 3.3.2 - 4.1.2 - Tech H44 Using label elements to associate text labels with form controls.	1
HTML		
E	SC 4.1.1 - Tech H93 Ensuring that id attributes are unique on a webpage	8
E	SC 4.1.1 - Tech F77 Failure of Success Criterion 4.1.1 due to duplicate values of type ID	8
E	SC 1.3.1 - 1.4.5 - Tech G140 Separating information and structure from presentation to enable different presentations	1
E	SC 1.3.1 - Tech H42 Using h1-h6 to identify headings	1
W	SC 2.4.2 - Tech G88 Providing descriptive titles for Web pages	1
W	SC 1.3.1 - 3.3.2 - Tech G162 Positioning labels to maximize predictability of relationships	1
LINK		



PAGES EVALUATION


E/W	Errors	No. of occurrences
W	SC 1.4.1 - Tech F73 Failure of Success Criterion 1.4.1 due to creating links that are not visually evident without color vision	27
RESPONSIVE		
E	SC 1.4.4 - 1.4.10 - Tech SCR34 Calculating size and position in a way that scales with text size	18
E	SC 1.3.4 - Tech F97 Failure due to locking the orientation to landscape or portrait view	2
W	SC 1.4.4 - 1.4.12 - Tech C28 Specifying the size of text containers using em units	32
TABLE		
E	SC 1.3.1 - Tech H63 Using the scope attribute to associate header cells and data cells in data tables	3
W	SC 1.3.1 - Tech H73 Using the summary attribute of the table element to give an overview of data tables	1
W	SC 1.3.1 - Tech F46 Failure of Success Criterion 1.3.1 due to using th elements, caption elements, or non-empty summary attributes in layout tables	1



PAGES EVALUATION

PAGE URL: <https://www.comune.tribano.pd.it/mappa-territorio-tribano>

ERRORS GROUPED BY HTML VS STYLE



E/W	Errors	No. of occurrences
STYLE		
E	SC 1.4.4 - 1.4.10 - Tech SCR34 Calculating size and position in a way that scales with text size	18
E	SC 1.4.13 - Tech 1.4.13-ST2 CSS: Using hover and focus pseudo classes	3
E	SC 1.3.4 - Tech F97 Failure due to locking the orientation to landscape or portrait view	2
E	SC 1.4.11 - 2.4.7 - Tech F78 Failure due to styling element outlines and borders in a way that removes or renders non-visible the visual focus indicator	8
E	SC 1.4.4 - 1.4.5 - Tech C12-13-14 Using percent, em units or named font sizes	62
E	SC 1.4.3 - 1.4.11 - Tech G18 Ensuring that a contrast ratio of at least 4.5:1 exists between text (and images of text) and background behind the text	79
W	SC 1.4.12 - Tech C21 Specifying line spacing in CSS	233
W	SC 1.4.4 - 1.4.12 - Tech C28 Specifying the size of text containers using em units	32
HTML		



PAGES EVALUATION

E/W	Errors	No. of occurrences
E	SC 4.1.1 - Tech H93 Ensuring that id attributes are unique on a webpage	8
E	SC 1.3.1 - Tech H63 Using the scope attribute to associate header cells and data cells in data tables	3
E	SC 3.2.2 - Tech H32 Providing submit buttons	2
E	SC 1.3.5 - Tech H98 Identify the purpose of inputs using the autocomplete value	3
E	SC 1.4.11 - 2.4.7 - Tech G195 Using an author-supplied, highly visible focus indicator	111
E	SC 4.1.1 - Tech F77 Failure of Success Criterion 4.1.1 due to duplicate values of type ID	8
E	SC 2.4.1 - 4.1.2 - Tech H64 Using the title attribute of the frame and iframe elements	1
E	SC 1.3.1 - 1.4.5 - Tech G140 Separating information and structure from presentation to enable different presentations	1
E	SC 1.3.1 - Tech H42 Using h1-h6 to identify headings	1
E	SC 1.1.1 - 1.3.1 - 3.3.2 - 4.1.2 - Tech H44 Using label elements to associate text labels with form controls.	1
E	SC 1.3.1 - 4.1.2 - Tech ARIA16 Using aria-labelledby to provide a name for user interface controls	2
W	SC 1.4.1 - Tech F73 Failure of Success Criterion 1.4.1 due to creating links that are not visually evident without color vision	27
W	SC 1.3.1 - Tech H73 Using the summary attribute of the table element to give an overview of data tables	1
W	SC 2.4.2 - Tech G88 Providing descriptive titles for Web pages	1
W	SC 4.1.2 - Tech ARIA5 Using WAI-ARIA state and property attributes to expose the state of a user interface component	14
W	SC 1.3.1 - 3.3.2 - Tech G162 Positioning labels to maximize predictability of relationships	1
W	SC 1.3.1 - 2.4.1 - Tech ARIA11 Using ARIA landmarks to identify regions of a page	11
W	SC 1.3.1 - Tech F46 Failure of Success Criterion 1.3.1 due to using th elements, caption elements, or non-empty summary attributes in layout tables	1




PAGES EVALUATION

PAGE URL:

<https://www.comune.tribano.pd.it/uffici-e-servizi/modulistica/ufficio->

ERRORS GROUPED BY PRINCIPLES



- PERCEIVABLE: 636
- UNDERSTANDABLE: 4
- OPERABLE: 144
- ROBUST: 33

E/W	Errors	No. of occurrences
PERCEIVABLE		
E	SC 1.3.1 - Tech H63 Using the scope attribute to associate header cells and data cells in data tables	3
E	SC 1.4.13 - Tech 1.4.13-ST2 CSS: Using hover and focus pseudo classes	3
E	SC 1.3.4 - Tech F97 Failure due to locking the orientation to landscape or portrait view	2
E	SC 1.4.11 - Tech F78 Failure due to styling element outlines and borders in a way that removes or renders non-visible the visual focus indicator	8
E	SC 1.3.5 - Tech H98 Identify the purpose of inputs using the autocomplete value	3
E	SC 1.4.11 - Tech G195 Using an author-supplied, highly visible focus indicator	124
E	SC 1.3.1 - 1.4.5 - Tech G140 Separating information and structure from presentation to enable different presentations	1
E	SC 1.3.1 - Tech H42 Using h1-h6 to identify headings	1
E	SC 1.1.1 - 1.3.1 - Tech H44 Using label elements to associate text labels with form controls.	1



PAGES EVALUATION

E/W	Errors	No. of occurrences
E	SC 1.4.4 - 1.4.5 - Tech C12-13-14 Using percent, em units or named font sizes	62
E	SC 1.4.3 - 1.4.11 - Tech G18 Ensuring that a contrast ratio of at least 4.5:1 exists between text (and images of text) and background behind the text	79
E	SC 1.4.4 - 1.4.10 - Tech SCR34 Calculating size and position in a way that scales with text size	18
E	SC 1.3.1 - Tech ARIA16 Using aria-labelledby to provide a name for user interface controls	2
W	SC 1.4.12 - Tech C21 Specifying line spacing in CSS	246
W	SC 1.4.1 - Tech F73 Failure of Success Criterion 1.4.1 due to creating links that are not visually evident without color vision	37
W	SC 1.3.1 - Tech H73 Using the summary attribute of the table element to give an overview of data tables	1
W	SC 1.3.1 - Tech G162 Positioning labels to maximize predictability of relationships	1
W	SC 1.4.4 - 1.4.12 - Tech C28 Specifying the size of text containers using em units	32
W	SC 1.3.1 - Tech ARIA11 Using ARIA landmarks to identify regions of a page	11
W	SC 1.3.1 - Tech F46 Failure of Success Criterion 1.3.1 due to using th elements, caption elements, or non-empty summary attributes in layout tables	1
UNDERSTANDABLE		
E	SC 3.2.2 - Tech H32 Providing submit buttons	2
E	SC 3.3.2 - Tech H44 Using label elements to associate text labels with form controls.	1
W	SC 3.3.2 - Tech G162 Positioning labels to maximize predictability of relationships	1
OPERABLE		
E	SC 2.4.7 - Tech F78 Failure due to styling element outlines and borders in a way that removes or renders non-visible the visual focus indicator	8
E	SC 2.4.7 - Tech G195 Using an author-supplied, highly visible focus indicator	124



PAGES EVALUATION


E/W	Errors	No. of occurrences
W	SC 2.4.2 - Tech G88 Providing descriptive titles for Web pages	1
W	SC 2.4.1 - Tech ARIA11 Using ARIA landmarks to identify regions of a page	11
ROBUST		
E	SC 4.1.1 - Tech H93 Ensuring that id attributes are unique on a webpage	8
E	SC 4.1.1 - Tech F77 Failure of Success Criterion 4.1.1 due to duplicate values of type ID	8
E	SC 4.1.2 - Tech H44 Using label elements to associate text labels with form controls.	1
E	SC 4.1.2 - Tech ARIA16 Using aria-labelledby to provide a name for user interface controls	2
W	SC 4.1.2 - Tech ARIA5 Using WAI-ARIA state and property attributes to expose the state of a user interface component	14



PAGES EVALUATION

PAGE URL: <https://www.comune.tribano.pd.it/uffici-e-servizi/modulistica/ufficio->

ERRORS GROUPED BY CATEGORIES



E/W	Errors	No. of occurrences
ARIA		
E	SC 1.3.1 - 4.1.2 - Tech ARIA16 Using aria-labelledby to provide a name for user interface controls	2
W	SC 4.1.2 - Tech ARIA5 Using WAI-ARIA state and property attributes to expose the state of a user interface component	14
W	SC 1.3.1 - 2.4.1 - Tech ARIA11 Using ARIA landmarks to identify regions of a page	11
COLOR		



PAGES EVALUATION

E/W	Errors	No. of occurrences
E	SC 1.4.3 - 1.4.11 - Tech G18 Ensuring that a contrast ratio of at least 4.5:1 exists between text (and images of text) and background behind the text	79
CONTENT		
E	SC 1.4.4 - 1.4.5 - Tech C12-13-14 Using percent, em units or named font sizes	62
W	SC 1.4.12 - Tech C21 Specifying line spacing in CSS	246
FORM		
E	SC 1.4.13 - Tech 1.4.13-ST2 CSS: Using hover and focus pseudo classes	3
E	SC 3.2.2 - Tech H32 Providing submit buttons	2
E	SC 1.4.11 - 2.4.7 - Tech F78 Failure due to styling element outlines and borders in a way that removes or renders non-visible the visual focus indicator	8
E	SC 1.3.5 - Tech H98 Identify the purpose of inputs using the autocomplete value	3
E	SC 1.4.11 - 2.4.7 - Tech G195 Using an author-supplied, highly visible focus indicator	124
E	SC 1.1.1 - 1.3.1 - 3.3.2 - 4.1.2 - Tech H44 Using label elements to associate text labels with form controls.	1
HTML		
E	SC 4.1.1 - Tech H93 Ensuring that id attributes are unique on a webpage	8
E	SC 4.1.1 - Tech F77 Failure of Success Criterion 4.1.1 due to duplicate values of type ID	8
E	SC 1.3.1 - 1.4.5 - Tech G140 Separating information and structure from presentation to enable different presentations	1
E	SC 1.3.1 - Tech H42 Using h1-h6 to identify headings	1
W	SC 2.4.2 - Tech G88 Providing descriptive titles for Web pages	1
W	SC 1.3.1 - 3.3.2 - Tech G162 Positioning labels to maximize predictability of relationships	1
LINK		



PAGES EVALUATION


E/W	Errors	No. of occurrences
W	SC 1.4.1 - Tech F73 Failure of Success Criterion 1.4.1 due to creating links that are not visually evident without color vision	37
RESPONSIVE		
E	SC 1.4.4 - 1.4.10 - Tech SCR34 Calculating size and position in a way that scales with text size	18
E	SC 1.3.4 - Tech F97 Failure due to locking the orientation to landscape or portrait view	2
W	SC 1.4.4 - 1.4.12 - Tech C28 Specifying the size of text containers using em units	32
TABLE		
E	SC 1.3.1 - Tech H63 Using the scope attribute to associate header cells and data cells in data tables	3
W	SC 1.3.1 - Tech H73 Using the summary attribute of the table element to give an overview of data tables	1
W	SC 1.3.1 - Tech F46 Failure of Success Criterion 1.3.1 due to using th elements, caption elements, or non-empty summary attributes in layout tables	1



PAGES EVALUATION

PAGE URL: <https://www.comune.tribano.pd.it/uffici-e-servizi/modulistica/ufficio->

ERRORS GROUPED BY HTML VS STYLE



E/W	Errors	No. of occurrences
STYLE		
E	SC 1.4.4 - 1.4.10 - Tech SCR34 Calculating size and position in a way that scales with text size	18
E	SC 1.4.13 - Tech 1.4.13-ST2 CSS: Using hover and focus pseudo classes	3
E	SC 1.3.4 - Tech F97 Failure due to locking the orientation to landscape or portrait view	2
E	SC 1.4.11 - 2.4.7 - Tech F78 Failure due to styling element outlines and borders in a way that removes or renders non-visible the visual focus indicator	8
E	SC 1.4.4 - 1.4.5 - Tech C12-13-14 Using percent, em units or named font sizes	62
E	SC 1.4.3 - 1.4.11 - Tech G18 Ensuring that a contrast ratio of at least 4.5:1 exists between text (and images of text) and background behind the text	79
W	SC 1.4.12 - Tech C21 Specifying line spacing in CSS	246
W	SC 1.4.4 - 1.4.12 - Tech C28 Specifying the size of text containers using em units	32
HTML		



PAGES EVALUATION

E/W	Errors	No. of occurrences
E	SC 4.1.1 - Tech H93 Ensuring that id attributes are unique on a webpage	8
E	SC 1.3.1 - Tech H63 Using the scope attribute to associate header cells and data cells in data tables	3
E	SC 3.2.2 - Tech H32 Providing submit buttons	2
E	SC 1.3.5 - Tech H98 Identify the purpose of inputs using the autocomplete value	3
E	SC 1.4.11 - 2.4.7 - Tech G195 Using an author-supplied, highly visible focus indicator	124
E	SC 4.1.1 - Tech F77 Failure of Success Criterion 4.1.1 due to duplicate values of type ID	8
E	SC 1.3.1 - 1.4.5 - Tech G140 Separating information and structure from presentation to enable different presentations	1
E	SC 1.3.1 - Tech H42 Using h1-h6 to identify headings	1
E	SC 1.1.1 - 1.3.1 - 3.3.2 - 4.1.2 - Tech H44 Using label elements to associate text labels with form controls.	1
E	SC 1.3.1 - 4.1.2 - Tech ARIA16 Using aria-labelledby to provide a name for user interface controls	2
W	SC 1.4.1 - Tech F73 Failure of Success Criterion 1.4.1 due to creating links that are not visually evident without color vision	37
W	SC 1.3.1 - Tech H73 Using the summary attribute of the table element to give an overview of data tables	1
W	SC 2.4.2 - Tech G88 Providing descriptive titles for Web pages	1
W	SC 4.1.2 - Tech ARIA5 Using WAI-ARIA state and property attributes to expose the state of a user interface component	14
W	SC 1.3.1 - 3.3.2 - Tech G162 Positioning labels to maximize predictability of relationships	1
W	SC 1.3.1 - 2.4.1 - Tech ARIA11 Using ARIA landmarks to identify regions of a page	11
W	SC 1.3.1 - Tech F46 Failure of Success Criterion 1.3.1 due to using th elements, caption elements, or non-empty summary attributes in layout tables	1




PAGES EVALUATION

PAGE URL:

<https://www.comune.tribano.pd.it/2022/06/28/ordinanza-risparmio-i>

ERRORS GROUPED BY PRINCIPLES



- PERCEIVABLE: 329
- UNDERSTANDABLE: 3
- OPERABLE: 76
- ROBUST: 3

E/W	Errors	No. of occurrences
PERCEIVABLE		
E	SC 1.4.4 - 1.4.10 - Tech SCR34 Calculating size and position in a way that scales with text size	2
E	SC 1.4.13 - Tech 1.4.13-ST2 CSS: Using hover and focus pseudo classes	1
E	SC 1.3.4 - Tech F97 Failure due to locking the orientation to landscape or portrait view	1
E	SC 1.4.11 - Tech F78 Failure due to styling element outlines and borders in a way that removes or renders non-visible the visual focus indicator	1
E	SC 1.3.5 - Tech H98 Identify the purpose of inputs using the autocomplete value	1
E	SC 1.4.11 - Tech G195 Using an author-supplied, highly visible focus indicator	68
E	SC 1.1.1 - 1.3.1 - Tech H44 Using label elements to associate text labels with form controls.	1
E	SC 1.3.1 - Tech ARIA16 Using aria-labelledby to provide a name for user interface controls	1



PAGES EVALUATION

E/W	Errors	No. of occurrences
E	SC 1.4.3 - 1.4.11 - Tech G18 Ensuring that a contrast ratio of at least 4.5:1 exists between text (and images of text) and background behind the text	80
W	SC 1.4.12 - Tech C21 Specifying line spacing in CSS	133
W	SC 1.4.1 - Tech F73 Failure of Success Criterion 1.4.1 due to creating links that are not visually evident without color vision	14
W	SC 1.3.1 - Tech G162 Positioning labels to maximize predictability of relationships	1
W	SC 1.4.4 - 1.4.12 - Tech C28 Specifying the size of text containers using em units	19
W	SC 1.3.1 - Tech ARIA11 Using ARIA landmarks to identify regions of a page	6
UNDERSTANDABLE		
E	SC 3.2.2 - Tech H32 Providing submit buttons	1
E	SC 3.3.2 - Tech H44 Using label elements to associate text labels with form controls.	1
W	SC 3.3.2 - Tech G162 Positioning labels to maximize predictability of relationships	1
OPERABLE		
E	SC 2.4.7 - Tech F78 Failure due to styling element outlines and borders in a way that removes or renders non-visible the visual focus indicator	1
E	SC 2.4.7 - Tech G195 Using an author-supplied, highly visible focus indicator	68
W	SC 2.4.2 - Tech G88 Providing descriptive titles for Web pages	1
W	SC 2.4.1 - Tech ARIA11 Using ARIA landmarks to identify regions of a page	6
ROBUST		
E	SC 4.1.2 - Tech H44 Using label elements to associate text labels with form controls.	1
E	SC 4.1.2 - Tech ARIA16 Using aria-labelledby to provide a name for user interface controls	1
W	SC 4.1.2 - Tech ARIA5 Using WAI-ARIA state and property attributes to expose the state of a user interface component	1




PAGES EVALUATION

PAGE URL:

<https://www.comune.tribano.pd.it/2022/06/28/ordinanza-risparmio-i>

ERRORS GROUPED BY CATEGORIES



E/W	Errors	No. of occurrences
ARIA		
E	SC 1.3.1 - 4.1.2 - Tech ARIA16 Using aria-labelledby to provide a name for user interface controls	1
W	SC 4.1.2 - Tech ARIA5 Using WAI-ARIA state and property attributes to expose the state of a user interface component	1
W	SC 1.3.1 - 2.4.1 - Tech ARIA11 Using ARIA landmarks to identify regions of a page	6
COLOR		



PAGES EVALUATION


E/W	Errors	No. of occurrences
E	SC 1.4.3 - 1.4.11 - Tech G18 Ensuring that a contrast ratio of at least 4.5:1 exists between text (and images of text) and background behind the text	80
CONTENT		
W	SC 1.4.12 - Tech C21 Specifying line spacing in CSS	133
FORM		
E	SC 1.4.13 - Tech 1.4.13-ST2 CSS: Using hover and focus pseudo classes	1
E	SC 3.2.2 - Tech H32 Providing submit buttons	1
E	SC 1.4.11 - 2.4.7 - Tech F78 Failure due to styling element outlines and borders in a way that removes or renders non-visible the visual focus indicator	1
E	SC 1.3.5 - Tech H98 Identify the purpose of inputs using the autocomplete value	1
E	SC 1.4.11 - 2.4.7 - Tech G195 Using an author-supplied, highly visible focus indicator	68
E	SC 1.1.1 - 1.3.1 - 3.3.2 - 4.1.2 - Tech H44 Using label elements to associate text labels with form controls.	1
HTML		
W	SC 2.4.2 - Tech G88 Providing descriptive titles for Web pages	1
W	SC 1.3.1 - 3.3.2 - Tech G162 Positioning labels to maximize predictability of relationships	1
LINK		
W	SC 1.4.1 - Tech F73 Failure of Success Criterion 1.4.1 due to creating links that are not visually evident without color vision	14
RESPONSIVE		
E	SC 1.4.4 - 1.4.10 - Tech SCR34 Calculating size and position in a way that scales with text size	2
E	SC 1.3.4 - Tech F97 Failure due to locking the orientation to landscape or portrait view	1
W	SC 1.4.4 - 1.4.12 - Tech C28 Specifying the size of text containers using em units	19



PAGES EVALUATION

PAGE URL: <https://www.comune.tribano.pd.it/2022/06/28/ordinanza-risparmio-idee-e-progetti/>

ERRORS GROUPED BY HTML VS STYLE



E/W	Errors	No. of occurrences
STYLE		
E	SC 1.4.4 - 1.4.10 - Tech SCR34 Calculating size and position in a way that scales with text size	2
E	SC 1.4.13 - Tech 1.4.13-ST2 CSS: Using hover and focus pseudo classes	1
E	SC 1.3.4 - Tech F97 Failure due to locking the orientation to landscape or portrait view	1
E	SC 1.4.11 - 2.4.7 - Tech F78 Failure due to styling element outlines and borders in a way that removes or renders non-visible the visual focus indicator	1
E	SC 1.4.3 - 1.4.11 - Tech G18 Ensuring that a contrast ratio of at least 4.5:1 exists between text (and images of text) and background behind the text	80
W	SC 1.4.12 - Tech C21 Specifying line spacing in CSS	133
W	SC 1.4.4 - 1.4.12 - Tech C28 Specifying the size of text containers using em units	19
HTML		
E	SC 3.2.2 - Tech H32 Providing submit buttons	1



PAGES EVALUATION

E/W	Errors	No. of occurrences
E	SC 1.3.5 - Tech H98 Identify the purpose of inputs using the autocomplete value	1
E	SC 1.4.11 - 2.4.7 - Tech G195 Using an author-supplied, highly visible focus indicator	68
E	SC 1.1.1 - 1.3.1 - 3.3.2 - 4.1.2 - Tech H44 Using label elements to associate text labels with form controls.	1
E	SC 1.3.1 - 4.1.2 - Tech ARIA16 Using aria-labelledby to provide a name for user interface controls	1
W	SC 1.4.1 - Tech F73 Failure of Success Criterion 1.4.1 due to creating links that are not visually evident without color vision	14
W	SC 2.4.2 - Tech G88 Providing descriptive titles for Web pages	1
W	SC 4.1.2 - Tech ARIA5 Using WAI-ARIA state and property attributes to expose the state of a user interface component	1
W	SC 1.3.1 - 3.3.2 - Tech G162 Positioning labels to maximize predictability of relationships	1
W	SC 1.3.1 - 2.4.1 - Tech ARIA11 Using ARIA landmarks to identify regions of a page	6




PAGES EVALUATION

PAGE URL:

<https://www.comune.tribano.pd.it/2022/09/02/elezioni-politiche-di-d>

ERRORS GROUPED BY PRINCIPLES



- PERCEIVABLE: 320
- UNDERSTANDABLE: 3
- OPERABLE: 75
- ROBUST: 3

E/W	Errors	No. of occurrences
PERCEIVABLE		
E	SC 1.4.4 - 1.4.10 - Tech SCR34 Calculating size and position in a way that scales with text size	2
E	SC 1.4.13 - Tech 1.4.13-ST2 CSS: Using hover and focus pseudo classes	1
E	SC 1.3.4 - Tech F97 Failure due to locking the orientation to landscape or portrait view	1
E	SC 1.4.11 - Tech F78 Failure due to styling element outlines and borders in a way that removes or renders non-visible the visual focus indicator	1
E	SC 1.3.5 - Tech H98 Identify the purpose of inputs using the autocomplete value	1
E	SC 1.4.11 - Tech G195 Using an author-supplied, highly visible focus indicator	67
E	SC 1.1.1 - 1.3.1 - Tech H44 Using label elements to associate text labels with form controls.	1
E	SC 1.3.1 - Tech ARIA16 Using aria-labelledby to provide a name for user interface controls	1



PAGES EVALUATION


E/W	Errors	No. of occurrences
E	SC 1.4.3 - 1.4.11 - Tech G18 Ensuring that a contrast ratio of at least 4.5:1 exists between text (and images of text) and background behind the text	79
W	SC 1.4.12 - Tech C21 Specifying line spacing in CSS	128
W	SC 1.4.1 - Tech F73 Failure of Success Criterion 1.4.1 due to creating links that are not visually evident without color vision	13
W	SC 1.3.1 - Tech G162 Positioning labels to maximize predictability of relationships	1
W	SC 1.4.4 - 1.4.12 - Tech C28 Specifying the size of text containers using em units	18
W	SC 1.3.1 - Tech ARIA11 Using ARIA landmarks to identify regions of a page	6
UNDERSTANDABLE		
E	SC 3.2.2 - Tech H32 Providing submit buttons	1
E	SC 3.3.2 - Tech H44 Using label elements to associate text labels with form controls.	1
W	SC 3.3.2 - Tech G162 Positioning labels to maximize predictability of relationships	1
OPERABLE		
E	SC 2.4.7 - Tech F78 Failure due to styling element outlines and borders in a way that removes or renders non-visible the visual focus indicator	1
E	SC 2.4.7 - Tech G195 Using an author-supplied, highly visible focus indicator	67
W	SC 2.4.2 - Tech G88 Providing descriptive titles for Web pages	1
W	SC 2.4.1 - Tech ARIA11 Using ARIA landmarks to identify regions of a page	6
ROBUST		
E	SC 4.1.2 - Tech H44 Using label elements to associate text labels with form controls.	1
E	SC 4.1.2 - Tech ARIA16 Using aria-labelledby to provide a name for user interface controls	1
W	SC 4.1.2 - Tech ARIA5 Using WAI-ARIA state and property attributes to expose the state of a user interface component	1



PAGES EVALUATION

PAGE URL: <https://www.comune.tribano.pd.it/2022/09/02/elezioni-politiche-di-d>

ERRORS GROUPED BY CATEGORIES



E/W	Errors	No. of occurrences
ARIA		
E	SC 1.3.1 - 4.1.2 - Tech ARIA16 Using aria-labelledby to provide a name for user interface controls	1
W	SC 4.1.2 - Tech ARIA5 Using WAI-ARIA state and property attributes to expose the state of a user interface component	1
W	SC 1.3.1 - 2.4.1 - Tech ARIA11 Using ARIA landmarks to identify regions of a page	6
COLOR		



PAGES EVALUATION

E/W	Errors	No. of occurrences
E	SC 1.4.3 - 1.4.11 - Tech G18 Ensuring that a contrast ratio of at least 4.5:1 exists between text (and images of text) and background behind the text	79
CONTENT		
W	SC 1.4.12 - Tech C21 Specifying line spacing in CSS	128
FORM		
E	SC 1.4.13 - Tech 1.4.13-ST2 CSS: Using hover and focus pseudo classes	1
E	SC 3.2.2 - Tech H32 Providing submit buttons	1
E	SC 1.4.11 - 2.4.7 - Tech F78 Failure due to styling element outlines and borders in a way that removes or renders non-visible the visual focus indicator	1
E	SC 1.3.5 - Tech H98 Identify the purpose of inputs using the autocomplete value	1
E	SC 1.4.11 - 2.4.7 - Tech G195 Using an author-supplied, highly visible focus indicator	67
E	SC 1.1.1 - 1.3.1 - 3.3.2 - 4.1.2 - Tech H44 Using label elements to associate text labels with form controls.	1
HTML		
W	SC 2.4.2 - Tech G88 Providing descriptive titles for Web pages	1
W	SC 1.3.1 - 3.3.2 - Tech G162 Positioning labels to maximize predictability of relationships	1
LINK		
W	SC 1.4.1 - Tech F73 Failure of Success Criterion 1.4.1 due to creating links that are not visually evident without color vision	13
RESPONSIVE		
E	SC 1.4.4 - 1.4.10 - Tech SCR34 Calculating size and position in a way that scales with text size	2
E	SC 1.3.4 - Tech F97 Failure due to locking the orientation to landscape or portrait view	1
W	SC 1.4.4 - 1.4.12 - Tech C28 Specifying the size of text containers using em units	18




PAGES EVALUATION

PAGE URL:

<https://www.comune.tribano.pd.it/2022/09/02/elezioni-politiche-di-d>

ERRORS GROUPED BY HTML VS STYLE



E/W	Errors	No. of occurrences
STYLE		
E	SC 1.4.4 - 1.4.10 - Tech SCR34 Calculating size and position in a way that scales with text size	2
E	SC 1.4.13 - Tech 1.4.13-ST2 CSS: Using hover and focus pseudo classes	1
E	SC 1.3.4 - Tech F97 Failure due to locking the orientation to landscape or portrait view	1
E	SC 1.4.11 - 2.4.7 - Tech F78 Failure due to styling element outlines and borders in a way that removes or renders non-visible the visual focus indicator	1
E	SC 1.4.3 - 1.4.11 - Tech G18 Ensuring that a contrast ratio of at least 4.5:1 exists between text (and images of text) and background behind the text	79
W	SC 1.4.12 - Tech C21 Specifying line spacing in CSS	128
W	SC 1.4.4 - 1.4.12 - Tech C28 Specifying the size of text containers using em units	18
HTML		
E	SC 3.2.2 - Tech H32 Providing submit buttons	1



PAGES EVALUATION

E/W	Errors	No. of occurrences
E	SC 1.3.5 - Tech H98 Identify the purpose of inputs using the autocomplete value	1
E	SC 1.4.11 - 2.4.7 - Tech G195 Using an author-supplied, highly visible focus indicator	67
E	SC 1.1.1 - 1.3.1 - 3.3.2 - 4.1.2 - Tech H44 Using label elements to associate text labels with form controls.	1
E	SC 1.3.1 - 4.1.2 - Tech ARIA16 Using aria-labelledby to provide a name for user interface controls	1
W	SC 1.4.1 - Tech F73 Failure of Success Criterion 1.4.1 due to creating links that are not visually evident without color vision	13
W	SC 2.4.2 - Tech G88 Providing descriptive titles for Web pages	1
W	SC 4.1.2 - Tech ARIA5 Using WAI-ARIA state and property attributes to expose the state of a user interface component	1
W	SC 1.3.1 - 3.3.2 - Tech G162 Positioning labels to maximize predictability of relationships	1
W	SC 1.3.1 - 2.4.1 - Tech ARIA11 Using ARIA landmarks to identify regions of a page	6




PAGES EVALUATION

PAGE URL:

<https://www.comune.tribano.pd.it/uffici-e-servizi/modulistica/ufficio->

ERRORS GROUPED BY PRINCIPLES



- PERCEIVABLE: 582
- UNDERSTANDABLE: 3
- OPERABLE: 130
- ROBUST: 15

E/W	Errors	No. of occurrences
PERCEIVABLE		
E	SC 1.3.1 - Tech H63 Using the scope attribute to associate header cells and data cells in data tables	3
E	SC 1.4.13 - Tech 1.4.13-ST2 CSS: Using hover and focus pseudo classes	2
E	SC 1.3.4 - Tech F97 Failure due to locking the orientation to landscape or portrait view	1
E	SC 1.4.11 - Tech F78 Failure due to styling element outlines and borders in a way that removes or renders non-visible the visual focus indicator	7
E	SC 1.3.5 - Tech H98 Identify the purpose of inputs using the autocomplete value	2
E	SC 1.4.11 - Tech G195 Using an author-supplied, highly visible focus indicator	112
E	SC 1.3.1 - 1.4.5 - Tech G140 Separating information and structure from presentation to enable different presentations	1
E	SC 1.3.1 - Tech H42 Using h1-h6 to identify headings	1
E	SC 1.1.1 - 1.3.1 - Tech H44 Using label elements to associate text labels with form controls.	1



PAGES EVALUATION

E/W	Errors	No. of occurrences
E	SC 1.4.4 - 1.4.5 - Tech C12-13-14 Using percent, em units or named font sizes	62
E	SC 1.4.3 - 1.4.11 - Tech G18 Ensuring that a contrast ratio of at least 4.5:1 exists between text (and images of text) and background behind the text	78
E	SC 1.4.4 - 1.4.10 - Tech SCR34 Calculating size and position in a way that scales with text size	18
E	SC 1.3.1 - Tech ARIA16 Using aria-labelledby to provide a name for user interface controls	1
W	SC 1.4.12 - Tech C21 Specifying line spacing in CSS	226
W	SC 1.4.1 - Tech F73 Failure of Success Criterion 1.4.1 due to creating links that are not visually evident without color vision	27
W	SC 1.3.1 - Tech H73 Using the summary attribute of the table element to give an overview of data tables	1
W	SC 1.3.1 - Tech G162 Positioning labels to maximize predictability of relationships	1
W	SC 1.4.4 - 1.4.12 - Tech C28 Specifying the size of text containers using em units	27
W	SC 1.3.1 - Tech ARIA11 Using ARIA landmarks to identify regions of a page	10
W	SC 1.3.1 - Tech F46 Failure of Success Criterion 1.3.1 due to using th elements, caption elements, or non-empty summary attributes in layout tables	1
UNDERSTANDABLE		
E	SC 3.2.2 - Tech H32 Providing submit buttons	1
E	SC 3.3.2 - Tech H44 Using label elements to associate text labels with form controls.	1
W	SC 3.3.2 - Tech G162 Positioning labels to maximize predictability of relationships	1
OPERABLE		
E	SC 2.4.7 - Tech F78 Failure due to styling element outlines and borders in a way that removes or renders non-visible the visual focus indicator	7
E	SC 2.4.7 - Tech G195 Using an author-supplied, highly visible focus indicator	112



PAGES EVALUATION


E/W	Errors	No. of occurrences
W	SC 2.4.2 - Tech G88 Providing descriptive titles for Web pages	1
W	SC 2.4.1 - Tech ARIA11 Using ARIA landmarks to identify regions of a page	10
ROBUST		
E	SC 4.1.2 - Tech H44 Using label elements to associate text labels with form controls.	1
E	SC 4.1.2 - Tech ARIA16 Using aria-labelledby to provide a name for user interface controls	1
W	SC 4.1.2 - Tech ARIA5 Using WAI-ARIA state and property attributes to expose the state of a user interface component	13



PAGES EVALUATION

PAGE URL: <https://www.comune.tribano.pd.it/uffici-e-servizi/modulistica/ufficio->

ERRORS GROUPED BY CATEGORIES



E/W	Errors	No. of occurrences
ARIA		
E	SC 1.3.1 - 4.1.2 - Tech ARIA16 Using aria-labelledby to provide a name for user interface controls	1
W	SC 4.1.2 - Tech ARIA5 Using WAI-ARIA state and property attributes to expose the state of a user interface component	13
W	SC 1.3.1 - 2.4.1 - Tech ARIA11 Using ARIA landmarks to identify regions of a page	10
COLOR		



PAGES EVALUATION

E/W	Errors	No. of occurrences
E	SC 1.4.3 - 1.4.11 - Tech G18 Ensuring that a contrast ratio of at least 4.5:1 exists between text (and images of text) and background behind the text	78
CONTENT		
E	SC 1.4.4 - 1.4.5 - Tech C12-13-14 Using percent, em units or named font sizes	62
W	SC 1.4.12 - Tech C21 Specifying line spacing in CSS	226
FORM		
E	SC 1.4.13 - Tech 1.4.13-ST2 CSS: Using hover and focus pseudo classes	2
E	SC 3.2.2 - Tech H32 Providing submit buttons	1
E	SC 1.4.11 - 2.4.7 - Tech F78 Failure due to styling element outlines and borders in a way that removes or renders non-visible the visual focus indicator	7
E	SC 1.3.5 - Tech H98 Identify the purpose of inputs using the autocomplete value	2
E	SC 1.4.11 - 2.4.7 - Tech G195 Using an author-supplied, highly visible focus indicator	112
E	SC 1.1.1 - 1.3.1 - 3.3.2 - 4.1.2 - Tech H44 Using label elements to associate text labels with form controls.	1
HTML		
E	SC 1.3.1 - 1.4.5 - Tech G140 Separating information and structure from presentation to enable different presentations	1
E	SC 1.3.1 - Tech H42 Using h1-h6 to identify headings	1
W	SC 2.4.2 - Tech G88 Providing descriptive titles for Web pages	1
W	SC 1.3.1 - 3.3.2 - Tech G162 Positioning labels to maximize predictability of relationships	1
LINK		
W	SC 1.4.1 - Tech F73 Failure of Success Criterion 1.4.1 due to creating links that are not visually evident without color vision	27
RESPONSIVE		
E	SC 1.4.4 - 1.4.10 - Tech SCR34 Calculating size and position in a way that scales with text size	18



PAGES EVALUATION

E/W	Errors	No. of occurrences
E	SC 1.3.4 - Tech F97 Failure due to locking the orientation to landscape or portrait view	1
W	SC 1.4.4 - 1.4.12 - Tech C28 Specifying the size of text containers using em units	27

TABLE

E	SC 1.3.1 - Tech H63 Using the scope attribute to associate header cells and data cells in data tables	3
W	SC 1.3.1 - Tech H73 Using the summary attribute of the table element to give an overview of data tables	1
W	SC 1.3.1 - Tech F46 Failure of Success Criterion 1.3.1 due to using th elements, caption elements, or non-empty summary attributes in layout tables	1



PAGES EVALUATION

PAGE URL: <https://www.comune.tribano.pd.it/uffici-e-servizi/modulistica/ufficio->

ERRORS GROUPED BY HTML VS STYLE



E/W	Errors	No. of occurrences
STYLE		
E	SC 1.4.4 - 1.4.10 - Tech SCR34 Calculating size and position in a way that scales with text size	18
E	SC 1.4.13 - Tech 1.4.13-ST2 CSS: Using hover and focus pseudo classes	2
E	SC 1.3.4 - Tech F97 Failure due to locking the orientation to landscape or portrait view	1
E	SC 1.4.11 - 2.4.7 - Tech F78 Failure due to styling element outlines and borders in a way that removes or renders non-visible the visual focus indicator	7
E	SC 1.4.4 - 1.4.5 - Tech C12-13-14 Using percent, em units or named font sizes	62
E	SC 1.4.3 - 1.4.11 - Tech G18 Ensuring that a contrast ratio of at least 4.5:1 exists between text (and images of text) and background behind the text	78
W	SC 1.4.12 - Tech C21 Specifying line spacing in CSS	226
W	SC 1.4.4 - 1.4.12 - Tech C28 Specifying the size of text containers using em units	27
HTML		



PAGES EVALUATION

E/W	Errors	No. of occurrences
E	SC 1.3.1 - Tech H63 Using the scope attribute to associate header cells and data cells in data tables	3
E	SC 3.2.2 - Tech H32 Providing submit buttons	1
E	SC 1.3.5 - Tech H98 Identify the purpose of inputs using the autocomplete value	2
E	SC 1.4.11 - 2.4.7 - Tech G195 Using an author-supplied, highly visible focus indicator	112
E	SC 1.3.1 - 1.4.5 - Tech G140 Separating information and structure from presentation to enable different presentations	1
E	SC 1.3.1 - Tech H42 Using h1-h6 to identify headings	1
E	SC 1.1.1 - 1.3.1 - 3.3.2 - 4.1.2 - Tech H44 Using label elements to associate text labels with form controls.	1
E	SC 1.3.1 - 4.1.2 - Tech ARIA16 Using aria-labelledby to provide a name for user interface controls	1
W	SC 1.4.1 - Tech F73 Failure of Success Criterion 1.4.1 due to creating links that are not visually evident without color vision	27
W	SC 1.3.1 - Tech H73 Using the summary attribute of the table element to give an overview of data tables	1
W	SC 2.4.2 - Tech G88 Providing descriptive titles for Web pages	1
W	SC 4.1.2 - Tech ARIA5 Using WAI-ARIA state and property attributes to expose the state of a user interface component	13
W	SC 1.3.1 - 3.3.2 - Tech G162 Positioning labels to maximize predictability of relationships	1
W	SC 1.3.1 - 2.4.1 - Tech ARIA11 Using ARIA landmarks to identify regions of a page	10
W	SC 1.3.1 - Tech F46 Failure of Success Criterion 1.3.1 due to using th elements, caption elements, or non-empty summary attributes in layout tables	1




PAGES EVALUATION

PAGE URL:

<https://www.comune.tribano.pd.it/amministrazione/elenco-personale>

ERRORS GROUPED BY PRINCIPLES



- PERCEIVABLE: 580
- UNDERSTANDABLE: 3
- OPERABLE: 128
- ROBUST: 15

E/W	Errors	No. of occurrences
PERCEIVABLE		
E	SC 1.3.1 - Tech H63 Using the scope attribute to associate header cells and data cells in data tables	3
E	SC 1.4.13 - Tech 1.4.13-ST2 CSS: Using hover and focus pseudo classes	2
E	SC 1.3.4 - Tech F97 Failure due to locking the orientation to landscape or portrait view	1
E	SC 1.4.11 - Tech F78 Failure due to styling element outlines and borders in a way that removes or renders non-visible the visual focus indicator	7
E	SC 1.3.5 - Tech H98 Identify the purpose of inputs using the autocomplete value	2
E	SC 1.4.11 - Tech G195 Using an author-supplied, highly visible focus indicator	110
E	SC 1.3.1 - 1.4.5 - Tech G140 Separating information and structure from presentation to enable different presentations	1
E	SC 1.3.1 - Tech H42 Using h1-h6 to identify headings	1
E	SC 1.1.1 - 1.3.1 - Tech H44 Using label elements to associate text labels with form controls.	1



PAGES EVALUATION

E/W	Errors	No. of occurrences
E	SC 1.4.4 - 1.4.5 - Tech C12-13-14 Using percent, em units or named font sizes	62
E	SC 1.4.3 - 1.4.11 - Tech G18 Ensuring that a contrast ratio of at least 4.5:1 exists between text (and images of text) and background behind the text	78
E	SC 1.4.4 - 1.4.10 - Tech SCR34 Calculating size and position in a way that scales with text size	19
E	SC 1.3.1 - Tech ARIA16 Using aria-labelledby to provide a name for user interface controls	1
W	SC 1.4.12 - Tech C21 Specifying line spacing in CSS	225
W	SC 1.4.1 - Tech F73 Failure of Success Criterion 1.4.1 due to creating links that are not visually evident without color vision	26
W	SC 1.3.1 - Tech H73 Using the summary attribute of the table element to give an overview of data tables	1
W	SC 1.3.1 - Tech G162 Positioning labels to maximize predictability of relationships	1
W	SC 1.4.4 - 1.4.12 - Tech C28 Specifying the size of text containers using em units	28
W	SC 1.3.1 - Tech ARIA11 Using ARIA landmarks to identify regions of a page	10
W	SC 1.3.1 - Tech F46 Failure of Success Criterion 1.3.1 due to using th elements, caption elements, or non-empty summary attributes in layout tables	1
UNDERSTANDABLE		
E	SC 3.2.2 - Tech H32 Providing submit buttons	1
E	SC 3.3.2 - Tech H44 Using label elements to associate text labels with form controls.	1
W	SC 3.3.2 - Tech G162 Positioning labels to maximize predictability of relationships	1
OPERABLE		
E	SC 2.4.7 - Tech F78 Failure due to styling element outlines and borders in a way that removes or renders non-visible the visual focus indicator	7
E	SC 2.4.7 - Tech G195 Using an author-supplied, highly visible focus indicator	110



PAGES EVALUATION


E/W	Errors	No. of occurrences
W	SC 2.4.2 - Tech G88 Providing descriptive titles for Web pages	1
W	SC 2.4.1 - Tech ARIA11 Using ARIA landmarks to identify regions of a page	10
ROBUST		
E	SC 4.1.2 - Tech H44 Using label elements to associate text labels with form controls.	1
E	SC 4.1.2 - Tech ARIA16 Using aria-labelledby to provide a name for user interface controls	1
W	SC 4.1.2 - Tech ARIA5 Using WAI-ARIA state and property attributes to expose the state of a user interface component	13



PAGES EVALUATION

PAGE URL: <https://www.comune.tribano.pd.it/amministrazione/elenco-personale>

ERRORS GROUPED BY CATEGORIES



E/W	Errors	No. of occurrences
ARIA		
E	SC 1.3.1 - 4.1.2 - Tech ARIA16 Using aria-labelledby to provide a name for user interface controls	1
W	SC 4.1.2 - Tech ARIA5 Using WAI-ARIA state and property attributes to expose the state of a user interface component	13
W	SC 1.3.1 - 2.4.1 - Tech ARIA11 Using ARIA landmarks to identify regions of a page	10
COLOR		



PAGES EVALUATION

E/W	Errors	No. of occurrences
E	SC 1.4.3 - 1.4.11 - Tech G18 Ensuring that a contrast ratio of at least 4.5:1 exists between text (and images of text) and background behind the text	78
CONTENT		
E	SC 1.4.4 - 1.4.5 - Tech C12-13-14 Using percent, em units or named font sizes	62
W	SC 1.4.12 - Tech C21 Specifying line spacing in CSS	225
FORM		
E	SC 1.4.13 - Tech 1.4.13-ST2 CSS: Using hover and focus pseudo classes	2
E	SC 3.2.2 - Tech H32 Providing submit buttons	1
E	SC 1.4.11 - 2.4.7 - Tech F78 Failure due to styling element outlines and borders in a way that removes or renders non-visible the visual focus indicator	7
E	SC 1.3.5 - Tech H98 Identify the purpose of inputs using the autocomplete value	2
E	SC 1.4.11 - 2.4.7 - Tech G195 Using an author-supplied, highly visible focus indicator	110
E	SC 1.1.1 - 1.3.1 - 3.3.2 - 4.1.2 - Tech H44 Using label elements to associate text labels with form controls.	1
HTML		
E	SC 1.3.1 - 1.4.5 - Tech G140 Separating information and structure from presentation to enable different presentations	1
E	SC 1.3.1 - Tech H42 Using h1-h6 to identify headings	1
W	SC 2.4.2 - Tech G88 Providing descriptive titles for Web pages	1
W	SC 1.3.1 - 3.3.2 - Tech G162 Positioning labels to maximize predictability of relationships	1
LINK		
W	SC 1.4.1 - Tech F73 Failure of Success Criterion 1.4.1 due to creating links that are not visually evident without color vision	26
RESPONSIVE		
E	SC 1.4.4 - 1.4.10 - Tech SCR34 Calculating size and position in a way that scales with text size	19



PAGES EVALUATION

E/W	Errors	No. of occurrences
E	SC 1.3.4 - Tech F97 Failure due to locking the orientation to landscape or portrait view	1
W	SC 1.4.4 - 1.4.12 - Tech C28 Specifying the size of text containers using em units	28

TABLE

E	SC 1.3.1 - Tech H63 Using the scope attribute to associate header cells and data cells in data tables	3
W	SC 1.3.1 - Tech H73 Using the summary attribute of the table element to give an overview of data tables	1
W	SC 1.3.1 - Tech F46 Failure of Success Criterion 1.3.1 due to using th elements, caption elements, or non-empty summary attributes in layout tables	1



PAGES EVALUATION

PAGE URL: <https://www.comune.tribano.pd.it/amministrazione/elenco-personale>

ERRORS GROUPED BY HTML VS STYLE



E/W	Errors	No. of occurrences
STYLE		
E	SC 1.4.4 - 1.4.10 - Tech SCR34 Calculating size and position in a way that scales with text size	19
E	SC 1.4.13 - Tech 1.4.13-ST2 CSS: Using hover and focus pseudo classes	2
E	SC 1.3.4 - Tech F97 Failure due to locking the orientation to landscape or portrait view	1
E	SC 1.4.11 - 2.4.7 - Tech F78 Failure due to styling element outlines and borders in a way that removes or renders non-visible the visual focus indicator	7
E	SC 1.4.4 - 1.4.5 - Tech C12-13-14 Using percent, em units or named font sizes	62
E	SC 1.4.3 - 1.4.11 - Tech G18 Ensuring that a contrast ratio of at least 4.5:1 exists between text (and images of text) and background behind the text	78
W	SC 1.4.12 - Tech C21 Specifying line spacing in CSS	225
W	SC 1.4.4 - 1.4.12 - Tech C28 Specifying the size of text containers using em units	28
HTML		



PAGES EVALUATION

E/W	Errors	No. of occurrences
E	SC 1.3.1 - Tech H63 Using the scope attribute to associate header cells and data cells in data tables	3
E	SC 3.2.2 - Tech H32 Providing submit buttons	1
E	SC 1.3.5 - Tech H98 Identify the purpose of inputs using the autocomplete value	2
E	SC 1.4.11 - 2.4.7 - Tech G195 Using an author-supplied, highly visible focus indicator	110
E	SC 1.3.1 - 1.4.5 - Tech G140 Separating information and structure from presentation to enable different presentations	1
E	SC 1.3.1 - Tech H42 Using h1-h6 to identify headings	1
E	SC 1.1.1 - 1.3.1 - 3.3.2 - 4.1.2 - Tech H44 Using label elements to associate text labels with form controls.	1
E	SC 1.3.1 - 4.1.2 - Tech ARIA16 Using aria-labelledby to provide a name for user interface controls	1
W	SC 1.4.1 - Tech F73 Failure of Success Criterion 1.4.1 due to creating links that are not visually evident without color vision	26
W	SC 1.3.1 - Tech H73 Using the summary attribute of the table element to give an overview of data tables	1
W	SC 2.4.2 - Tech G88 Providing descriptive titles for Web pages	1
W	SC 4.1.2 - Tech ARIA5 Using WAI-ARIA state and property attributes to expose the state of a user interface component	13
W	SC 1.3.1 - 3.3.2 - Tech G162 Positioning labels to maximize predictability of relationships	1
W	SC 1.3.1 - 2.4.1 - Tech ARIA11 Using ARIA landmarks to identify regions of a page	10
W	SC 1.3.1 - Tech F46 Failure of Success Criterion 1.3.1 due to using th elements, caption elements, or non-empty summary attributes in layout tables	1




PAGES EVALUATION

PAGE URL:

<https://www.comune.tribano.pd.it/uffici-e-servizi/modulistica/ufficio->

ERRORS GROUPED BY PRINCIPLES



- PERCEIVABLE: 629
- UNDERSTANDABLE: 4
- OPERABLE: 141
- ROBUST: 33

E/W	Errors	No. of occurrences
PERCEIVABLE		
E	SC 1.3.1 - Tech H63 Using the scope attribute to associate header cells and data cells in data tables	3
E	SC 1.4.13 - Tech 1.4.13-ST2 CSS: Using hover and focus pseudo classes	3
E	SC 1.3.4 - Tech F97 Failure due to locking the orientation to landscape or portrait view	2
E	SC 1.4.11 - Tech F78 Failure due to styling element outlines and borders in a way that removes or renders non-visible the visual focus indicator	8
E	SC 1.3.5 - Tech H98 Identify the purpose of inputs using the autocomplete value	3
E	SC 1.4.11 - Tech G195 Using an author-supplied, highly visible focus indicator	121
E	SC 1.3.1 - 1.4.5 - Tech G140 Separating information and structure from presentation to enable different presentations	1
E	SC 1.3.1 - Tech H42 Using h1-h6 to identify headings	1
E	SC 1.1.1 - 1.3.1 - Tech H44 Using label elements to associate text labels with form controls.	1



PAGES EVALUATION

E/W	Errors	No. of occurrences
E	SC 1.4.4 - 1.4.5 - Tech C12-13-14 Using percent, em units or named font sizes	62
E	SC 1.4.3 - 1.4.11 - Tech G18 Ensuring that a contrast ratio of at least 4.5:1 exists between text (and images of text) and background behind the text	79
E	SC 1.4.4 - 1.4.10 - Tech SCR34 Calculating size and position in a way that scales with text size	18
E	SC 1.3.1 - Tech ARIA16 Using aria-labelledby to provide a name for user interface controls	2
W	SC 1.4.12 - Tech C21 Specifying line spacing in CSS	245
W	SC 1.4.1 - Tech F73 Failure of Success Criterion 1.4.1 due to creating links that are not visually evident without color vision	34
W	SC 1.3.1 - Tech H73 Using the summary attribute of the table element to give an overview of data tables	1
W	SC 1.3.1 - Tech G162 Positioning labels to maximize predictability of relationships	1
W	SC 1.4.4 - 1.4.12 - Tech C28 Specifying the size of text containers using em units	32
W	SC 1.3.1 - Tech ARIA11 Using ARIA landmarks to identify regions of a page	11
W	SC 1.3.1 - Tech F46 Failure of Success Criterion 1.3.1 due to using th elements, caption elements, or non-empty summary attributes in layout tables	1
UNDERSTANDABLE		
E	SC 3.2.2 - Tech H32 Providing submit buttons	2
E	SC 3.3.2 - Tech H44 Using label elements to associate text labels with form controls.	1
W	SC 3.3.2 - Tech G162 Positioning labels to maximize predictability of relationships	1
OPERABLE		
E	SC 2.4.7 - Tech F78 Failure due to styling element outlines and borders in a way that removes or renders non-visible the visual focus indicator	8
E	SC 2.4.7 - Tech G195 Using an author-supplied, highly visible focus indicator	121



PAGES EVALUATION


E/W	Errors	No. of occurrences
W	SC 2.4.2 - Tech G88 Providing descriptive titles for Web pages	1
W	SC 2.4.1 - Tech ARIA11 Using ARIA landmarks to identify regions of a page	11
ROBUST		
E	SC 4.1.1 - Tech H93 Ensuring that id attributes are unique on a webpage	8
E	SC 4.1.1 - Tech F77 Failure of Success Criterion 4.1.1 due to duplicate values of type ID	8
E	SC 4.1.2 - Tech H44 Using label elements to associate text labels with form controls.	1
E	SC 4.1.2 - Tech ARIA16 Using aria-labelledby to provide a name for user interface controls	2
W	SC 4.1.2 - Tech ARIA5 Using WAI-ARIA state and property attributes to expose the state of a user interface component	14



PAGES EVALUATION

PAGE URL: <https://www.comune.tribano.pd.it/uffici-e-servizi/modulistica/ufficio->

ERRORS GROUPED BY CATEGORIES



E/W	Errors	No. of occurrences
ARIA		
E	SC 1.3.1 - 4.1.2 - Tech ARIA16 Using aria-labelledby to provide a name for user interface controls	2
W	SC 4.1.2 - Tech ARIA5 Using WAI-ARIA state and property attributes to expose the state of a user interface component	14
W	SC 1.3.1 - 2.4.1 - Tech ARIA11 Using ARIA landmarks to identify regions of a page	11
COLOR		



PAGES EVALUATION

E/W	Errors	No. of occurrences
E	SC 1.4.3 - 1.4.11 - Tech G18 Ensuring that a contrast ratio of at least 4.5:1 exists between text (and images of text) and background behind the text	79
CONTENT		
E	SC 1.4.4 - 1.4.5 - Tech C12-13-14 Using percent, em units or named font sizes	62
W	SC 1.4.12 - Tech C21 Specifying line spacing in CSS	245
FORM		
E	SC 1.4.13 - Tech 1.4.13-ST2 CSS: Using hover and focus pseudo classes	3
E	SC 3.2.2 - Tech H32 Providing submit buttons	2
E	SC 1.4.11 - 2.4.7 - Tech F78 Failure due to styling element outlines and borders in a way that removes or renders non-visible the visual focus indicator	8
E	SC 1.3.5 - Tech H98 Identify the purpose of inputs using the autocomplete value	3
E	SC 1.4.11 - 2.4.7 - Tech G195 Using an author-supplied, highly visible focus indicator	121
E	SC 1.1.1 - 1.3.1 - 3.3.2 - 4.1.2 - Tech H44 Using label elements to associate text labels with form controls.	1
HTML		
E	SC 4.1.1 - Tech H93 Ensuring that id attributes are unique on a webpage	8
E	SC 4.1.1 - Tech F77 Failure of Success Criterion 4.1.1 due to duplicate values of type ID	8
E	SC 1.3.1 - 1.4.5 - Tech G140 Separating information and structure from presentation to enable different presentations	1
E	SC 1.3.1 - Tech H42 Using h1-h6 to identify headings	1
W	SC 2.4.2 - Tech G88 Providing descriptive titles for Web pages	1
W	SC 1.3.1 - 3.3.2 - Tech G162 Positioning labels to maximize predictability of relationships	1
LINK		



PAGES EVALUATION


E/W	Errors	No. of occurrences
W	SC 1.4.1 - Tech F73 Failure of Success Criterion 1.4.1 due to creating links that are not visually evident without color vision	34
RESPONSIVE		
E	SC 1.4.4 - 1.4.10 - Tech SCR34 Calculating size and position in a way that scales with text size	18
E	SC 1.3.4 - Tech F97 Failure due to locking the orientation to landscape or portrait view	2
W	SC 1.4.4 - 1.4.12 - Tech C28 Specifying the size of text containers using em units	32
TABLE		
E	SC 1.3.1 - Tech H63 Using the scope attribute to associate header cells and data cells in data tables	3
W	SC 1.3.1 - Tech H73 Using the summary attribute of the table element to give an overview of data tables	1
W	SC 1.3.1 - Tech F46 Failure of Success Criterion 1.3.1 due to using th elements, caption elements, or non-empty summary attributes in layout tables	1



PAGES EVALUATION

PAGE URL: <https://www.comune.tribano.pd.it/uffici-e-servizi/modulistica/ufficio->

ERRORS GROUPED BY HTML VS STYLE



E/W	Errors	No. of occurrences
STYLE		
E	SC 1.4.4 - 1.4.10 - Tech SCR34 Calculating size and position in a way that scales with text size	18
E	SC 1.4.13 - Tech 1.4.13-ST2 CSS: Using hover and focus pseudo classes	3
E	SC 1.3.4 - Tech F97 Failure due to locking the orientation to landscape or portrait view	2
E	SC 1.4.11 - 2.4.7 - Tech F78 Failure due to styling element outlines and borders in a way that removes or renders non-visible the visual focus indicator	8
E	SC 1.4.4 - 1.4.5 - Tech C12-13-14 Using percent, em units or named font sizes	62
E	SC 1.4.3 - 1.4.11 - Tech G18 Ensuring that a contrast ratio of at least 4.5:1 exists between text (and images of text) and background behind the text	79
W	SC 1.4.12 - Tech C21 Specifying line spacing in CSS	245
W	SC 1.4.4 - 1.4.12 - Tech C28 Specifying the size of text containers using em units	32
HTML		



PAGES EVALUATION


E/W	Errors	No. of occurrences
E	SC 4.1.1 - Tech H93 Ensuring that id attributes are unique on a webpage	8
E	SC 1.3.1 - Tech H63 Using the scope attribute to associate header cells and data cells in data tables	3
E	SC 3.2.2 - Tech H32 Providing submit buttons	2
E	SC 1.3.5 - Tech H98 Identify the purpose of inputs using the autocomplete value	3
E	SC 1.4.11 - 2.4.7 - Tech G195 Using an author-supplied, highly visible focus indicator	121
E	SC 4.1.1 - Tech F77 Failure of Success Criterion 4.1.1 due to duplicate values of type ID	8
E	SC 1.3.1 - 1.4.5 - Tech G140 Separating information and structure from presentation to enable different presentations	1
E	SC 1.3.1 - Tech H42 Using h1-h6 to identify headings	1
E	SC 1.1.1 - 1.3.1 - 3.3.2 - 4.1.2 - Tech H44 Using label elements to associate text labels with form controls.	1
E	SC 1.3.1 - 4.1.2 - Tech ARIA16 Using aria-labelledby to provide a name for user interface controls	2
W	SC 1.4.1 - Tech F73 Failure of Success Criterion 1.4.1 due to creating links that are not visually evident without color vision	34
W	SC 1.3.1 - Tech H73 Using the summary attribute of the table element to give an overview of data tables	1
W	SC 2.4.2 - Tech G88 Providing descriptive titles for Web pages	1
W	SC 4.1.2 - Tech ARIA5 Using WAI-ARIA state and property attributes to expose the state of a user interface component	14
W	SC 1.3.1 - 3.3.2 - Tech G162 Positioning labels to maximize predictability of relationships	1
W	SC 1.3.1 - 2.4.1 - Tech ARIA11 Using ARIA landmarks to identify regions of a page	11
W	SC 1.3.1 - Tech F46 Failure of Success Criterion 1.3.1 due to using th elements, caption elements, or non-empty summary attributes in layout tables	1



PAGES EVALUATION

PAGE URL: <https://www.comune.tribano.pd.it/uffici-e-servizi/modulistica/ufficio->

ERRORS GROUPED BY PRINCIPLES



- PERCEIVABLE: 234
- UNDERSTANDABLE: 3
- OPERABLE: 58
- ROBUST: 3

E/W	Errors	No. of occurrences
PERCEIVABLE		
E	SC 1.4.13 - Tech 1.4.13-ST2 CSS: Using hover and focus pseudo classes	1
E	SC 1.3.4 - Tech F97 Failure due to locking the orientation to landscape or portrait view	1
E	SC 1.4.11 - Tech F78 Failure due to styling element outlines and borders in a way that removes or renders non-visible the visual focus indicator	1
E	SC 1.3.5 - Tech H98 Identify the purpose of inputs using the autocomplete value	1
E	SC 1.4.11 - Tech G195 Using an author-supplied, highly visible focus indicator	52
E	SC 1.1.1 - 1.3.1 - Tech H44 Using label elements to associate text labels with form controls.	1
E	SC 1.3.1 - Tech ARIA16 Using aria-labelledby to provide a name for user interface controls	1
E	SC 1.4.3 - 1.4.11 - Tech G18 Ensuring that a contrast ratio of at least 4.5:1 exists between text (and images of text) and background behind the text	70



PAGES EVALUATION


E/W	Errors	No. of occurrences
W	SC 1.4.12 - Tech C21 Specifying line spacing in CSS	85
W	SC 1.4.1 - Tech F73 Failure of Success Criterion 1.4.1 due to creating links that are not visually evident without color vision	6
W	SC 1.3.1 - Tech G162 Positioning labels to maximize predictability of relationships	1
W	SC 1.4.4 - 1.4.12 - Tech C28 Specifying the size of text containers using em units	10
W	SC 1.3.1 - Tech ARIA11 Using ARIA landmarks to identify regions of a page	4
UNDERSTANDABLE		
E	SC 3.2.2 - Tech H32 Providing submit buttons	1
E	SC 3.3.2 - Tech H44 Using label elements to associate text labels with form controls.	1
W	SC 3.3.2 - Tech G162 Positioning labels to maximize predictability of relationships	1
OPERABLE		
E	SC 2.4.7 - Tech F78 Failure due to styling element outlines and borders in a way that removes or renders non-visible the visual focus indicator	1
E	SC 2.4.7 - Tech G195 Using an author-supplied, highly visible focus indicator	52
W	SC 2.4.2 - Tech G88 Providing descriptive titles for Web pages	1
W	SC 2.4.1 - Tech ARIA11 Using ARIA landmarks to identify regions of a page	4
ROBUST		
E	SC 4.1.2 - Tech H44 Using label elements to associate text labels with form controls.	1
E	SC 4.1.2 - Tech ARIA16 Using aria-labelledby to provide a name for user interface controls	1
W	SC 4.1.2 - Tech ARIA5 Using WAI-ARIA state and property attributes to expose the state of a user interface component	1



PAGES EVALUATION

PAGE URL: <https://www.comune.tribano.pd.it/uffici-e-servizi/modulistica/ufficio->

ERRORS GROUPED BY CATEGORIES



E/W	Errors	No. of occurrences
ARIA		
E	SC 1.3.1 - 4.1.2 - Tech ARIA16 Using aria-labelledby to provide a name for user interface controls	1
W	SC 4.1.2 - Tech ARIA5 Using WAI-ARIA state and property attributes to expose the state of a user interface component	1
W	SC 1.3.1 - 2.4.1 - Tech ARIA11 Using ARIA landmarks to identify regions of a page	4
COLOR		



PAGES EVALUATION


E/W	Errors	No. of occurrences
E	SC 1.4.3 - 1.4.11 - Tech G18 Ensuring that a contrast ratio of at least 4.5:1 exists between text (and images of text) and background behind the text	70
CONTENT		
W	SC 1.4.12 - Tech C21 Specifying line spacing in CSS	85
FORM		
E	SC 1.4.13 - Tech 1.4.13-ST2 CSS: Using hover and focus pseudo classes	1
E	SC 3.2.2 - Tech H32 Providing submit buttons	1
E	SC 1.4.11 - 2.4.7 - Tech F78 Failure due to styling element outlines and borders in a way that removes or renders non-visible the visual focus indicator	1
E	SC 1.3.5 - Tech H98 Identify the purpose of inputs using the autocomplete value	1
E	SC 1.4.11 - 2.4.7 - Tech G195 Using an author-supplied, highly visible focus indicator	52
E	SC 1.1.1 - 1.3.1 - 3.3.2 - 4.1.2 - Tech H44 Using label elements to associate text labels with form controls.	1
HTML		
W	SC 2.4.2 - Tech G88 Providing descriptive titles for Web pages	1
W	SC 1.3.1 - 3.3.2 - Tech G162 Positioning labels to maximize predictability of relationships	1
LINK		
W	SC 1.4.1 - Tech F73 Failure of Success Criterion 1.4.1 due to creating links that are not visually evident without color vision	6
RESPONSIVE		
E	SC 1.3.4 - Tech F97 Failure due to locking the orientation to landscape or portrait view	1
W	SC 1.4.4 - 1.4.12 - Tech C28 Specifying the size of text containers using em units	10



PAGES EVALUATION

PAGE URL: <https://www.comune.tribano.pd.it/uffici-e-servizi/modulistica/ufficio->

ERRORS GROUPED BY HTML VS STYLE



E/W	Errors	No. of occurrences
STYLE		
E	SC 1.4.13 - Tech 1.4.13-ST2 CSS: Using hover and focus pseudo classes	1
E	SC 1.3.4 - Tech F97 Failure due to locking the orientation to landscape or portrait view	1
E	SC 1.4.11 - 2.4.7 - Tech F78 Failure due to styling element outlines and borders in a way that removes or renders non-visible the visual focus indicator	1
E	SC 1.4.3 - 1.4.11 - Tech G18 Ensuring that a contrast ratio of at least 4.5:1 exists between text (and images of text) and background behind the text	70
W	SC 1.4.12 - Tech C21 Specifying line spacing in CSS	85
W	SC 1.4.4 - 1.4.12 - Tech C28 Specifying the size of text containers using em units	10
HTML		
E	SC 3.2.2 - Tech H32 Providing submit buttons	1
E	SC 1.3.5 - Tech H98 Identify the purpose of inputs using the autocomplete value	1



PAGES EVALUATION

E/W	Errors	No. of occurrences
E	SC 1.4.11 - 2.4.7 - Tech G195 Using an author-supplied, highly visible focus indicator	52
E	SC 1.1.1 - 1.3.1 - 3.3.2 - 4.1.2 - Tech H44 Using label elements to associate text labels with form controls.	1
E	SC 1.3.1 - 4.1.2 - Tech ARIA16 Using aria-labelledby to provide a name for user interface controls	1
W	SC 1.4.1 - Tech F73 Failure of Success Criterion 1.4.1 due to creating links that are not visually evident without color vision	6
W	SC 2.4.2 - Tech G88 Providing descriptive titles for Web pages	1
W	SC 4.1.2 - Tech ARIA5 Using WAI-ARIA state and property attributes to expose the state of a user interface component	1
W	SC 1.3.1 - 3.3.2 - Tech G162 Positioning labels to maximize predictability of relationships	1
W	SC 1.3.1 - 2.4.1 - Tech ARIA11 Using ARIA landmarks to identify regions of a page	4




PAGES EVALUATION

PAGE URL:

<https://www.comune.tribano.pd.it/uffici-e-servizi/modulistica/ufficio->

ERRORS GROUPED BY PRINCIPLES



- PERCEIVABLE: 681
- UNDERSTANDABLE: 4
- OPERABLE: 166
- ROBUST: 33

E/W	Errors	No. of occurrences
PERCEIVABLE		
E	SC 1.3.1 - Tech H63 Using the scope attribute to associate header cells and data cells in data tables	3
E	SC 1.4.13 - Tech 1.4.13-ST2 CSS: Using hover and focus pseudo classes	3
E	SC 1.3.4 - Tech F97 Failure due to locking the orientation to landscape or portrait view	2
E	SC 1.4.11 - Tech F78 Failure due to styling element outlines and borders in a way that removes or renders non-visible the visual focus indicator	8
E	SC 1.3.5 - Tech H98 Identify the purpose of inputs using the autocomplete value	3
E	SC 1.4.11 - Tech G195 Using an author-supplied, highly visible focus indicator	146
E	SC 1.3.1 - 1.4.5 - Tech G140 Separating information and structure from presentation to enable different presentations	1
E	SC 1.3.1 - Tech H42 Using h1-h6 to identify headings	1
E	SC 1.1.1 - 1.3.1 - Tech H44 Using label elements to associate text labels with form controls.	1



PAGES EVALUATION

E/W	Errors	No. of occurrences
E	SC 1.4.4 - 1.4.5 - Tech C12-13-14 Using percent, em units or named font sizes	62
E	SC 1.4.3 - 1.4.11 - Tech G18 Ensuring that a contrast ratio of at least 4.5:1 exists between text (and images of text) and background behind the text	79
E	SC 1.4.4 - 1.4.10 - Tech SCR34 Calculating size and position in a way that scales with text size	18
E	SC 1.3.1 - Tech ARIA16 Using aria-labelledby to provide a name for user interface controls	2
W	SC 1.4.12 - Tech C21 Specifying line spacing in CSS	247
W	SC 1.4.1 - Tech F73 Failure of Success Criterion 1.4.1 due to creating links that are not visually evident without color vision	59
W	SC 1.3.1 - Tech H73 Using the summary attribute of the table element to give an overview of data tables	1
W	SC 1.3.1 - Tech G162 Positioning labels to maximize predictability of relationships	1
W	SC 1.4.4 - 1.4.12 - Tech C28 Specifying the size of text containers using em units	32
W	SC 1.3.1 - Tech ARIA11 Using ARIA landmarks to identify regions of a page	11
W	SC 1.3.1 - Tech F46 Failure of Success Criterion 1.3.1 due to using th elements, caption elements, or non-empty summary attributes in layout tables	1
UNDERSTANDABLE		
E	SC 3.2.2 - Tech H32 Providing submit buttons	2
E	SC 3.3.2 - Tech H44 Using label elements to associate text labels with form controls.	1
W	SC 3.3.2 - Tech G162 Positioning labels to maximize predictability of relationships	1
OPERABLE		
E	SC 2.4.7 - Tech F78 Failure due to styling element outlines and borders in a way that removes or renders non-visible the visual focus indicator	8
E	SC 2.4.7 - Tech G195 Using an author-supplied, highly visible focus indicator	146



PAGES EVALUATION


E/W	Errors	No. of occurrences
W	SC 2.4.2 - Tech G88 Providing descriptive titles for Web pages	1
W	SC 2.4.1 - Tech ARIA11 Using ARIA landmarks to identify regions of a page	11
ROBUST		
E	SC 4.1.1 - Tech H93 Ensuring that id attributes are unique on a webpage	8
E	SC 4.1.1 - Tech F77 Failure of Success Criterion 4.1.1 due to duplicate values of type ID	8
E	SC 4.1.2 - Tech H44 Using label elements to associate text labels with form controls.	1
E	SC 4.1.2 - Tech ARIA16 Using aria-labelledby to provide a name for user interface controls	2
W	SC 4.1.2 - Tech ARIA5 Using WAI-ARIA state and property attributes to expose the state of a user interface component	14



PAGES EVALUATION

PAGE URL: <https://www.comune.tribano.pd.it/uffici-e-servizi/modulistica/ufficio->

ERRORS GROUPED BY CATEGORIES



E/W	Errors	No. of occurrences
ARIA		
E	SC 1.3.1 - 4.1.2 - Tech ARIA16 Using aria-labelledby to provide a name for user interface controls	2
W	SC 4.1.2 - Tech ARIA5 Using WAI-ARIA state and property attributes to expose the state of a user interface component	14
W	SC 1.3.1 - 2.4.1 - Tech ARIA11 Using ARIA landmarks to identify regions of a page	11
COLOR		



PAGES EVALUATION

E/W	Errors	No. of occurrences
E	SC 1.4.3 - 1.4.11 - Tech G18 Ensuring that a contrast ratio of at least 4.5:1 exists between text (and images of text) and background behind the text	79
CONTENT		
E	SC 1.4.4 - 1.4.5 - Tech C12-13-14 Using percent, em units or named font sizes	62
W	SC 1.4.12 - Tech C21 Specifying line spacing in CSS	247
FORM		
E	SC 1.4.13 - Tech 1.4.13-ST2 CSS: Using hover and focus pseudo classes	3
E	SC 3.2.2 - Tech H32 Providing submit buttons	2
E	SC 1.4.11 - 2.4.7 - Tech F78 Failure due to styling element outlines and borders in a way that removes or renders non-visible the visual focus indicator	8
E	SC 1.3.5 - Tech H98 Identify the purpose of inputs using the autocomplete value	3
E	SC 1.4.11 - 2.4.7 - Tech G195 Using an author-supplied, highly visible focus indicator	146
E	SC 1.1.1 - 1.3.1 - 3.3.2 - 4.1.2 - Tech H44 Using label elements to associate text labels with form controls.	1
HTML		
E	SC 4.1.1 - Tech H93 Ensuring that id attributes are unique on a webpage	8
E	SC 4.1.1 - Tech F77 Failure of Success Criterion 4.1.1 due to duplicate values of type ID	8
E	SC 1.3.1 - 1.4.5 - Tech G140 Separating information and structure from presentation to enable different presentations	1
E	SC 1.3.1 - Tech H42 Using h1-h6 to identify headings	1
W	SC 2.4.2 - Tech G88 Providing descriptive titles for Web pages	1
W	SC 1.3.1 - 3.3.2 - Tech G162 Positioning labels to maximize predictability of relationships	1
LINK		



PAGES EVALUATION


E/W	Errors	No. of occurrences
W	SC 1.4.1 - Tech F73 Failure of Success Criterion 1.4.1 due to creating links that are not visually evident without color vision	59
RESPONSIVE		
E	SC 1.4.4 - 1.4.10 - Tech SCR34 Calculating size and position in a way that scales with text size	18
E	SC 1.3.4 - Tech F97 Failure due to locking the orientation to landscape or portrait view	2
W	SC 1.4.4 - 1.4.12 - Tech C28 Specifying the size of text containers using em units	32
TABLE		
E	SC 1.3.1 - Tech H63 Using the scope attribute to associate header cells and data cells in data tables	3
W	SC 1.3.1 - Tech H73 Using the summary attribute of the table element to give an overview of data tables	1
W	SC 1.3.1 - Tech F46 Failure of Success Criterion 1.3.1 due to using th elements, caption elements, or non-empty summary attributes in layout tables	1



PAGES EVALUATION

PAGE URL: <https://www.comune.tribano.pd.it/uffici-e-servizi/modulistica/ufficio->

ERRORS GROUPED BY HTML VS STYLE



E/W	Errors	No. of occurrences
STYLE		
E	SC 1.4.4 - 1.4.10 - Tech SCR34 Calculating size and position in a way that scales with text size	18
E	SC 1.4.13 - Tech 1.4.13-ST2 CSS: Using hover and focus pseudo classes	3
E	SC 1.3.4 - Tech F97 Failure due to locking the orientation to landscape or portrait view	2
E	SC 1.4.11 - 2.4.7 - Tech F78 Failure due to styling element outlines and borders in a way that removes or renders non-visible the visual focus indicator	8
E	SC 1.4.4 - 1.4.5 - Tech C12-13-14 Using percent, em units or named font sizes	62
E	SC 1.4.3 - 1.4.11 - Tech G18 Ensuring that a contrast ratio of at least 4.5:1 exists between text (and images of text) and background behind the text	79
W	SC 1.4.12 - Tech C21 Specifying line spacing in CSS	247
W	SC 1.4.4 - 1.4.12 - Tech C28 Specifying the size of text containers using em units	32
HTML		



PAGES EVALUATION


E/W	Errors	No. of occurrences
E	SC 4.1.1 - Tech H93 Ensuring that id attributes are unique on a webpage	8
E	SC 1.3.1 - Tech H63 Using the scope attribute to associate header cells and data cells in data tables	3
E	SC 3.2.2 - Tech H32 Providing submit buttons	2
E	SC 1.3.5 - Tech H98 Identify the purpose of inputs using the autocomplete value	3
E	SC 1.4.11 - 2.4.7 - Tech G195 Using an author-supplied, highly visible focus indicator	146
E	SC 4.1.1 - Tech F77 Failure of Success Criterion 4.1.1 due to duplicate values of type ID	8
E	SC 1.3.1 - 1.4.5 - Tech G140 Separating information and structure from presentation to enable different presentations	1
E	SC 1.3.1 - Tech H42 Using h1-h6 to identify headings	1
E	SC 1.1.1 - 1.3.1 - 3.3.2 - 4.1.2 - Tech H44 Using label elements to associate text labels with form controls.	1
E	SC 1.3.1 - 4.1.2 - Tech ARIA16 Using aria-labelledby to provide a name for user interface controls	2
W	SC 1.4.1 - Tech F73 Failure of Success Criterion 1.4.1 due to creating links that are not visually evident without color vision	59
W	SC 1.3.1 - Tech H73 Using the summary attribute of the table element to give an overview of data tables	1
W	SC 2.4.2 - Tech G88 Providing descriptive titles for Web pages	1
W	SC 4.1.2 - Tech ARIA5 Using WAI-ARIA state and property attributes to expose the state of a user interface component	14
W	SC 1.3.1 - 3.3.2 - Tech G162 Positioning labels to maximize predictability of relationships	1
W	SC 1.3.1 - 2.4.1 - Tech ARIA11 Using ARIA landmarks to identify regions of a page	11
W	SC 1.3.1 - Tech F46 Failure of Success Criterion 1.3.1 due to using th elements, caption elements, or non-empty summary attributes in layout tables	1



PAGES EVALUATION

PAGE URL: <https://www.comune.tribano.pd.it/2022/09/07/percorso-formativo-su>

ERRORS GROUPED BY PRINCIPLES



- PERCEIVABLE: 306
- UNDERSTANDABLE: 3
- OPERABLE: 73
- ROBUST: 3

E/W	Errors	No. of occurrences
PERCEIVABLE		
E	SC 1.4.4 - 1.4.10 - Tech SCR34 Calculating size and position in a way that scales with text size	2
E	SC 1.4.13 - Tech 1.4.13-ST2 CSS: Using hover and focus pseudo classes	1
E	SC 1.3.4 - Tech F97 Failure due to locking the orientation to landscape or portrait view	1
E	SC 1.4.11 - Tech F78 Failure due to styling element outlines and borders in a way that removes or renders non-visible the visual focus indicator	1
E	SC 1.3.5 - Tech H98 Identify the purpose of inputs using the autocomplete value	1
E	SC 1.4.11 - Tech G195 Using an author-supplied, highly visible focus indicator	65
E	SC 1.1.1 - 1.3.1 - Tech H44 Using label elements to associate text labels with form controls.	1
E	SC 1.3.1 - Tech ARIA16 Using aria-labelledby to provide a name for user interface controls	1



PAGES EVALUATION


E/W	Errors	No. of occurrences
E	SC 1.4.3 - 1.4.11 - Tech G18 Ensuring that a contrast ratio of at least 4.5:1 exists between text (and images of text) and background behind the text	76
W	SC 1.4.12 - Tech C21 Specifying line spacing in CSS	123
W	SC 1.4.1 - Tech F73 Failure of Success Criterion 1.4.1 due to creating links that are not visually evident without color vision	10
W	SC 1.3.1 - Tech G162 Positioning labels to maximize predictability of relationships	1
W	SC 1.4.4 - 1.4.12 - Tech C28 Specifying the size of text containers using em units	17
W	SC 1.3.1 - Tech ARIA11 Using ARIA landmarks to identify regions of a page	6
UNDERSTANDABLE		
E	SC 3.2.2 - Tech H32 Providing submit buttons	1
E	SC 3.3.2 - Tech H44 Using label elements to associate text labels with form controls.	1
W	SC 3.3.2 - Tech G162 Positioning labels to maximize predictability of relationships	1
OPERABLE		
E	SC 2.4.7 - Tech F78 Failure due to styling element outlines and borders in a way that removes or renders non-visible the visual focus indicator	1
E	SC 2.4.7 - Tech G195 Using an author-supplied, highly visible focus indicator	65
W	SC 2.4.2 - Tech G88 Providing descriptive titles for Web pages	1
W	SC 2.4.1 - Tech ARIA11 Using ARIA landmarks to identify regions of a page	6
ROBUST		
E	SC 4.1.2 - Tech H44 Using label elements to associate text labels with form controls.	1
E	SC 4.1.2 - Tech ARIA16 Using aria-labelledby to provide a name for user interface controls	1
W	SC 4.1.2 - Tech ARIA5 Using WAI-ARIA state and property attributes to expose the state of a user interface component	1



PAGES EVALUATION

PAGE URL: <https://www.comune.tribano.pd.it/2022/09/07/percorso-formativo-su>

ERRORS GROUPED BY CATEGORIES



E/W	Errors	No. of occurrences
ARIA		
E	SC 1.3.1 - 4.1.2 - Tech ARIA16 Using aria-labelledby to provide a name for user interface controls	1
W	SC 4.1.2 - Tech ARIA5 Using WAI-ARIA state and property attributes to expose the state of a user interface component	1
W	SC 1.3.1 - 2.4.1 - Tech ARIA11 Using ARIA landmarks to identify regions of a page	6
COLOR		



PAGES EVALUATION


E/W	Errors	No. of occurrences
E	SC 1.4.3 - 1.4.11 - Tech G18 Ensuring that a contrast ratio of at least 4.5:1 exists between text (and images of text) and background behind the text	76
CONTENT		
W	SC 1.4.12 - Tech C21 Specifying line spacing in CSS	123
FORM		
E	SC 1.4.13 - Tech 1.4.13-ST2 CSS: Using hover and focus pseudo classes	1
E	SC 3.2.2 - Tech H32 Providing submit buttons	1
E	SC 1.4.11 - 2.4.7 - Tech F78 Failure due to styling element outlines and borders in a way that removes or renders non-visible the visual focus indicator	1
E	SC 1.3.5 - Tech H98 Identify the purpose of inputs using the autocomplete value	1
E	SC 1.4.11 - 2.4.7 - Tech G195 Using an author-supplied, highly visible focus indicator	65
E	SC 1.1.1 - 1.3.1 - 3.3.2 - 4.1.2 - Tech H44 Using label elements to associate text labels with form controls.	1
HTML		
W	SC 2.4.2 - Tech G88 Providing descriptive titles for Web pages	1
W	SC 1.3.1 - 3.3.2 - Tech G162 Positioning labels to maximize predictability of relationships	1
LINK		
W	SC 1.4.1 - Tech F73 Failure of Success Criterion 1.4.1 due to creating links that are not visually evident without color vision	10
RESPONSIVE		
E	SC 1.4.4 - 1.4.10 - Tech SCR34 Calculating size and position in a way that scales with text size	2
E	SC 1.3.4 - Tech F97 Failure due to locking the orientation to landscape or portrait view	1
W	SC 1.4.4 - 1.4.12 - Tech C28 Specifying the size of text containers using em units	17



PAGES EVALUATION

PAGE URL: <https://www.comune.tribano.pd.it/2022/09/07/percorso-formativo-su>

ERRORS GROUPED BY HTML VS STYLE



E/W	Errors	No. of occurrences
STYLE		
E	SC 1.4.4 - 1.4.10 - Tech SCR34 Calculating size and position in a way that scales with text size	2
E	SC 1.4.13 - Tech 1.4.13-ST2 CSS: Using hover and focus pseudo classes	1
E	SC 1.3.4 - Tech F97 Failure due to locking the orientation to landscape or portrait view	1
E	SC 1.4.11 - 2.4.7 - Tech F78 Failure due to styling element outlines and borders in a way that removes or renders non-visible the visual focus indicator	1
E	SC 1.4.3 - 1.4.11 - Tech G18 Ensuring that a contrast ratio of at least 4.5:1 exists between text (and images of text) and background behind the text	76
W	SC 1.4.12 - Tech C21 Specifying line spacing in CSS	123
W	SC 1.4.4 - 1.4.12 - Tech C28 Specifying the size of text containers using em units	17
HTML		
E	SC 3.2.2 - Tech H32 Providing submit buttons	1



PAGES EVALUATION

E/W	Errors	No. of occurrences
E	SC 1.3.5 - Tech H98 Identify the purpose of inputs using the autocomplete value	1
E	SC 1.4.11 - 2.4.7 - Tech G195 Using an author-supplied, highly visible focus indicator	65
E	SC 1.1.1 - 1.3.1 - 3.3.2 - 4.1.2 - Tech H44 Using label elements to associate text labels with form controls.	1
E	SC 1.3.1 - 4.1.2 - Tech ARIA16 Using aria-labelledby to provide a name for user interface controls	1
W	SC 1.4.1 - Tech F73 Failure of Success Criterion 1.4.1 due to creating links that are not visually evident without color vision	10
W	SC 2.4.2 - Tech G88 Providing descriptive titles for Web pages	1
W	SC 4.1.2 - Tech ARIA5 Using WAI-ARIA state and property attributes to expose the state of a user interface component	1
W	SC 1.3.1 - 3.3.2 - Tech G162 Positioning labels to maximize predictability of relationships	1
W	SC 1.3.1 - 2.4.1 - Tech ARIA11 Using ARIA landmarks to identify regions of a page	6




PAGES EVALUATION

PAGE URL:

<https://www.comune.tribano.pd.it/2022/09/07/elezioni-politiche-2022>

ERRORS GROUPED BY PRINCIPLES



- PERCEIVABLE: 320
- UNDERSTANDABLE: 3
- OPERABLE: 76
- ROBUST: 3

E/W	Errors	No. of occurrences
PERCEIVABLE		
E	SC 1.4.4 - 1.4.10 - Tech SCR34 Calculating size and position in a way that scales with text size	2
E	SC 1.4.13 - Tech 1.4.13-ST2 CSS: Using hover and focus pseudo classes	1
E	SC 1.3.4 - Tech F97 Failure due to locking the orientation to landscape or portrait view	1
E	SC 1.4.11 - Tech F78 Failure due to styling element outlines and borders in a way that removes or renders non-visible the visual focus indicator	1
E	SC 1.3.5 - Tech H98 Identify the purpose of inputs using the autocomplete value	1
E	SC 1.4.11 - Tech G195 Using an author-supplied, highly visible focus indicator	68
E	SC 1.1.1 - 1.3.1 - Tech H44 Using label elements to associate text labels with form controls.	1
E	SC 1.3.1 - Tech ARIA16 Using aria-labelledby to provide a name for user interface controls	1



PAGES EVALUATION

E/W	Errors	No. of occurrences
E	SC 1.4.3 - 1.4.11 - Tech G18 Ensuring that a contrast ratio of at least 4.5:1 exists between text (and images of text) and background behind the text	79
W	SC 1.4.12 - Tech C21 Specifying line spacing in CSS	127
W	SC 1.4.1 - Tech F73 Failure of Success Criterion 1.4.1 due to creating links that are not visually evident without color vision	14
W	SC 1.3.1 - Tech G162 Positioning labels to maximize predictability of relationships	1
W	SC 1.4.4 - 1.4.12 - Tech C28 Specifying the size of text containers using em units	17
W	SC 1.3.1 - Tech ARIA11 Using ARIA landmarks to identify regions of a page	6
UNDERSTANDABLE		
E	SC 3.2.2 - Tech H32 Providing submit buttons	1
E	SC 3.3.2 - Tech H44 Using label elements to associate text labels with form controls.	1
W	SC 3.3.2 - Tech G162 Positioning labels to maximize predictability of relationships	1
OPERABLE		
E	SC 2.4.7 - Tech F78 Failure due to styling element outlines and borders in a way that removes or renders non-visible the visual focus indicator	1
E	SC 2.4.7 - Tech G195 Using an author-supplied, highly visible focus indicator	68
W	SC 2.4.2 - Tech G88 Providing descriptive titles for Web pages	1
W	SC 2.4.1 - Tech ARIA11 Using ARIA landmarks to identify regions of a page	6
ROBUST		
E	SC 4.1.2 - Tech H44 Using label elements to associate text labels with form controls.	1
E	SC 4.1.2 - Tech ARIA16 Using aria-labelledby to provide a name for user interface controls	1
W	SC 4.1.2 - Tech ARIA5 Using WAI-ARIA state and property attributes to expose the state of a user interface component	1




PAGES EVALUATION

PAGE URL:

<https://www.comune.tribano.pd.it/2022/09/07/elezioni-politiche-2022>

ERRORS GROUPED BY CATEGORIES



E/W	Errors	No. of occurrences
ARIA		
E	SC 1.3.1 - 4.1.2 - Tech ARIA16 Using aria-labelledby to provide a name for user interface controls	1
W	SC 4.1.2 - Tech ARIA5 Using WAI-ARIA state and property attributes to expose the state of a user interface component	1
W	SC 1.3.1 - 2.4.1 - Tech ARIA11 Using ARIA landmarks to identify regions of a page	6
COLOR		



PAGES EVALUATION


E/W	Errors	No. of occurrences
E	SC 1.4.3 - 1.4.11 - Tech G18 Ensuring that a contrast ratio of at least 4.5:1 exists between text (and images of text) and background behind the text	79
CONTENT		
W	SC 1.4.12 - Tech C21 Specifying line spacing in CSS	127
FORM		
E	SC 1.4.13 - Tech 1.4.13-ST2 CSS: Using hover and focus pseudo classes	1
E	SC 3.2.2 - Tech H32 Providing submit buttons	1
E	SC 1.4.11 - 2.4.7 - Tech F78 Failure due to styling element outlines and borders in a way that removes or renders non-visible the visual focus indicator	1
E	SC 1.3.5 - Tech H98 Identify the purpose of inputs using the autocomplete value	1
E	SC 1.4.11 - 2.4.7 - Tech G195 Using an author-supplied, highly visible focus indicator	68
E	SC 1.1.1 - 1.3.1 - 3.3.2 - 4.1.2 - Tech H44 Using label elements to associate text labels with form controls.	1
HTML		
W	SC 2.4.2 - Tech G88 Providing descriptive titles for Web pages	1
W	SC 1.3.1 - 3.3.2 - Tech G162 Positioning labels to maximize predictability of relationships	1
LINK		
W	SC 1.4.1 - Tech F73 Failure of Success Criterion 1.4.1 due to creating links that are not visually evident without color vision	14
RESPONSIVE		
E	SC 1.4.4 - 1.4.10 - Tech SCR34 Calculating size and position in a way that scales with text size	2
E	SC 1.3.4 - Tech F97 Failure due to locking the orientation to landscape or portrait view	1
W	SC 1.4.4 - 1.4.12 - Tech C28 Specifying the size of text containers using em units	17



PAGES EVALUATION

PAGE URL: <https://www.comune.tribano.pd.it/2022/09/07/elezioni-politiche-2022>

ERRORS GROUPED BY HTML VS STYLE



E/W	Errors	No. of occurrences
STYLE		
E	SC 1.4.4 - 1.4.10 - Tech SCR34 Calculating size and position in a way that scales with text size	2
E	SC 1.4.13 - Tech 1.4.13-ST2 CSS: Using hover and focus pseudo classes	1
E	SC 1.3.4 - Tech F97 Failure due to locking the orientation to landscape or portrait view	1
E	SC 1.4.11 - 2.4.7 - Tech F78 Failure due to styling element outlines and borders in a way that removes or renders non-visible the visual focus indicator	1
E	SC 1.4.3 - 1.4.11 - Tech G18 Ensuring that a contrast ratio of at least 4.5:1 exists between text (and images of text) and background behind the text	79
W	SC 1.4.12 - Tech C21 Specifying line spacing in CSS	127
W	SC 1.4.4 - 1.4.12 - Tech C28 Specifying the size of text containers using em units	17
HTML		
E	SC 3.2.2 - Tech H32 Providing submit buttons	1



PAGES EVALUATION

E/W	Errors	No. of occurrences
E	SC 1.3.5 - Tech H98 Identify the purpose of inputs using the autocomplete value	1
E	SC 1.4.11 - 2.4.7 - Tech G195 Using an author-supplied, highly visible focus indicator	68
E	SC 1.1.1 - 1.3.1 - 3.3.2 - 4.1.2 - Tech H44 Using label elements to associate text labels with form controls.	1
E	SC 1.3.1 - 4.1.2 - Tech ARIA16 Using aria-labelledby to provide a name for user interface controls	1
W	SC 1.4.1 - Tech F73 Failure of Success Criterion 1.4.1 due to creating links that are not visually evident without color vision	14
W	SC 2.4.2 - Tech G88 Providing descriptive titles for Web pages	1
W	SC 4.1.2 - Tech ARIA5 Using WAI-ARIA state and property attributes to expose the state of a user interface component	1
W	SC 1.3.1 - 3.3.2 - Tech G162 Positioning labels to maximize predictability of relationships	1
W	SC 1.3.1 - 2.4.1 - Tech ARIA11 Using ARIA landmarks to identify regions of a page	6

HIIS LAB @ ISTI-CNR

Pisa • Italy

Interest in design and development of interactive software applications has increased considerably over the last few years. The underlying reason for this interest is the need to provide the greatest number of people with access to applications for the largest number of purposes and in the widest number of contexts. Our research activity is in methods and tools to support user interface designers, software developers, and end users in obtaining systems that can be accessed from different contexts of use (devices, users, physical and social environments) in such a way to improve usability, accessibility, and user experience.

The main goal is to propose new solutions in basic and applied research in the field of human-computer interaction, specifically in user interface software and technologies, mainly under the aegis of national and international programmes and private sector R&D contracts. One of the first groups in Italy in the HCI area, we have become well-known at an International level, as demonstrated by participation in numerous European projects and the board of the most important HCI conferences, and publications in the major HCI and software engineering journals and conferences.

The main research areas concern Methods and Tools for the Analysis, Design and Development of Interactive Applications, Intelligent Interfaces, Interfaces for Ubiquitous Applications, MultiModal Interfaces, Accessibility, Usability Engineering and Models for HCI. Such work has led to the development of a numbers of tools and applications, many of which are publicly available for download.

Via G. Moruzzi 1

56124 Pisa Italy

Room: Building B - Entrance 17 - II Floor

<http://hiis.isti.cnr.it/lab/home>